

# 目 次

元 素 記 号 及 び 比 重 表	2
マ ス タ ー コ イ ル	3
銅 板 ( 小 板 、 大 板 )	4
銅 丸 棒 、 銅 四 角 棒	5
銅 帶	6
銅 管	7
ア ニ ー ル 銅 管	10
黄 銅 板 ( 小 板 、 大 板 )	11
黄 銅 丸 棒	12
黄 銅 六 角 棒 、 四 角 棒	13
黄 銅 平 角 棒	14
黄 銅 丸 管	16
黄 銅 角 管 、 ア ン グ ル	19
ア ル ミ 建 材 用 板	21
ア ル ミ 皮 膜 板	22
ア ル ミ 丸 棒	23
ア ル ミ 平 角 棒	26
ア ル ミ 四 角 棒 、 チ ャ ン ネ ル	28
ア ル ミ ア ン グ ル	29
ア ル ミ 角 管	31
ア ル ミ 丸 管	32
鉄 鋼 製 品	37
ス テ ン レ ス 板	38
ス テ ン レ ス 直 線 、 引 抜 丸 棒	39
ス テ ン レ ス 酸 洗 丸 棒	40
ス テ ン レ ス ピ ー リ ン グ 丸 棒	41
ス テ ン レ ス セ ン タ レ ス 丸 棒 、 H L 丸 棒	42
ス テ ン レ ス 四 角 棒 、 平 角 棒	43
ス テ ン レ ス ア ン グ ル	48
ス テ ン レ ス チ ャ ン ネ ル	49
ス テ ン レ ス 化 粧 管	50
ス テ ン レ ス 配 管	52
ス テ ン レ ス 角 管	54

## 主な元素名及び比重表

元 素 名	比重(20 )	元 素 名	比重(20 )
亜 鉛	7.13(25 )	錫	7.3
アルミニウム	2.71	ビスマス	9.8
硫 黄	2.07	タングステン	19.3
ウ ラ ン	19.07	炭 素	2.25
塩 素	$3.21 \times 10^3$	チ タ ン	4.51
黄銅 1 種	8.56	窒 素	$1.25 \times 10^3$
黄銅 2 種	8.47	鉄	7.87
黄銅 3 種	8.43	テ ル ル	6.24
カドミウム	8.65	銅	8.96
カリウム	0.86	トリウム	11.66
カルシウム	1.55	ナトリウム	0.97
金	19.32	鉛	11.36
銀	10.49	ニ ッ ケ ル	8.9(25 )
ク ロ ム	7.19	白 金	21.45
珪 素	2.33(25 )	バリウム	3.5
ゲルマニウム	5.32(25 )	弗 素	$1.7 \times 10^3$
コ バ ル ト	8.85	プルトニウム	19.0 ~ 19.7
S U S 3 0 3	7.93	ベリリウム	1.85
S U S 3 0 4	7.93	硼 素	2.34
S U S 4 1 0	7.75	マグネシウム	1.74
S U S 4 2 0	7.74	マ ン ガ ン	7.43
S U S 4 3 0	7.7	洋 白	8.8
S U S 4 4 0	7.74	ラ ジ ウ ム	5
酸 素	$1.43 \times 10^3$	リ ン	1.83
水 銀	13.55	燐 青 銅	8.9
水 素	$0.09 \times 10^3$		

# マスターコイル在庫表

厚さ	C2680				C2801	C2600	C1100			C1020			C1220	KFC	KLF	
	O	1/4H	1/2H	H			EH	O	1/4H	1/2H	H	1/4H				1/2H
0.2																
0.25																
0.3																
0.4																
0.45																
0.48																
0.5																
0.6																
0.64																
0.7																
0.8																
1.0																
1.2																
1.5																
1.6																
2.0																

銅板(小板定尺365×1200)

板厚	枚/kg
0.1	0.39
0.15	0.58
0.2	0.79
0.25	0.98
0.3	1.10
0.35	1.38
0.4	1.57
0.5	1.97
0.6	2.36
0.7	2.75
0.8	3.12
0.9	3.50
1.0	3.89
1.2	4.67
1.4	5.45
1.5	5.84
1.6	6.23
1.8	7.01
2.0	7.79
2.3	8.96
2.5	9.74
2.6	10.12

銅板(大板定尺1000×2000)

板厚	枚/kg
3.0	11.68
3.2	12.46
3.5	13.63
4.0	15.58
5.0	19.47
6.0	23.36
6.5	25.31
7.0	27.26
8.0	31.15
9.0	35.04
10.0	38.94
12.0	46.73
15.0	58.41
16.0	62.30
20.0	77.88
25.0	97.35
30.0	116.82
35.0	136.28
40.0	155.75
45.0	175.22
50.0	194.69

板厚	枚/kg
0.4	7.11
0.5	8.89
0.6	10.67
0.7	12.45
0.8	14.22
1.0	17.78
1.2	21.34
1.5	26.67
1.6	28.45
2.0	35.56
2.3	40.89
2.5	44.45
3.0	53.34
3.2	56.90
4.0	71.12
5.0	88.90
6.0	106.68
8.0	142.24
10.0	177.80
12.0	213.36
15.0	266.70
20.0	355.60
25.0	444.50

板厚0.7mm以下は365×1212

## 銅丸棒

寸法	P/KG
3 × 2000	0.13
4 × 4000	0.45
5 × 4000	0.71
6 × 4000	1.02
7 × 4000	1.39
8 × 4000	1.81
9 × 4000	2.29
10 × 4000	2.83
11 × 4000	3.42
12 × 4000	4.07
13 × 4000	4.78
14 × 4000	5.54
15 × 4000	6.36
16 × 4000	7.24
17 × 4000	8.17
18 × 4000	9.16
19 × 4000	10.21
20 × 4000	11.31
21 × 4000	12.47
22 × 4000	13.68
23 × 4000	14.96
24 × 4000	16.29
25 × 4000	17.67
26 × 4000	19.11
28 × 4000	22.17
29 × 4000	23.78
30 × 4000	25.45
32 × 4000	28.95
34 × 4000	32.69
35 × 4000	34.64

## 銅四角棒

寸法	P/KG
36 × 4000	36.64
38 × 4000	40.83
40 × 4000	45.24
41 × 4000	47.53
42 × 4000	49.88
45 × 4000	57.26
48 × 4000	65.14
50 × 4000	70.69
55 × 4000	85.53
60 × 4000	101.79
乱尺	M/KG
65 × 4000	29.86
70 × 4000	34.64
75 × 4000	39.76
80 × 4000	45.24
85 × 4000	51.07
90 × 4000	57.26
95 × 4000	63.79
100 × 4000	70.69
105 × 4000	77.93
110 × 4000	85.53
120 × 4000	101.79
130 × 4000	119.46
150 × 4000	159.04
180 × 4000	229.02

寸法	P/KG
6 × 6 × 4000	1.30
8 × 8 × 4000	2.30
9 × 9 × 4000	2.92
10 × 10 × 4000	3.60
12 × 12 × 4000	5.18
15 × 15 × 4000	8.10
20 × 20 × 4000	14.40
25 × 25 × 4000	22.50
30 × 30 × 4000	32.40
35 × 35 × 4000	44.10
40 × 40 × 4000	57.60
45 × 45 × 4000	72.90
50 × 50 × 4000	90.00
55 × 55 × 4000	108.90
60 × 60 × 4000	129.60
70 × 70 × 4000	176.40
80 × 80 × 4000	230.40
100 × 100 × 4000	360.00

## 銅帶

寸 法	P/K G
2.0 × 10 × 5000	0.90
2.0 × 12 × 5000	1.08
2.0 × 15 × 5000	1.35
2.0 × 20 × 5000	1.80
3.0 × 10 × 5000	1.35
3.0 × 12 × 5000	1.62
3.0 × 15 × 5000	2.03
3.0 × 18 × 5000	2.43
3.0 × 20 × 5000	2.70
3.0 × 25 × 5000	3.38
3.0 × 30 × 5000	4.05
3.0 × 40 × 5000	5.40
3.0 × 50 × 5000	6.75
3.0 × 75 × 5000	10.13
4.0 × 12 × 5000	2.16
4.0 × 15 × 5000	2.70
4.0 × 18 × 5000	3.24
4.0 × 20 × 5000	3.60
4.0 × 25 × 5000	4.50
4.0 × 30 × 5000	5.40
4.0 × 35 × 5000	6.30
4.0 × 40 × 5000	7.20
4.0 × 50 × 5000	9.00
5.0 × 15 × 5000	3.38
5.0 × 20 × 5000	4.50
5.0 × 22 × 5000	4.95
5.0 × 25 × 5000	5.63
5.0 × 30 × 5000	6.75
5.0 × 32 × 5000	7.20
5.0 × 40 × 5000	9.00
5.0 × 50 × 5000	11.25
5.0 × 60 × 5000	13.50
5.0 × 75 × 5000	16.88
5.0 × 100 × 5000	22.50
5.0 × 125 × 5000	28.13
6.0 × 12 × 5000	3.24
6.0 × 15 × 5000	4.05
6.0 × 18 × 5000	4.86

寸 法	P/K G
6.0 × 20 × 5000	5.40
6.0 × 25 × 5000	6.75
6.0 × 30 × 5000	8.10
6.0 × 32 × 5000	8.64
6.0 × 35 × 5000	9.45
6.0 × 38 × 5000	10.26
6.0 × 40 × 5000	10.80
6.0 × 50 × 5000	13.50
6.0 × 60 × 5000	16.20
6.0 × 65 × 5000	17.55
6.0 × 75 × 5000	20.25
6.0 × 80 × 5000	21.60
6.0 × 100 × 5000	27.00
6.0 × 125 × 5000	33.75
6.0 × 150 × 5000	40.50
6.0 × 200 × 5000	54.00
8.0 × 20 × 5000	7.20
8.0 × 25 × 5000	9.00
8.0 × 30 × 5000	10.80
8.0 × 35 × 5000	12.60
8.0 × 40 × 5000	14.40
8.0 × 50 × 5000	18.00
8.0 × 60 × 5000	21.60
8.0 × 75 × 5000	27.00
8.0 × 80 × 5000	28.80
8.0 × 100 × 5000	36.00
8.0 × 125 × 5000	45.00
8.0 × 150 × 5000	54.00
8.0 × 200 × 5000	72.00
10 × 20 × 5000	9.00
10 × 25 × 5000	11.25
10 × 30 × 5000	13.50
10 × 35 × 5000	15.75
10 × 40 × 5000	18.00
10 × 50 × 5000	22.50
10 × 60 × 5000	27.00
10 × 75 × 5000	33.75
10 × 80 × 5000	36.00

寸 法	P/K G
10 × 100 × 5000	45.00
10 × 125 × 5000	56.25
10 × 150 × 5000	67.50
10 × 200 × 5000	90.00
12 × 30 × 5000	16.20
12 × 40 × 5000	21.60
12 × 50 × 5000	27.00
12 × 60 × 5000	32.40
12 × 75 × 5000	40.50
12 × 100 × 5000	54.00
12 × 125 × 5000	67.50
12 × 150 × 5000	81.00
12 × 200 × 5000	108.00
15 × 25 × 5000	16.88
15 × 30 × 5000	20.25
15 × 40 × 5000	27.00
15 × 50 × 5000	33.75
15 × 75 × 5000	50.63
15 × 100 × 5000	67.50
15 × 125 × 5000	84.38
15 × 150 × 5000	101.25
15 × 200 × 5000	135.00
15 × 250 × 5000	168.75
20 × 30 × 5000	27.00
20 × 40 × 5000	36.00
20 × 50 × 5000	45.00
20 × 75 × 5000	67.50
20 × 100 × 5000	90.00
20 × 125 × 5000	112.50
20 × 150 × 5000	135.00
20 × 200 × 5000	180.00
20 × 250 × 5000	225.00
25 × 30 × 5000	33.75
25 × 40 × 5000	45.00
25 × 50 × 5000	56.25
25 × 75 × 5000	84.38
25 × 100 × 5000	112.50

# 銅 管

寸 法	P/KG
3.0 × 0.5 × 5000	0.18
3.0 × 0.8 × 5000	0.25
3.2 × 0.5 × 5000	0.19
3.5 × 0.5 × 5000	0.21
4.0 × 0.5 × 5000	0.25
4.0 × 0.8 × 5000	0.36
4.0 × 1.0 × 5000	0.42
4.5 × 0.5 × 5000	0.28
4.8 × 0.8 × 5000	0.45
5.0 × 0.5 × 5000	0.32
5.0 × 0.8 × 5000	0.48
5.0 × 1.0 × 5000	0.57
6.0 × 0.5 × 5000	0.39
6.0 × 0.8 × 5000	0.59
6.0 × 1.0 × 5000	0.71
6.0 × 1.2 × 5000	0.81
6.0 × 1.5 × 5000	0.95
6.0 × 2.0 × 5000	1.13
6.35 × 0.5 × 5000	0.41
6.35 × 0.8 × 5000	0.63
6.35 × 1.0 × 5000	0.76
6.35 × 1.2 × 5000	0.87
6.35 × 1.5 × 5000	1.03
6.35 × 2.0 × 5000	1.23
7.0 × 1.0 × 5000	0.85
7.0 × 1.5 × 5000	1.17
8.0 × 0.5 × 5000	0.53
8.0 × 0.8 × 5000	0.81
8.0 × 1.0 × 5000	0.99
8.0 × 1.2 × 5000	1.15
8.0 × 1.5 × 5000	1.38
8.0 × 2.0 × 5000	1.70
9.0 × 0.8 × 5000	0.93

寸 法	P/KG
9.0 × 1.0 × 5000	1.13
9.0 × 1.5 × 5000	1.59
9.5 × 0.5 × 5000	0.64
9.5 × 0.8 × 5000	0.98
9.5 × 1.0 × 5000	1.20
9.5 × 1.2 × 5000	1.41
9.5 × 1.5 × 5000	1.70
9.5 × 2.0 × 5000	2.12
10.0 × 0.5 × 5000	0.67
10.0 × 0.8 × 5000	1.04
10.0 × 1.0 × 5000	1.27
10.0 × 1.2 × 5000	1.49
10.0 × 1.5 × 5000	1.80
10.0 × 1.8 × 5000	2.09
10.0 × 2.0 × 5000	2.26
10.0 × 2.6 × 5000	2.72
11.0 × 1.0 × 5000	1.41
11.0 × 1.5 × 5000	2.01
11.0 × 2.0 × 5000	2.54
12.0 × 0.8 × 5000	1.27
12.0 × 1.0 × 5000	1.56
12.0 × 1.2 × 5000	1.83
12.0 × 1.5 × 5000	2.23
12.0 × 1.8 × 5000	2.60
12.0 × 2.0 × 5000	2.83
12.0 × 3.0 × 5000	3.82
12.7 × 0.8 × 5000	1.35
12.7 × 1.0 × 5000	1.65
12.7 × 1.2 × 5000	1.95
12.7 × 1.5 × 5000	2.38
12.7 × 2.0 × 5000	3.03
12.7 × 3.0 × 5000	4.11
14.0 × 1.0 × 5000	1.84

寸 法	P/KG
14.0 × 1.2 × 5000	2.17
14.0 × 1.5 × 5000	2.65
14.0 × 2.0 × 5000	3.39
14.0 × 3.0 × 5000	4.67
15.0 × 1.0 × 5000	1.98
15.0 × 1.2 × 5000	2.34
15.0 × 1.5 × 5000	2.86
15.0 × 1.8 × 5000	3.36
15.0 × 2.0 × 5000	3.68
15.0 × 2.3 × 5000	4.13
15.0 × 3.0 × 5000	5.09
15.9 × 0.8 × 5000	1.71
15.9 × 1.0 × 5000	2.11
15.9 × 1.2 × 5000	2.49
15.9 × 1.5 × 5000	3.05
15.9 × 2.0 × 5000	3.93
15.9 × 2.5 × 5000	4.74
15.9 × 3.0 × 5000	5.47
16.0 × 2.0 × 5000	3.96
16.0 × 2.5 × 5000	4.77
16.0 × 3.0 × 5000	5.51
16.0 × 4.0 × 5000	6.79
17.0 × 2.0 × 5000	4.24
18.0 × 1.0 × 5000	2.40
18.0 × 1.2 × 5000	2.85
18.0 × 1.5 × 5000	3.50
18.0 × 2.0 × 5000	4.52
18.0 × 3.0 × 5000	6.36
19.0 × 0.8 × 5000	2.06
19.0 × 1.0 × 5000	2.54
19.0 × 1.2 × 5000	3.02
19.0 × 1.5 × 5000	3.71
19.0 × 2.0 × 5000	4.81

# 銅 管

寸 法	P/KG
19.0 × 2.5 × 5000	5.83
19.0 × 3.0 × 5000	6.79
19.0 × 4.0 × 5000	8.48
19.0 × 5.0 × 5000	9.90
20.0 × 1.0 × 5000	2.69
20.0 × 1.2 × 5000	3.19
20.0 × 1.5 × 5000	3.92
20.0 × 1.8 × 5000	4.63
20.0 × 2.0 × 5000	5.09
20.0 × 2.5 × 5000	6.19
20.0 × 3.0 × 5000	7.21
20.0 × 4.0 × 5000	9.05
20.0 × 5.0 × 5000	10.60
22.0 × 1.0 × 5000	2.97
22.0 × 1.5 × 5000	4.35
22.0 × 2.0 × 5000	5.65
22.0 × 2.5 × 5000	6.89
22.0 × 3.0 × 5000	8.06
22.0 × 3.5 × 5000	9.15
22.0 × 4.0 × 5000	10.18
22.0 × 5.0 × 5000	12.02
22.2 × 0.8 × 5000	2.42
22.2 × 1.0 × 5000	3.00
22.2 × 1.2 × 5000	3.56
22.2 × 1.5 × 5000	4.39
24.0 × 2.0 × 5000	6.22
25.0 × 1.0 × 5000	3.39
25.0 × 1.2 × 5000	4.04
25.0 × 1.5 × 5000	4.98
25.0 × 1.8 × 5000	5.90
25.0 × 2.0 × 5000	6.50
25.0 × 2.5 × 5000	7.95
25.0 × 3.0 × 5000	9.33

寸 法	P/KG
25.0 × 4.0 × 5000	11.88
25.0 × 5.0 × 5000	14.14
25.4 × 0.8 × 5000	2.78
25.4 × 1.0 × 5000	3.45
25.4 × 1.2 × 5000	4.11
25.4 × 1.5 × 5000	5.07
25.4 × 2.0 × 5000	6.62
25.4 × 2.5 × 5000	8.09
25.4 × 3.0 × 5000	9.50
25.4 × 5.0 × 5000	14.42
27.0 × 3.0 × 5000	10.18
28.0 × 1.0 × 5000	3.82
28.0 × 1.5 × 5000	5.62
28.0 × 2.0 × 5000	7.35
28.0 × 2.5 × 5000	9.01
28.0 × 3.0 × 5000	10.60
28.5 × 1.0 × 5000	3.89
28.5 × 1.2 × 5000	4.63
28.5 × 1.5 × 5000	5.73
28.5 × 2.0 × 5000	7.49
28.5 × 3.0 × 5000	10.81
30.0 × 1.0 × 5000	4.10
30.0 × 1.5 × 5000	6.04
30.0 × 2.0 × 5000	7.92
30.0 × 2.5 × 5000	9.72
30.0 × 3.0 × 5000	11.45
30.0 × 4.0 × 5000	14.70
30.0 × 5.0 × 5000	17.67
31.8 × 0.8 × 5000	3.51
31.8 × 1.0 × 5000	4.35
31.8 × 1.2 × 5000	5.19
31.8 × 1.5 × 5000	6.43
31.8 × 2.0 × 5000	8.43

寸 法	P/KG
31.8 × 2.5 × 5000	10.36
31.8 × 3.0 × 5000	12.21
31.8 × 3.5 × 5000	14.00
31.8 × 4.0 × 5000	15.72
31.8 × 5.0 × 5000	18.94
34.0 × 2.0 × 5000	9.05
34.0 × 3.0 × 5000	13.15
35.0 × 1.0 × 5000	4.81
35.0 × 1.2 × 5000	5.73
35.0 × 1.5 × 5000	7.10
35.0 × 2.0 × 5000	9.33
35.0 × 2.5 × 5000	11.49
35.0 × 3.0 × 5000	13.57
35.0 × 3.5 × 5000	15.59
35.0 × 4.0 × 5000	17.53
35.0 × 5.0 × 5000	21.21
38.0 × 0.8 × 5000	4.21
38.0 × 1.0 × 5000	5.23
38.0 × 1.2 × 5000	6.24
38.0 × 1.5 × 5000	7.74
38.0 × 2.0 × 5000	10.18
38.0 × 2.5 × 5000	12.55
38.0 × 3.0 × 5000	14.84
38.0 × 3.5 × 5000	17.07
38.0 × 4.0 × 5000	19.23
38.0 × 5.0 × 5000	23.33
40.0 × 1.5 × 5000	8.16
40.0 × 2.0 × 5000	10.74
40.0 × 2.5 × 5000	13.25
40.0 × 3.0 × 5000	15.69
40.0 × 3.5 × 5000	18.06
40.0 × 4.0 × 5000	20.36
40.0 × 5.0 × 5000	24.74



# 銅 管

寸 法	P/KG
41.3 × 1.2 × 5000	6.80
41.3 × 1.5 × 5000	8.44
41.3 × 2.0 × 5000	11.11
41.3 × 3.0 × 5000	16.24
42.7 × 3.0 × 5000	16.84
44.5 × 1.0 × 5000	6.15
44.5 × 1.2 × 5000	7.35
44.5 × 1.5 × 5000	9.12
44.5 × 2.0 × 5000	12.02
44.5 × 2.5 × 5000	14.84
44.5 × 3.0 × 5000	17.60
44.5 × 5.0 × 5000	27.92
45.0 × 2.0 × 5000	12.16
45.0 × 2.5 × 5000	15.02
45.0 × 4.0 × 5000	23.19
45.0 × 5.0 × 5000	28.27
48.0 × 3.0 × 5000	19.09
48.6 × 3.0 × 5000	19.34
50.0 × 1.5 × 5000	10.28
50.0 × 2.0 × 5000	13.57
50.0 × 3.0 × 5000	19.93
50.0 × 4.0 × 5000	26.01
50.0 × 5.0 × 5000	31.81
50.8 × 1.2 × 5000	8.41
50.8 × 1.5 × 5000	10.45
50.8 × 1.8 × 5000	12.47
50.8 × 2.0 × 5000	13.80
50.8 × 2.5 × 5000	17.07
50.8 × 3.0 × 5000	20.27
50.8 × 4.0 × 5000	26.46
50.8 × 5.0 × 5000	32.37
50.8 × 6.0 × 5000	38.00
53.0 × 5.0 × 5000	33.93

寸 法	P/KG
54.0 × 1.5 × 5000	11.13
54.0 × 2.0 × 5000	14.70
55.0 × 2.0 × 5000	14.99
55.0 × 2.5 × 5000	18.56
55.0 × 3.0 × 5000	22.05
55.0 × 5.0 × 5000	35.34
57.0 × 1.2 × 5000	9.47
57.0 × 1.5 × 5000	11.77
57.0 × 3.0 × 5000	22.90
58.0 × 2.0 × 5000	15.83
60.0 × 1.5 × 5000	12.41
60.0 × 2.0 × 5000	16.40
60.0 × 3.0 × 5000	24.17
60.0 × 5.0 × 5000	38.88
60.0 × 6.0 × 5000	45.80
63.5 × 1.5 × 5000	13.15
63.5 × 2.0 × 5000	17.39
63.5 × 2.5 × 5000	21.56
63.5 × 3.0 × 5000	25.66
63.5 × 4.0 × 5000	33.65
63.5 × 5.0 × 5000	41.35
65.0 × 3.0 × 5000	26.30
66.8 × 1.5 × 5000	13.85
66.8 × 2.0 × 5000	18.32
67.5 × 1.5 × 5000	14.00
70.0 × 2.0 × 5000	19.23
70.0 × 3.0 × 5000	28.42
70.0 × 5.0 × 5000	45.95
76.2 × 1.5 × 5000	15.84
76.2 × 2.0 × 5000	20.98
76.2 × 2.5 × 5000	26.05
76.2 × 3.0 × 5000	31.05
76.2 × 4.0 × 5000	40.83

寸 法	P/KG
76.2 × 5.0 × 5000	50.33
80.0 × 1.5 × 5000	16.65
80.0 × 3.0 × 5000	32.66
80.0 × 4.0 × 5000	42.98
80.0 × 5.0 × 5000	53.01
82.5 × 3.0 × 5000	33.72
82.5 × 5.0 × 5000	54.78
89.0 × 2.0 × 5000	24.60
89.0 × 3.0 × 5000	36.47
89.0 × 5.0 × 5000	59.38
101.6 × 2.0 × 5000	28.16
101.6 × 3.0 × 5000	41.82
101.6 × 5.0 × 5000	68.28
110.0 × 5.0 × 5000	74.22
114.3 × 3.0 × 5000	47.20
114.3 × 5.0 × 5000	77.26
120.0 × 5.0 × 5000	81.29
127.0 × 3.0 × 5000	52.59
127.0 × 5.0 × 5000	86.24
130.0 × 5.0 × 5000	88.36
140.0 × 5.0 × 5000	95.43
150.0 × 5.0 × 5000	102.49
152.4 × 3.0 × 5000	63.36
152.4 × 5.0 × 5000	104.19

## アニ - ル銅管(なまし銅管)

寸 法	P/KG	寸 法	P/KG	寸 法	P/KG
3.0 × 0.5 × 20 m	0.71	8.0 × 1.0 × 20 m	3.96	12.0 × 1.0 × 100 m	31.10
3.0 × 0.5 × 100 m	3.53	8.0 × 1.0 × 30 m	5.94	12.0 × 1.2 × 10 m	3.66
4.0 × 0.5 × 10 m	0.49	8.0 × 1.0 × 200 m	39.58	12.0 × 1.2 × 30 m	10.99
4.0 × 0.8 × 10 m	0.72	8.0 × 1.2 × 10 m	2.31	12.0 × 1.2 × 100 m	36.64
4.0 × 0.8 × 100 m	7.24	8.0 × 1.2 × 30 m	6.92	12.0 × 1.5 × 20 m	8.91
4.0 × 1.0 × 10 m	0.85	8.0 × 1.5 × 30 m	8.27	12.0 × 1.5 × 30 m	13.36
4.0 × 1.0 × 100 m	8.48	8.0 × 2.0 × 30 m	10.18	12.0 × 2.0 × 30 m	16.96
4.8 × 0.8 × 10 m	0.90	9.5 × 0.56 × 15 m	2.12	12.7 × 0.8 × 20 m	5.38
5.0 × 0.8 × 20 m	1.90	9.5 × 0.8 × 10 m	1.97	12.7 × 0.8 × 50 m	13.46
5.0 × 1.0 × 20 m	2.26	9.5 × 0.8 × 20 m	3.94	12.7 × 1.0 × 10 m	3.31
6.0 × 0.8 × 10 m	1.18	9.5 × 0.8 × 50 m	9.84	12.7 × 1.0 × 20 m	6.62
6.0 × 0.8 × 20 m	2.35	9.5 × 1.0 × 10 m	2.40	12.7 × 1.0 × 100 m	33.08
6.0 × 0.8 × 200 m	23.52	9.5 × 1.0 × 20 m	4.81	12.7 × 1.2 × 10 m	3.90
6.0 × 1.0 × 5 m	0.71	9.5 × 1.0 × 100 m	24.03	12.7 × 1.2 × 20 m	7.80
6.0 × 1.0 × 5 m	0.71	9.5 × 1.2 × 10 m	2.82	12.7 × 1.5 × 30 m	14.25
6.0 × 1.0 × 10 m	1.41	9.5 × 1.5 × 30 m	10.18	14.0 × 1.0 × 10 m	3.68
6.0 × 1.0 × 20 m	2.83	10.0 × 0.8 × 10 m	2.08	15.0 × 1.0 × 20 m	7.92
6.0 × 1.0 × 200 m	28.27	10.0 × 0.8 × 20 m	4.16	15.0 × 1.2 × 30 m	14.05
6.0 × 1.2 × 10 m	1.63	10.0 × 1.0 × 5 m	1.27	15.0 × 1.5 × 30 m	17.18
6.0 × 1.2 × 30 m	4.89	10.0 × 1.0 × 10 m	2.54	15.0 × 2.0 × 30 m	22.05
6.0 × 1.5 × 20 m	3.82	10.0 × 1.0 × 20 m	5.09	15.9 × 1.0 × 10 m	4.21
6.4 × 0.8 × 5 m	0.63	10.0 × 1.0 × 100 m	25.45	15.9 × 1.0 × 20 m	8.43
6.4 × 0.8 × 10 m	1.27	10.0 × 1.0 × 200 m	50.89	15.9 × 1.0 × 50 m	21.06
6.4 × 0.8 × 20 m	2.53	10.0 × 1.2 × 10 m	2.99	15.9 × 1.2 × 10 m	4.99
6.4 × 0.8 × 50 m	6.33	10.0 × 1.2 × 30 m	8.96	15.9 × 1.2 × 20 m	9.98
6.4 × 1.0 × 5 m	0.76	10.0 × 1.2 × 100 m	29.86	15.9 × 1.5 × 30 m	18.32
6.4 × 1.0 × 10 m	1.53	10.0 × 1.5 × 10 m	3.60	15.9 × 2.0 × 30 m	23.58
6.4 × 1.0 × 20 m	3.05	10.0 × 1.5 × 30 m	10.81	19.0 × 1.0 × 10 m	5.09
6.4 × 1.0 × 100 m	15.27	10.0 × 1.5 × 100 m	36.05	19.0 × 1.0 × 20 m	10.18
8.0 × 0.8 × 10 m	1.63	10.0 × 2.0 × 25 m	11.31	19.0 × 1.0 × 50 m	25.45
8.0 × 0.8 × 20 m	3.26	10.0 × 2.0 × 30 m	13.57	19.0 × 1.2 × 10 m	6.04
8.0 × 1.0 × 5 m	0.99	12.0 × 1.0 × 10 m	3.11	19.0 × 1.2 × 20 m	12.08
8.0 × 1.0 × 10 m	1.98	12.0 × 1.0 × 20 m	6.22	22.2 × 1.0 × 20 m	11.99

### 黄銅板(小板定尺365×1200)

(C2801P - 1 / 4H)

板厚	枚/kg	板厚	枚/kg
0.1	0.37	4.0	14.89
0.15	0.56	4.5	16.75
0.2	0.74	5.0	18.62
0.25	0.93	6.0	22.34
0.3	1.12	7.0	26.06
0.35	1.30	8.0	29.78
0.4	1.49	9.0	33.51
0.45	1.68	10.0	37.23
0.5	1.86	12.0	44.68
0.6	2.23	15.0	55.85
0.7	2.61	20.0	74.46
0.8	2.98	25.0	93.08
0.9	3.35	30.0	111.69
1.0	3.72	35.0	130.31
1.2	4.47	40.0	148.92
1.4	5.21	45.0	167.54
1.5	5.58	50.0	186.15
1.6	5.96	60.0	223.38
1.8	6.70	70.0	260.61
2.0	7.45	80.0	297.84
2.3	8.56	90.0	335.07
2.5	9.31	100.0	372.30
2.6	9.68		
3.0	11.17		
3.2	11.91		
3.5	13.03		

### 黄銅板

(大板定尺1000×2000)

板厚	枚/kg
0.5	8.50
0.6	10.20
0.8	13.60
1.0	17.00
1.2	20.40
1.5	25.50
1.6	27.20
2.0	34.00
2.5	42.50
3.0	51.00
3.2	54.40
4.0	68.00
5.0	85.00
6.0	102.00
8.0	136.00
10.0	170.00
12.0	204.00
15.0	255.00
20.0	340.00

## 黄銅丸棒

径	m/kg	2M	2.5M	3M	4M
2.0	0.03				
2.5	0.04				
3.0	0.06				
3.5	0.08				
4.0	0.11				
4.5	0.14				
5.0	0.17				
6.0	0.24				
7.0	0.33				
7.5	0.38				
8.0	0.43				
9.0	0.54				
9.5	0.60				
10	0.67				
11	0.81				
12	0.96				
13	1.13				
14	1.31				
15	1.50				
16	1.71				
17	1.93				
18	2.16				
19	2.41				
20	2.67				
21	2.94				
22	3.23				
23	3.53				
24	3.85				
25	4.17				
26	4.51				
27	4.87				

径	m/kg	2M	2.5M	3M	4M
28	5.23				
29	5.61				
30	6.01				
31	6.42				
32	6.84				
33	7.27				
34	7.72				
35	8.18				
36	8.65				
38	9.64				
40	10.68				
41	11.22				
42	11.78				
44	12.92				
45	13.52				
46	14.13				
48	15.38				
50	16.69				
51	17.36				
52	18.05				
54	19.47				
55	20.19				
58	22.46				
60	24.03				
62	25.66				
65	28.21				
70	32.71				
75	37.55				
80	42.73				
85	48.23				
90	54.07				

径	m/kg	2M	2.5M	3M	4M
95	60.25				
100	66.76				
105	73.60				
115	88.29				
110	80.78				
120	96.13				
130	112.82				
140	130.85				
150	150.21				
160	170.90				
170	192.93				
180	216.30				
190	241.00				
200	267.04				
210	294.41				
220	323.11				
230	353.16				
240	384.53				
250	417.24				
260	451.29				
270	486.67				

## 黄銅六角棒

対辺	M/K G	2M	2.5M	4M
3.0	0.07			
4.0	0.12			
5.0	0.18			
6.0	0.26			
7.0	0.36			
8.0	0.47			
9.0	0.59			
9.5	0.66			
10	0.73			
11	0.88			
12	1.05			
13	1.23			
14	1.43			
15	1.64			
16	1.87			
17	2.11			
18	2.37			
19	2.64			
20	2.92			
21	3.22			
22	3.53			
23	3.86			
24	4.21			
25	4.56			
26	4.94			
27	5.48			
28	5.73			
29	6.14			
30	6.57			
32	7.48			

## 黄銅四角棒

対辺	M/K G	2M	2.5M	4M
34	8.44			
35	8.95			
36	9.46			
37	10.07			
38	10.55			
40	11.68			
41	12.38			
45	14.79			
46	15.45			
48	16.83			
50	18.26			
54	21.50			
55	22.26			
58	24.75			
60	26.49			
70	36.00			

寸 法	P/K G
4 × 4 × 2000	0.27
5 × 5 × 2000	0.43
8 × 8 × 4000	2.18
9 × 9 × 4000	2.75
10 × 10 × 4000	3.40
12 × 12 × 4000	4.90
14 × 14 × 4000	6.66
15 × 15 × 4000	7.65
16 × 16 × 4000	8.70
17 × 17 × 4000	9.83
18 × 18 × 4000	11.02
19 × 19 × 4000	12.27
20 × 20 × 4000	13.60
22 × 22 × 4000	16.46
25 × 25 × 4000	21.25
26 × 26 × 4000	22.98
30 × 30 × 4000	30.60
32 × 32 × 4000	34.82
35 × 35 × 4000	41.65
38 × 38 × 4000	49.10
40 × 40 × 4000	54.40
45 × 45 × 4000	68.85
50 × 50 × 4000	85.00
55 × 55 × 4000	102.85
60 × 60 × 4000	122.40
65 × 65 × 4000	143.65
70 × 70 × 4000	166.60
80 × 80 × 4000	217.60
90 × 90 × 4000	275.40
100 × 100 × 4000	340.00

## 黃銅平角棒

寸 法	P/KG	寸 法	P/KG	寸 法	P/KG
3.0 × 6 × 4000	0.61	4.0 × 30 × 4000	4.08	6.0 × 9 × 4000	1.84
3.0 × 8 × 4000	0.82	4.0 × 32 × 4000	4.35	6.0 × 10 × 4000	2.04
3.0 × 9 × 4000	0.92	4.0 × 35 × 4000	4.76	6.0 × 12 × 4000	2.45
3.0 × 10 × 4000	1.02	4.0 × 40 × 4000	5.44	6.0 × 13 × 4000	2.65
3.0 × 12 × 4000	1.22	4.0 × 50 × 4000	6.80	6.0 × 14 × 4000	2.86
3.0 × 15 × 4000	1.53	4.5 × 6 × 4000	0.92	6.0 × 15 × 4000	3.06
3.0 × 16 × 4000	1.63	4.5 × 9 × 4000	1.38	6.0 × 16 × 4000	3.26
3.0 × 18 × 4000	1.84	4.5 × 10 × 4000	1.53	6.0 × 18 × 4000	3.67
3.0 × 19 × 4000	1.94	4.5 × 12 × 4000	1.84	6.0 × 19 × 4000	3.88
3.0 × 20 × 4000	2.04	4.5 × 15 × 4000	2.30	6.0 × 20 × 4000	4.08
3.0 × 21 × 4000	2.14	4.5 × 18 × 4000	2.75	6.0 × 22 × 4000	4.49
3.0 × 25 × 4000	2.55	4.5 × 20 × 4000	3.06	6.0 × 25 × 4000	5.10
3.0 × 30 × 4000	3.06	4.5 × 25 × 4000	3.83	6.0 × 30 × 4000	6.12
3.0 × 32 × 4000	3.26	4.5 × 30 × 4000	4.59	6.0 × 32 × 4000	6.53
3.0 × 35 × 4000	3.57	4.5 × 35 × 4000	5.36	6.0 × 35 × 4000	7.14
3.0 × 38 × 4000	3.88	4.5 × 38 × 4000	5.81	6.0 × 38 × 4000	7.75
3.0 × 40 × 4000	4.08	4.5 × 50 × 4000	7.65	6.0 × 40 × 4000	8.16
3.0 × 45 × 4000	4.59	5.0 × 10 × 4000	1.70	6.0 × 45 × 4000	9.18
3.0 × 50 × 4000	5.10	5.0 × 12 × 4000	2.04	6.0 × 50 × 4000	10.20
4.0 × 6 × 4000	0.82	5.0 × 15 × 4000	2.55	6.0 × 60 × 4000	12.24
4.0 × 7 × 4000	0.95	5.0 × 16 × 4000	2.72	6.0 × 75 × 4000	15.30
4.0 × 8 × 4000	1.09	5.0 × 19 × 4000	3.23	6.0 × 100 × 4000	20.40
4.0 × 9 × 4000	1.22	5.0 × 20 × 4000	3.40	7.0 × 12 × 4000	2.86
4.0 × 10 × 4000	1.36	5.0 × 25 × 4000	4.25	7.0 × 20 × 4000	4.76
4.0 × 12 × 4000	1.63	5.0 × 30 × 4000	5.10	8.0 × 10 × 4000	2.72
4.0 × 15 × 4000	2.04	5.0 × 35 × 4000	5.95	8.0 × 12 × 4000	3.26
4.0 × 16 × 4000	2.18	5.0 × 40 × 4000	6.80	8.0 × 15 × 4000	4.08
4.0 × 18 × 4000	2.45	5.0 × 45 × 4000	7.65	8.0 × 16 × 4000	4.35
4.0 × 20 × 4000	2.72	5.0 × 50 × 4000	8.50	8.0 × 18 × 4000	4.90
4.0 × 25 × 4000	3.40	5.0 × 60 × 4000	10.20	8.0 × 20 × 4000	5.44

## 黃銅平角棒

寸 法	P/KG	寸 法	P/KG	寸 法	P/KG
8.0 × 22 × 4000	5.98	10 × 60 × 4000	20.40	15 × 80 × 4000	40.80
8.0 × 25 × 4000	6.80	10 × 65 × 4000	22.10	16 × 18 × 4000	9.79
8.0 × 30 × 4000	8.16	10 × 75 × 4000	25.50	16 × 20 × 4000	10.88
8.0 × 35 × 4000	9.52	10 × 80 × 4000	27.20	16 × 30 × 4000	16.32
8.0 × 38 × 4000	10.34	10 × 100 × 4000	34.00	16 × 50 × 4000	27.20
8.0 × 40 × 4000	10.88	12 × 14 × 4000	5.71	17 × 25 × 4000	14.45
8.0 × 50 × 4000	13.60	12 × 15 × 4000	6.12	18 × 20 × 4000	12.24
8.0 × 60 × 4000	16.32	12 × 16 × 4000	6.53	20 × 25 × 4000	17.00
8.0 × 100 × 4000	27.20	12 × 18 × 4000	7.34	20 × 30 × 4000	20.40
9.0 × 12 × 4000	3.67	12 × 20 × 4000	8.16	20 × 35 × 4000	23.80
9.0 × 15 × 4000	4.59	12 × 22 × 4000	8.98	20 × 40 × 4000	27.20
9.0 × 18 × 4000	5.51	12 × 25 × 4000	10.20	20 × 45 × 4000	30.60
9.0 × 20 × 4000	6.12	12 × 30 × 4000	12.24	20 × 50 × 4000	34.00
9.0 × 25 × 4000	7.65	12 × 35 × 4000	14.28	20 × 55 × 4000	37.40
9.0 × 30 × 4000	9.18	12 × 40 × 4000	16.32	20 × 60 × 4000	40.80
9.0 × 35 × 4000	10.71	12 × 45 × 4000	18.36	22 × 40 × 4000	29.92
9.0 × 40 × 4000	12.24	12 × 50 × 4000	20.40	25 × 30 × 4000	25.50
9.0 × 50 × 4000	15.30	12 × 60 × 4000	24.48	25 × 35 × 4000	29.75
10 × 12 × 4000	4.08	13 × 25 × 4000	11.05	25 × 40 × 4000	34.00
10 × 15 × 4000	5.10	13 × 40 × 4000	17.68	25 × 50 × 4000	42.50
10 × 16 × 4000	5.44	14 × 20 × 4000	9.52	25 × 55 × 4000	46.75
10 × 18 × 4000	6.12	15 × 20 × 4000	10.20	25 × 60 × 4000	51.00
10 × 20 × 4000	6.80	15 × 22 × 4000	11.22	30 × 40 × 4000	40.80
10 × 25 × 4000	8.50	15 × 25 × 4000	12.75	30 × 45 × 4000	45.90
10 × 30 × 4000	10.20	15 × 30 × 4000	15.30	30 × 50 × 4000	51.00
10 × 35 × 4000	11.90	15 × 35 × 4000	17.85	30 × 55 × 4000	56.10
10 × 40 × 4000	13.60	15 × 40 × 4000	20.40	30 × 60 × 4000	61.20
10 × 45 × 4000	15.30	15 × 45 × 4000	22.95	35 × 50 × 4000	59.50
10 × 50 × 4000	17.00	15 × 50 × 4000	25.50	35 × 60 × 4000	71.40
10 × 55 × 4000	18.70	15 × 60 × 4000	30.60	50 × 65 × 4000	110.50

## 黃銅丸管

寸 法	P/KG
1.6 × 0.2 × 2000	0.02
2.0 × 0.35 × 2500	0.04
2.5 × 0.4 × 2500	0.06
3.0 × 0.5 × 2500	0.08
4.0 × 0.5 × 2500	0.12
4.0 × 0.8 × 2500	0.17
4.0 × 1.0 × 2500	0.20
5.0 × 0.5 × 5000	0.30
5.0 × 0.8 × 5000	0.45
5.0 × 1.0 × 5000	0.53
6.0 × 0.5 × 5000	0.37
6.0 × 0.8 × 5000	0.56
6.0 × 1.0 × 5000	0.67
6.0 × 1.2 × 5000	0.77
6.0 × 1.5 × 5000	0.90
6.35 × 0.5 × 5000	0.39
6.35 × 0.8 × 5000	0.59
6.35 × 1.0 × 5000	0.71
7.0 × 0.5 × 5000	0.43
7.0 × 0.9 × 5000	0.73
7.0 × 1.0 × 5000	0.80
8.0 × 0.5 × 5000	0.50
8.0 × 0.8 × 5000	0.77
8.0 × 1.0 × 5000	0.93
8.0 × 1.2 × 5000	1.09
8.0 × 1.5 × 5000	1.30
8.0 × 2.0 × 5000	1.60
9.0 × 0.5 × 5000	0.57
9.0 × 0.8 × 5000	0.88
9.0 × 1.0 × 5000	1.07
9.5 × 0.5 × 5000	0.60

寸 法	P/KG
9.5 × 0.8 × 5000	0.93
9.5 × 1.0 × 5000	1.13
9.5 × 1.2 × 5000	1.33
9.5 × 1.5 × 5000	1.60
10 × 0.5 × 5000	0.63
10 × 0.8 × 5000	0.98
10 × 1.0 × 5000	1.20
10 × 1.2 × 5000	1.41
10 × 1.5 × 5000	1.70
10 × 2.0 × 5000	2.14
11 × 0.8 × 5000	1.09
11 × 1.0 × 5000	1.34
11 × 1.5 × 5000	1.90
12 × 0.8 × 5000	1.20
12 × 1.0 × 5000	1.47
12 × 1.2 × 5000	1.73
12 × 1.5 × 5000	2.10
12 × 2.0 × 5000	2.67
12.7 × 0.5 × 5000	0.81
12.7 × 0.8 × 5000	1.27
12.7 × 1.0 × 5000	1.56
12.7 × 1.2 × 5000	1.84
12.7 × 1.5 × 5000	2.24
12.7 × 2.0 × 5000	2.86
12.7 × 3.0 × 5000	3.89
13 × 1.0 × 5000	1.60
14 × 0.8 × 5000	1.41
14 × 1.0 × 5000	1.74
14 × 1.5 × 5000	2.50
14 × 2.0 × 5000	3.20
15 × 1.0 × 5000	1.87

寸 法	P/KG
15 × 1.2 × 5000	2.21
15 × 1.5 × 5000	2.70
15 × 2.0 × 5000	3.47
15 × 3.0 × 5000	4.81
15.88 × 0.5 × 5000	1.03
15.88 × 0.8 × 5000	1.61
15.88 × 1.0 × 5000	1.99
15.88 × 1.2 × 5000	2.35
15.88 × 1.5 × 5000	2.88
15.88 × 2.0 × 5000	3.71
15.88 × 3.0 × 5000	5.16
17 × 2.0 × 5000	4.01
18 × 1.0 × 5000	2.27
18 × 1.5 × 5000	3.30
18 × 2.0 × 5000	4.27
18 × 3.0 × 5000	6.01
19.05 × 0.5 × 5000	1.24
19.05 × 0.8 × 5000	1.95
19.05 × 1.0 × 5000	2.41
19.05 × 1.2 × 5000	2.86
19.05 × 1.5 × 5000	3.51
19.05 × 2.0 × 5000	4.55
19.05 × 3.0 × 5000	6.43
20 × 1.0 × 5000	2.54
20 × 1.5 × 5000	3.71
20 × 2.0 × 5000	4.81
20 × 3.0 × 5000	6.81
21.7 × 2.5 × 5000	6.41
22 × 0.5 × 5000	1.44
22 × 0.8 × 5000	2.26
22 × 1.0 × 5000	2.80



## 黃銅丸管

寸 法	P/KG
22 × 1.2 × 5000	3.33
22 × 1.5 × 5000	4.11
22 × 2.0 × 5000	5.34
22 × 3.0 × 5000	7.61
22 × 4.0 × 5000	9.61
24 × 2.0 × 5000	5.87
25 × 1.0 × 5000	3.20
25 × 1.5 × 5000	4.71
25 × 2.0 × 5000	6.14
25 × 2.5 × 5000	7.51
25 × 3.0 × 5000	8.81
25.4 × 0.5 × 5000	1.66
25.4 × 0.8 × 5000	2.63
25.4 × 1.0 × 5000	3.26
25.4 × 1.2 × 5000	3.88
25.4 × 1.5 × 5000	4.79
25.4 × 2.0 × 5000	6.25
25.4 × 2.5 × 5000	7.64
25.4 × 3.0 × 5000	8.97
25.4 × 5.0 × 5000	13.62
27 × 3.0 × 5000	9.61
27 × 3.5 × 5000	10.98
27 × 4.0 × 5000	12.28
28 × 1.0 × 5000	3.60
28 × 1.5 × 5000	5.31
28 × 2.0 × 5000	6.94
28 × 3.0 × 5000	10.01
28 × 4.0 × 5000	12.82
28.5 × 1.5 × 5000	5.41
28.5 × 2.0 × 5000	7.08
28.5 × 3.0 × 5000	10.21

寸 法	P/KG
28.5 × 5.0 × 5000	15.69
30 × 1.0 × 5000	3.87
30 × 1.5 × 5000	5.71
30 × 2.0 × 5000	7.48
30 × 2.5 × 5000	9.18
30 × 3.0 × 5000	10.81
30 × 4.0 × 5000	13.89
30 × 5.0 × 5000	16.69
31.8 × 0.8 × 5000	3.31
31.8 × 1.0 × 5000	4.11
31.8 × 1.2 × 5000	4.90
31.8 × 1.5 × 5000	6.07
31.8 × 2.0 × 5000	7.96
31.8 × 2.5 × 5000	9.78
31.8 × 3.0 × 5000	11.54
31.8 × 4.0 × 5000	14.85
31.8 × 5.0 × 5000	17.89
34 × 2.0 × 5000	8.55
34 × 3.0 × 5000	12.42
34 × 4.0 × 5000	16.02
35 × 1.0 × 5000	4.54
35 × 1.2 × 5000	5.42
35 × 1.5 × 5000	6.71
35 × 2.0 × 5000	8.81
35 × 3.0 × 5000	12.82
35 × 4.0 × 5000	16.56
35 × 5.0 × 5000	20.03
36 × 3.0 × 5000	13.22
38.1 × 0.8 × 5000	3.98
38.1 × 1.0 × 5000	4.95
38.1 × 1.2 × 5000	5.91

寸 法	P/KG
38.1 × 1.5 × 5000	7.33
38.1 × 2.0 × 5000	9.64
38.1 × 3.0 × 5000	14.06
38.1 × 4.0 × 5000	18.21
38.1 × 5.0 × 5000	22.10
40 × 1.0 × 5000	5.21
40 × 1.5 × 5000	7.71
40 × 2.0 × 5000	10.15
40 × 3.0 × 5000	14.82
40 × 4.0 × 5000	19.23
40 × 5.0 × 5000	23.37
41.3 × 1.5 × 5000	7.97
41.3 × 3.0 × 5000	15.34
42 × 1.0 × 5000	5.47
42 × 4.0 × 5000	20.29
42.7 × 1.5 × 5000	8.25
42.7 × 3.0 × 5000	15.90
44.5 × 1.0 × 5000	5.81
44.5 × 1.5 × 5000	8.61
44.5 × 2.0 × 5000	11.35
44.5 × 3.0 × 5000	16.62
44.5 × 4.0 × 5000	21.63
44.5 × 5.0 × 5000	26.37
47.6 × 1.5 × 5000	9.23
47.6 × 3.0 × 5000	17.86
48 × 5.0 × 5000	28.71
48.6 × 3.0 × 5000	18.27
50 × 1.5 × 5000	9.71
50 × 2.0 × 5000	12.82
50 × 3.0 × 5000	18.83
50 × 4.0 × 5000	24.57

## 黃銅丸管

寸 法	P/KG
50 × 5.0 × 5000	30.04
50.8 × 1.0 × 5000	6.65
50.8 × 1.2 × 5000	7.95
50.8 × 1.5 × 5000	9.87
50.8 × 2.0 × 5000	13.03
50.8 × 3.0 × 5000	19.15
50.8 × 4.0 × 5000	24.99
50.8 × 5.0 × 5000	30.58
54 × 1.5 × 5000	10.51
55 × 1.5 × 5000	10.71
55 × 3.0 × 5000	20.83
55 × 5.0 × 5000	33.38
57.15 × 1.5 × 5000	11.15
57.15 × 2.0 × 5000	14.73
57.15 × 3.0 × 5000	21.69
57.15 × 4.0 × 5000	28.39
57.15 × 5.0 × 5000	34.81
60 × 1.5 × 5000	11.72
60 × 2.0 × 5000	15.49
60.3 × 3.0 × 5000	22.95
60.3 × 4.0 × 5000	30.07
60.3 × 5.0 × 5000	36.92
63.5 × 1.2 × 5000	9.98
63.5 × 1.5 × 5000	12.42
63.5 × 2.0 × 5000	16.42
63.5 × 3.0 × 5000	24.23
63.5 × 4.0 × 5000	31.78
63.5 × 5.0 × 5000	39.05
65 × 3.0 × 5000	24.83
65 × 5.0 × 5000	40.06
70 × 2.0 × 5000	18.16

寸 法	P/KG
70 × 3.0 × 5000	26.84
70 × 4.0 × 5000	35.25
70 × 5.0 × 5000	43.39
75 × 3.0 × 5000	28.84
75 × 5.0 × 5000	46.73
76.2 × 1.5 × 5000	14.96
76.2 × 2.0 × 5000	19.81
76.2 × 3.0 × 5000	29.32
76.2 × 4.0 × 5000	38.56
76.2 × 5.0 × 5000	47.53
76.2 × 6.0 × 5000	56.24
80 × 3.0 × 5000	30.84
80 × 4.0 × 5000	40.59
80 × 5.0 × 5000	50.07
82.5 × 3.0 × 5000	31.84
82.5 × 5.0 × 5000	51.74
85 × 3.0 × 5000	32.85
85 × 5.0 × 5000	53.41
88.9 × 1.6 × 5000	18.65
88.9 × 2.0 × 5000	23.21
88.9 × 3.0 × 5000	34.41
88.9 × 4.0 × 5000	45.34
88.9 × 5.0 × 5000	56.01
90 × 3.0 × 5000	34.85
90 × 5.0 × 5000	56.75
95 × 3.0 × 5000	36.85
95 × 5.0 × 5000	60.08
101.6 × 1.6 × 5000	21.36
101.6 × 2.0 × 5000	26.60
101.6 × 3.0 × 5000	39.49
101.6 × 4.0 × 5000	52.13

寸 法	P/KG
101.6 × 5.0 × 5000	64.49
101.6 × 6.0 × 5000	76.59
108 × 3.0 × 5000	42.06
110 × 3.0 × 5000	42.86
110 × 5.0 × 5000	70.10
114.3 × 3.0 × 5000	44.58
114.3 × 5.0 × 5000	72.97
120 × 3.0 × 5000	46.86
120 × 5.0 × 5000	76.77
127 × 3.0 × 5000	49.67
127 × 5.0 × 5000	81.45
127 × 6.5 × 5000	104.58
130 × 5.0 × 5000	83.45
135 × 5.0 × 5000	86.79
140 × 3.0 × 5000	54.88
140 × 5.0 × 5000	90.12
152.4 × 3.2 × 5000	63.75
152.4 × 5.0 × 5000	98.40
152.4 × 6.0 × 5000	117.28
160 × 5.0 × 5000	103.48
165 × 5.0 × 5000	106.81
180 × 5.0 × 5000	116.83
200 × 5.0 × 5000	130.18

## 黄銅角管

寸 法	P/K G
6 × 6 × 0.5 × 4000	0.37
9.5 × 9.5 × 1.0 × 5000	1.45
10 × 15 × 1.0 × 5000	1.53
10 × 15 × 1.5 × 5000	2.17
10 × 20 × 1.0 × 5000	1.53
10 × 30 × 1.0 × 5000	1.53
12 × 22 × 1.2 × 5000	2.20
12 × 25 × 1.2 × 5000	2.20
12.7 × 12.7 × 1.0 × 5000	1.99
12.7 × 12.7 × 1.2 × 5000	2.35
15 × 30 × 1.2 × 5000	2.82
15 × 30 × 1.5 × 5000	3.44
15.9 × 15.9 × 1.0 × 5000	2.53
15.9 × 15.9 × 1.5 × 5000	3.67
19 × 19 × 1.0 × 5000	3.06
19 × 19 × 1.5 × 5000	4.46
20 × 30 × 1.5 × 5000	4.72
20 × 40 × 1.5 × 5000	4.72
20 × 50 × 1.5 × 5000	4.72
22.2 × 22.2 × 1.0 × 5000	3.60
22.2 × 22.2 × 1.5 × 5000	5.28
25 × 40 × 1.5 × 5000	5.99
25 × 50 × 1.5 × 5000	5.99
25.4 × 25.4 × 1.0 × 5000	4.15
25.4 × 25.4 × 1.2 × 5000	4.94
25.4 × 25.4 × 1.5 × 5000	6.09
28 × 28 × 1.5 × 5000	6.76
30 × 30 × 1.2 × 5000	5.88
30 × 30 × 1.5 × 5000	7.27
30 × 50 × 1.5 × 5000	7.27
30 × 60 × 1.5 × 5000	7.27
31.8 × 31.8 × 1.2 × 5000	6.24
31.8 × 31.8 × 1.5 × 5000	7.73
38.1 × 38.1 × 1.2 × 5000	7.53
38.1 × 38.1 × 1.5 × 5000	9.33
40 × 40 × 1.5 × 5000	9.82
40 × 80 × 2.0 × 5000	12.92
50 × 50 × 1.5 × 5000	12.37
50 × 100 × 2.0 × 5000	16.32
60 × 60 × 1.5 × 5000	14.92
100 × 100 × 3.0 × 5000	49.47

## 黄銅アングル

寸 法	P/K G
3.0 × 9 × 9 × 4000	1.53
1.2 × 9.5 × 9.5 × 4000	0.73
1.5 × 10 × 10 × 4000	0.94
3.0 × 12 × 12 × 4000	2.14
1.2 × 13 × 13 × 4000	1.01
1.5 × 15 × 15 × 4000	1.45
2.0 × 15 × 15 × 4000	1.90
3.0 × 15 × 15 × 4000	2.75
3.0 × 16 × 16 × 4000	2.96
1.5 × 20 × 20 × 4000	1.96
2.0 × 20 × 20 × 4000	2.58
3.0 × 20 × 20 × 4000	3.77
2.0 × 21 × 21 × 4000	2.72
1.5 × 22 × 22 × 4000	2.17
2.0 × 25 × 25 × 4000	3.26
3.0 × 25 × 25 × 4000	4.79
5.0 × 25 × 25 × 4000	7.65
2.0 × 30 × 30 × 4000	3.94
3.0 × 30 × 30 × 4000	5.81
5.0 × 30 × 30 × 4000	9.35
3.0 × 38 × 38 × 4000	7.45
3.0 × 40 × 40 × 4000	7.85
4.0 × 40 × 40 × 4000	10.34
5.0 × 40 × 40 × 4000	12.75
3.0 × 50 × 50 × 4000	9.89
4.0 × 50 × 50 × 4000	13.06
5.0 × 50 × 50 × 4000	16.15
6.0 × 50 × 50 × 4000	19.18
6.0 × 60 × 60 × 4000	23.26