

## ペントイト鋼板

寸 法	枚/kg
1.6 × 914 × 1829	21.21
1.6 × 1219 × 2438	37.71
1.6 × 1219 × 3000	46.40
1.6 × 1219 × 4000	61.87
1.6 × 1524 × 3048	58.94

寸 法	枚/kg
2.3 × 914 × 1829	30.49
2.3 × 1219 × 2438	54.20
2.3 × 1219 × 3000	66.70
2.3 × 1219 × 4000	88.93
3.2 × 1219 × 2438	75.42

## 亜鉛鉄板

寸 法	枚/kg
1.6 × 1219 × 2438	37.71
2.3 × 1219 × 2438	54.20

寸 法	枚/kg
3.2 × 1219 × 2438	75.42

## ボンデ鋼板

寸 法	枚/kg
1.6 × 1219 × 1900	29.39
1.6 × 1219 × 2438	37.71
1.6 × 1219 × 3048	47.14

寸 法	枚/kg
1.6 × 1219 × 4000	61.87
2.3 × 1219 × 2438	54.20

## ジंकロアングル ( L寸 = 5500mm )

寸 法	p/kg
3.0 × 25 × 25	6.16
3.0 × 30 × 30	7.48

寸 法	p/kg
3.0 × 40 × 40	10.10
4.0 × 50 × 50	16.80

## ステンレス板( SUS304 )

寸 法	NO.1	2B	#400	HL	枚/kg	寸 法	NO.1	2B	#400	HL	枚/kg
0.3 × 1000 × 2000					4.76	3.0 × 1000 × 2000					47.58
0.4 × 1000 × 2000					6.34	3.0 × 1219 × 2438					70.70
0.5 × 1000 × 2000					7.93	3.0 × 1524 × 3048					110.51
0.5 × 1219 × 2438					11.78	4.0 × 1000 × 2000					63.44
0.6 × 1000 × 2000					9.52	4.0 × 1219 × 2438					94.27
0.6 × 1219 × 2438					14.14	5.0 × 1000 × 2000					79.30
0.8 × 1000 × 2000					12.69	5.0 × 1219 × 2438					117.84
0.8 × 1219 × 2438					18.85	6.0 × 1000 × 2000					95.16
1.0 × 1000 × 2000					15.86	6.0 × 1219 × 2438					141.40
1.0 × 1000 × 3000					23.79	ステンレス板( SUS430 )					
1.0 × 1219 × 2438					23.57						
1.2 × 1000 × 2000					19.03						
1.2 × 1000 × 3000					28.55						
1.2 × 1000 × 4000					38.06						
1.2 × 1219 × 2438					28.28						
1.5 × 1000 × 2000					23.79						
1.5 × 1000 × 3000					35.69						
1.5 × 1000 × 4000					47.58						
1.5 × 1219 × 2438					35.35						
1.5 × 1219 × 3048					44.20	寸 法	NO.1	2B	#400	HL	枚/kg
1.5 × 1219 × 4000					58.00	0.5 × 1000 × 2000					7.93
1.5 × 1524 × 3048					55.25	0.6 × 1000 × 2000					9.52
2.0 × 1000 × 2000					31.72	1.0 × 1000 × 2000					15.86
2.0 × 1000 × 3000					47.58	1.0 × 1219 × 2438					23.57
2.0 × 1000 × 4000					63.44	1.2 × 1000 × 2000					19.03
2.0 × 1219 × 2438					47.13	1.2 × 1219 × 2438					28.28
2.0 × 1219 × 3048					58.93	1.5 × 1000 × 2000					23.79
2.0 × 1219 × 4000					77.33	1.5 × 1219 × 2438					35.35
2.0 × 1524 × 3048					73.67	2.0 × 1000 × 2000					31.72
2.5 × 1000 × 2000					39.65	2.0 × 1219 × 2438					47.13
2.5 × 1219 × 2438					58.92	2.5 × 1000 × 2000					39.65
						2.5 × 1219 × 2438					58.92
						3.0 × 1000 × 2000					47.58
						3.0 × 1219 × 2438					70.70

## ステンレス直線

(SUS304)

径	m/kg	2 M	4 M
2.0	0.02		
2.5	0.04		
3.0	0.06		
4.0	0.10		
5.0	0.16		
6.0	0.22		
7.0	0.31		
8.0	0.40		
9.0	0.50		
10.0	0.62		
12.0	0.90		
13.0	1.05		

## ステンレス引抜丸棒

SUS304

径	m/kg
8	0.40
9	0.50
10	0.62
11	0.75
12	0.90
13	1.05
14	1.22
15	1.40
16	1.59
17	1.80
18	2.02
19	2.25
20	2.49
22	3.01
25	3.89
28	4.88
30	5.61
32	6.38
35	7.63
36	8.07
38	8.99
40	9.97
42	10.99
45	12.61

SUS303

径	m/kg
48	14.35
50	15.57
55	18.84
60	22.42
65	26.31
70	30.52
75	35.03
80	39.86

径	m/kg
8	0.40
10	0.62
12	0.90
14	1.22
15	1.40
16	1.59
18	2.02
20	2.49
22	3.01
25	3.89
28	4.88
30	5.61
32	6.38
35	7.63
36	8.07
38	8.99
40	9.97
45	12.61
50	15.57

\* M単重量は参考値です。

## ステンレス酸洗丸棒

SUS304

径	m/kg
8	0.40
9	0.50
10	0.62
12	0.90
13	1.05
14	1.22
15	1.40
16	1.59
19	2.25
20	2.49
22	3.01
25	3.89
28	4.88
30	5.61
32	6.38
35	7.63
38	8.99
40	9.97
42	10.99
45	12.61
48	14.35
50	15.57
55	18.84
60	22.42

SUS303

径	m/kg
10	0.62
12	0.92
13	1.09
14	1.22
16	1.64
19	2.32

\* M単重量は参考値です。

# ステンレスピーリング丸棒

SUS304

径	m/kg	径	m/kg
8	0.40	55	18.84
9	0.50	60	22.42
10	0.62	65	26.31
11	0.75	70	30.52
12	0.90	75	35.03
13	1.05	80	39.86
14	1.22	85	45.00
15	1.40	90	50.45
16	1.59	95	56.21
17	1.80	100	62.28
18	2.02	105	68.67
19	2.25	110	75.36
20	2.49	115	82.37
22	3.01	120	89.69
25	3.89	125	97.32
26	4.21	130	105.26
28	4.88	135	113.51
30	5.61	140	122.07
32	6.38	145	130.95
34	7.20	150	140.13
35	7.63	155	149.63
36	8.07	160	159.44
38	8.99	170	180.00
40	9.97	180	201.79
42	10.99	190	224.84
44	12.06	210	274.66
45	12.61	220	301.45
46	13.18	230	329.47
48	14.35	240	358.75
50	15.57	250	389.26

径	m/kg
260	421.03
270	454.04
280	488.29
290	523.79
300	560.54
310	598.53
320	637.77
330	678.25
340	719.98
350	762.96
360	807.18
380	899.36
400	996.52

SUS303

径	m/kg	径	m/kg
8	0.40	65	26.31
9	0.50	70	30.52
10	0.62	75	35.03
11	0.75	80	39.86
12	0.90	85	45.00
13	1.05	90	50.45
14	1.22	95	56.21
15	1.40	100	62.28
16	1.59	105	68.67
18	2.02	110	75.36
19	2.25	115	82.37
20	2.49	120	89.69
22	3.01	125	97.32
25	3.89	130	105.26
26	4.21	135	113.51
28	4.88	140	122.07
30	5.61	145	130.95
32	6.38	150	140.13
34	7.20	160	159.44
35	7.63	170	180.00
36	8.07	180	201.79
38	8.99	190	224.84
40	9.97	200	249.13
42	10.99	210	274.66
45	12.61	220	301.45
46	13.18	230	329.47
48	14.35	240	358.75
50	15.57	250	389.26
55	18.84	260	421.03
60	22.42	270	454.04

径	m/kg
280	488.29
290	523.79
300	560.54
310	598.53
320	637.77

\* M単重量は参考値です。

## ステンレスセンターレス丸棒

SUS304

径	P/kg
2.0 × 2000	0.05
2.5 × 2000	0.08
3.0 × 2000	0.11
4.0 × 2000	0.20
5.0 × 2000	0.31
6.0 × 2000	0.45
7.0 × 2000	0.61
8.0 × 2000	0.80
9.0 × 2000	1.01
10.0 × 2000	1.25
11.0 × 2000	1.51
12.0 × 2000	1.79
13.0 × 2000	2.11
14.0 × 2000	2.44
15.0 × 2000	2.80
16.0 × 2000	3.19
17.0 × 2000	3.60
18.0 × 2000	4.04
19.0 × 2000	4.50
20.0 × 2000	4.98
22.0 × 2000	6.03
24.0 × 2000	7.17
25.0 × 2000	7.79
26.0 × 2000	8.42
28.0 × 2000	9.77
30.0 × 2000	11.21
35.0 × 2000	15.26
40.0 × 2000	19.93
50.0 × 2000	31.14

SUS303

径	P/kg
2.0 × 2100	0.05
3.0 × 2100	0.12
4.0 × 2100	0.21
4.5 × 2100	0.26
5.0 × 2100	0.33
6.0 × 2100	0.47
7.0 × 2100	0.64
8.0 × 2100	0.84
9.0 × 2100	1.06
9.5 × 2100	1.18
10.0 × 2100	1.31
11.0 × 2100	1.58
12.0 × 2100	1.88
13.0 × 2100	2.21
14.0 × 2100	2.56
15.0 × 2100	2.94
16.0 × 2100	3.35
17.0 × 2100	3.78
18.0 × 2100	4.24
19.0 × 2100	4.72
20.0 × 2100	5.23
21.0 × 2100	5.77
22.0 × 2100	6.33
23.0 × 2100	6.92
24.0 × 2100	7.53
25.0 × 2100	8.17
26.0 × 2100	8.84
28.0 × 2100	10.25
30.0 × 2100	11.77
32.0 × 2100	13.39
35.0 × 2100	16.02
40.0 × 2100	20.93
45.0 × 2100	26.49
50.0 × 2100	32.70

## ステンレスHL丸棒

( SUS304 )

径	P/kg
8	0.40
9	0.50
10	0.62
12	0.90
13	1.05
14	1.22
15	1.40
16	1.59
19	2.25
20	2.49
22	3.01
25	3.89
28	4.88

## ステンレス四角、平角棒( SUS304 )

サイズ	P/Kg	Cold	Hot	HL	#400
2 × 6 × 2000	0.19				
2 × 8 × 2000	0.26				
2 × 9 × 2000	0.29				
2 × 10 × 3000	0.48				
2 × 10 × 4000	0.64				
2 × 12 × 4000	0.77				
2 × 15 × 4000	0.96				
2 × 20 × 4000	1.27				
2 × 25 × 4000	1.59				
2 × 30 × 4000	1.91				
2 × 32 × 4000	2.03				
2 × 40 × 4000	2.54				
2 × 50 × 4000	3.18				
3 × 3 × 2000	0.22				
3 × 5 × 3000	0.36				
3 × 6 × 3000	0.43				
3 × 7 × 3000	0.50				
3 × 8 × 3000	0.57				
3 × 9 × 3000	0.65				
3 × 10 × 4000	0.96				
3 × 12 × 4000	1.15				
3 × 13 × 4000	1.24				
3 × 15 × 4000	1.43				
3 × 16 × 4000	1.53				
3 × 19 × 4000	1.81				
3 × 20 × 4000	1.91				
3 × 22 × 4000	2.10				
3 × 25 × 4000	2.38				
3 × 30 × 4000	2.86				
3 × 32 × 4000	3.05				
3 × 35 × 4000	3.33				
3 × 38 × 4000	3.62				
3 × 40 × 4000	3.81				

サイズ	P/Kg	Cold	Hot	HL	#400
3 × 42 × 4000	4.00				
3 × 45 × 4000	4.29				
3 × 48 × 4000	4.57				
3 × 50 × 4000	4.76				
3 × 60 × 4000	5.71				
3 × 65 × 4000	6.19				
3 × 75 × 4000	7.14				
3 × 100 × 4000	9.52				
3 × 110 × 4000	10.47				
3 × 120 × 4000	11.42				
3 × 125 × 4000	11.90				
3 × 130 × 4000	12.37				
3 × 140 × 4000	13.33				
3 × 150 × 4000	14.28				
4 × 4 × 4000	0.51				
4 × 9 × 4000	1.15				
4 × 10 × 4000	1.27				
4 × 11 × 4000	1.40				
4 × 13 × 4000	1.65				
4 × 15 × 4000	1.91				
4 × 16 × 4000	2.03				
4 × 17 × 4000	2.16				
4 × 19 × 4000	2.41				
4 × 20 × 4000	2.54				
4 × 22 × 4000	2.80				
4 × 25 × 4000	3.18				
4 × 30 × 4000	3.81				
4 × 32 × 4000	4.06				
4 × 35 × 4000	4.44				
4 × 38 × 4000	4.83				
4 × 40 × 4000	5.08				
4 × 45 × 4000	5.71				
4 × 50 × 4000	6.35				

## ステンレス四角、平角棒( SUS304 )

サイズ	P/Kg	Cold	Hot	HL	#400
4 × 60 × 4000	7.62				
4 × 65 × 4000	8.25				
4 × 75 × 4000	9.52				
4 × 90 × 4000	11.42				
4 × 100 × 4000	12.69				
5 × 5 × 4000	0.80				
5 × 8 × 4000	1.29				
5 × 9 × 4000	1.43				
5 × 10 × 4000	1.59				
5 × 12 × 4000	1.91				
5 × 13 × 4000	2.07				
5 × 15 × 4000	2.38				
5 × 16 × 4000	2.54				
5 × 19 × 4000	3.02				
5 × 20 × 4000	3.18				
5 × 22 × 4000	3.49				
5 × 25 × 4000	3.97				
5 × 30 × 4000	4.76				
5 × 32 × 4000	5.08				
5 × 34 × 4000	5.40				
5 × 35 × 4000	5.56				
5 × 38 × 4000	6.03				
5 × 40 × 4000	6.35				
5 × 50 × 4000	7.93				
5 × 60 × 4000	9.52				
5 × 65 × 4000	10.31				
5 × 75 × 4000	11.90				
5 × 90 × 4000	14.28				
5 × 100 × 4000	15.86				
5 × 130 × 4000	20.62				
6 × 6 × 4000	1.15				
6 × 9 × 4000	1.72				
6 × 10 × 4000	1.91				

サイズ	P/Kg	Cold	Hot	HL	#400
6 × 12 × 4000	2.29				
6 × 13 × 4000	2.48				
6 × 15 × 4000	2.86				
6 × 16 × 4000	3.05				
6 × 18 × 4000	3.43				
6 × 19 × 4000	3.62				
6 × 20 × 4000	3.81				
6 × 22 × 4000	4.19				
6 × 25 × 4000	4.76				
6 × 30 × 4000	5.71				
6 × 32 × 4000	6.09				
6 × 35 × 4000	6.67				
6 × 38 × 4000	7.24				
6 × 40 × 4000	7.62				
6 × 42 × 4000	8.00				
6 × 45 × 4000	8.57				
6 × 48 × 4000	9.14				
6 × 50 × 4000	9.52				
6 × 60 × 4000	11.42				
6 × 65 × 4000	12.37				
6 × 70 × 4000	13.33				
6 × 75 × 4000	14.28				
6 × 90 × 4000	17.13				
6 × 100 × 4000	19.04				
6 × 110 × 4000	20.94				
6 × 120 × 4000	22.84				
6 × 125 × 4000	23.79				
6 × 130 × 4000	24.75				
6 × 140 × 4000	26.65				
6 × 150 × 4000	28.55				
7 × 7 × 4000	1.56				
7 × 20 × 4000	4.44				
8 × 8 × 4000	2.03				



## ステンレス四角、平角棒( SUS304 )

サイズ	P/Kg	Cold	Hot	HL	#400
8 × 10 × 4000	2.54				
8 × 16 × 4000	4.06				
8 × 32 × 4000	8.12				
8 × 38 × 4000	9.65				
8 × 40 × 4000	10.15				
8 × 50 × 4000	12.69				
8 × 100 × 4000	25.38				
9 × 9 × 4000	2.57				
9 × 13 × 4000	3.72				
9 × 15 × 4000	4.29				
9 × 16 × 4000	4.57				
9 × 19 × 4000	5.43				
9 × 20 × 4000	5.71				
9 × 22 × 4000	6.28				
9 × 25 × 4000	7.14				
9 × 30 × 4000	8.57				
9 × 32 × 4000	9.14				
9 × 35 × 4000	10.00				
9 × 38 × 4000	10.85				
9 × 40 × 4000	11.42				
9 × 50 × 4000	14.28				
9 × 55 × 4000	15.71				
9 × 60 × 4000	17.13				
9 × 65 × 4000	18.56				
9 × 75 × 4000	21.42				
9 × 90 × 4000	25.70				
9 × 100 × 4000	28.55				
9 × 125 × 4000	35.69				
9 × 150 × 4000	42.83				
9 × 200 × 4000	57.10				
9 × 250 × 4000	71.37				
9 × 300 × 4000	85.65				
10 × 10 × 4000	3.18				

サイズ	P/Kg	Cold	Hot	HL	#400
10 × 15 × 4000	4.76				
10 × 19 × 4000	6.03				
10 × 20 × 4000	6.35				
10 × 25 × 4000	7.93				
10 × 30 × 4000	9.52				
10 × 32 × 4000	10.15				
10 × 35 × 4000	11.11				
10 × 38 × 4000	12.06				
10 × 40 × 4000	12.69				
10 × 50 × 4000	15.86				
10 × 65 × 4000	20.62				
10 × 75 × 4000	23.79				
10 × 100 × 4000	31.72				
10 × 125 × 4000	39.65				
10 × 150 × 4000	47.58				
10 × 200 × 4000	63.44				
10 × 250 × 4000	79.30				
12 × 12 × 4000	4.57				
12 × 14 × 4000	5.33				
12 × 15 × 4000	5.71				
12 × 16 × 4000	6.09				
12 × 19 × 4000	7.24				
12 × 20 × 4000	7.62				
12 × 25 × 4000	9.52				
12 × 28 × 4000	10.66				
12 × 30 × 4000	11.42				
12 × 32 × 4000	12.18				
12 × 35 × 4000	13.33				
12 × 38 × 4000	14.47				
12 × 40 × 4000	15.23				
12 × 50 × 4000	19.04				
12 × 65 × 4000	24.75				
12 × 70 × 4000	26.65				

## ステンレス四角、平角棒( SUS304 )

サイズ	P/Kg	Cold	Hot	HL	#400
12 × 75 × 4000	28.60				
12 × 90 × 4000	34.20				
12 × 100 × 4000	38.10				
12 × 125 × 4000	47.60				
12 × 150 × 4000	57.20				
12 × 200 × 4000	76.00				
12 × 250 × 4000	95.20				
12 × 300 × 4000	114.00				
13 × 13 × 4000	5.36				
14 × 14 × 4000	6.20				
15 × 15 × 4000	7.12				
16 × 16 × 4000	8.12				
16 × 19 × 4000	9.64				
16 × 20 × 4000	10.20				
16 × 25 × 4000	12.70				
16 × 30 × 4000	15.20				
16 × 32 × 4000	16.20				
16 × 35 × 4000	17.80				
16 × 38 × 4000	19.30				
16 × 40 × 4000	20.30				
16 × 50 × 4000	25.40				
16 × 65 × 4000	33.00				
16 × 75 × 4000	38.10				
16 × 90 × 4000	45.60				
16 × 100 × 4000	50.80				
16 × 125 × 4000	63.60				
16 × 150 × 4000	76.00				
16 × 200 × 4000	102.00				
16 × 250 × 4000	127.00				
16 × 300 × 4000	152.00				
19 × 19 × 4000	11.40				
19 × 25 × 4000	15.10				
19 × 30 × 4000	18.10				

サイズ	P/Kg	Cold	Hot	HL	#400
19 × 32 × 4000	19.30				
19 × 35 × 4000	21.10				
19 × 38 × 4000	22.90				
19 × 40 × 4000	24.10				
19 × 50 × 4000	30.10				
19 × 65 × 4000	39.20				
19 × 75 × 4000	45.20				
19 × 100 × 4000	60.40				
19 × 125 × 4000	75.20				
19 × 150 × 4000	90.40				
19 × 200 × 4000	120.00				
19 × 250 × 4000	151.00				
19 × 300 × 4000	181.00				
20 × 20 × 4000	12.70				
22 × 22 × 4000	15.40				
22 × 25 × 4000	17.40				
22 × 30 × 4000	20.90				
22 × 32 × 4000	22.30				
22 × 35 × 4000	24.40				
22 × 38 × 4000	26.50				
22 × 40 × 4000	27.90				
22 × 45 × 4000	31.40				
22 × 50 × 4000	34.90				
22 × 65 × 4000	45.20				
22 × 75 × 4000	52.40				
22 × 100 × 4000	69.60				
22 × 125 × 4000	87.20				
22 × 150 × 4000	105.00				
25 × 25 × 4000	19.80				
25 × 32 × 4000	25.40				
25 × 38 × 4000	30.10				
25 × 40 × 4000	31.70				
25 × 50 × 4000	39.60				

## ステンレス四角、平角棒( SUS304 )

サイズ	P/Kg	Cold	Hot	HL	#400
25 × 60 × 4000	47.58				
25 × 65 × 4000	51.55				
25 × 75 × 4000	59.48				
25 × 100 × 4000	79.30				
25 × 125 × 4000	99.13				
25 × 150 × 4000	118.95				
26 × 26 × 4000	21.45				
28 × 28 × 4000	24.87				
30 × 30 × 4000	28.55				
30 × 50 × 4000	47.58				
30 × 55 × 4000	52.34				
30 × 65 × 4000	61.86				
30 × 75 × 4000	71.37				
30 × 100 × 4000	95.16				
30 × 125 × 4000	118.95				
30 × 150 × 4000	142.74				
32 × 32 × 4000	32.48				
35 × 50 × 4000	55.51				
35 × 65 × 4000	72.17				
35 × 75 × 4000	83.27				
35 × 100 × 4000	111.02				
35 × 125 × 4000	138.78				
35 × 150 × 4000	166.53				
36 × 36 × 4000	41.11				
38 × 38 × 4000	45.81				
40 × 40 × 4000	50.76				
40 × 50 × 4000	63.44				
40 × 75 × 4000	95.16				
40 × 100 × 4000	126.88				
40 × 125 × 4000	158.60				
40 × 150 × 4000	190.32				
42 × 42 × 4000	55.95				
45 × 45 × 4000	64.24				

サイズ	P/Kg	Cold	Hot	HL	#400
50 × 50 × 4000	79.30				
50 × 75 × 4000	118.95				
50 × 100 × 4000	158.60				
50 × 125 × 4000	198.25				
50 × 150 × 4000	237.90				
55 × 55 × 4000	95.96				
60 × 60 × 4000	114.20				
60 × 75 × 4000	142.74				
60 × 100 × 4000	190.32				
60 × 125 × 4000	237.90				
60 × 150 × 4000	285.48				
65 × 65 × 4000	134.02				
70 × 70 × 4000	155.43				
70 × 100 × 4000	222.04				
70 × 125 × 4000	277.55				
70 × 150 × 4000	333.06				
75 × 75 × 4000	178.43				
80 × 100 × 4000	253.76				
80 × 125 × 4000	317.20				
80 × 150 × 4000	380.64				
90 × 90 × 4000	256.94				
90 × 125 × 4000	356.85				
90 × 150 × 4000	428.22				
100 × 100 × 4000	317.20				
100 × 125 × 4000	396.50				
100 × 150 × 4000	475.80				

## ステンレスアングル(SUS304)

サイズ	M/KG	酸洗		H L		# 400	
		4M	6M	4M	6M	4M	6M
3 × 20 × 20	0.90						
3 × 25 × 25	1.13						
3 × 30 × 30	1.37						
3 × 40 × 40	1.85						
3 × 50 × 50	2.37						
4 × 35 × 35	2.10						
4 × 40 × 40	2.41						
4 × 50 × 50	3.10						
5 × 40 × 40	2.98						
5 × 45 × 45	3.42						
5 × 50 × 50	3.80						
6 × 30 × 30	2.53						
6 × 35 × 35	3.03						
6 × 40 × 40	3.50						
6 × 50 × 50	4.48						
6 × 60 × 60	5.43						
6 × 65 × 65	5.98						
6 × 75 × 75	6.93						
6 × 100 × 100	9.32						
7 × 70 × 70	7.42						
8 × 65 × 65	7.73						
8 × 80 × 80	9.63						
8 × 100 × 100	12.20						
9 × 50 × 50	6.43						
9 × 65 × 65	8.63						
9 × 75 × 75	10.10						
9 × 90 × 90	12.30						
9 × 125 × 125	17.17						
10 × 100 × 100	15.10						
12 × 100 × 100	17.50						
12 × 125 × 125	22.67						
15 × 125 × 125	28.00						

ステンレス圧延チャンネル(SUS304)

サイズ	M/KG	4M	6M
3 × 40 × 20	1.80		
3 × 50 × 25	2.29		
4 × 100 × 50	6.19		
5 × 80 × 40	5.99		
5 × 100 × 50	7.65		
6 × 100 × 50	9.02		
6 × 130 × 65	12.50		
6 × 150 × 75	13.90		
9 × 150 × 75	20.17		
10 × 200 × 100	30.34		

ステンレスフォーミングチャンネル

(SUS304)

サイズ	P/KG
3 × 40 × 20 × 6000	11.00
3 × 50 × 12.5 × 6000	10.30
3 × 50 × 25 × 6000	13.80
3 × 60 × 15 × 6000	12.40
3 × 60 × 30 × 6000	16.70
3 × 75 × 35 × 6000	20.30
3 × 80 × 20 × 6000	16.70
3 × 80 × 40 × 6000	22.40
3 × 100 × 25 × 6000	21.00
3 × 100 × 50 × 6000	28.10
3 × 120 × 60 × 6000	33.80
5 × 80 × 40 × 6000	36.90
5 × 100 × 50 × 6000	46.40
6 × 80 × 40 × 6000	44.00
6 × 100 × 50 × 6000	55.40
6 × 125 × 65 × 6000	71.10

ステンレス溶接チャンネル(SUS304)

サイズ	P/KG
6 × 120 × 60	65.40
6 × 150 × 75	83.40
9 × 150 × 75	121.00
10 × 200 × 100	182.00

## ステンレス化粧管(SUS304)

寸法	M/KG	4M		5M		6M	
		HL	#400	HL	#400	HL	#400
5 × 0.8	0.08						
5 × 1.0	0.10						
6 × 0.8	0.10						
6 × 1.0	0.12						
7 × 0.8	0.12						
7 × 1.0	0.15						
8 × 0.8	0.14						
8 × 1.0	0.17						
9 × 0.8	0.16						
9 × 1.0	0.20						
10 × 0.8	0.18						
10 × 1.0	0.22						
12 × 0.8	0.22						
12 × 1.0	0.27						
13 × 0.8	0.24						
13 × 1.0	0.30						
13 × 1.2	0.35						
13 × 1.5	0.43						
13.8 × 1.2	0.37						
13.8 × 1.5	0.46						
14 × 0.8	0.26						
14 × 1.0	0.32						
15 × 0.8	0.28						
15 × 1.0	0.35						
16 × 1.0	0.37						
16 × 1.2	0.44						
16 × 1.5	0.54						
16 × 2.0	0.69						
17.3 × 1.5	0.59						
17.3 × 2.0	0.76						

寸法	M/KG	4M		5M		6M	
		HL	#400	HL	#400	HL	#400
19 × 1.0	0.45						
19 × 1.2	0.53						
19 × 1.5	0.65						
19 × 2.0	0.84						
21.7 × 1.2	0.61						
21.7 × 1.5	0.75						
21.7 × 2.0	0.98						
21.7 × 3.0	1.39						
22 × 0.8	0.42						
22 × 1.0	0.52						
22 × 1.2	0.62						
22 × 1.5	0.76						
22 × 2.0	0.99						
25 × 0.8	0.48						
25 × 1.0	0.6						
25 × 1.2	0.71						
25 × 1.5	0.87						
25 × 2.0	1.14						
25.4 × 3.0	1.64						
25.4 × 1.0	0.61						
25.4 × 1.5	0.89						
25.4 × 2.0	1.16						
27.2 × 1.0	0.65						
27.2 × 1.2	0.77						
27.2 × 1.5	0.96						
27.2 × 2.0	1.25						
27.2 × 3.0	1.8						
32 × 1.0	0.77						
32 × 1.2	0.92						
32 × 1.5	1.14						

## ステンレス化粧管(SUS304)

寸法	M/KG	4M		5M		6M	
		HL	#400	HL	#400	HL	#400
32 × 2.0	1.49						
32 × 3.0	2.16						
34 × 1.0	0.82						
34 × 1.2	0.98						
34 × 1.5	1.21						
34 × 2.0	1.59						
34 × 3.0	2.31						
38 × 1.0	0.92						
38 × 1.2	1.1						
38 × 1.5	1.36						
38 × 2.0	1.79						
38 × 3.0	2.61						
42.7 × 1.2	1.24						
42.7 × 1.5	1.53						
42.7 × 2.0	2.02						
42.7 × 3.0	2.96						
45 × 1.5	1.62						
45 × 2.0	2.13						
48.6 × 1.2	1.41						
48.6 × 1.5	1.75						
48.6 × 2.0	2.31						
48.6 × 3.0	3.4						
50 × 1.0	1.22						
50 × 1.2	1.45						
50 × 1.5	1.81						
50 × 2.0	2.38						
50 × 3.0	3.5						
60.5 × 1.5	2.2						
60.5 × 2.0	2.9						
60.5 × 3.0	4.28						

寸法	M/KG	4M		5M		6M	
		HL	#400	HL	#400	HL	#400
76.3 × 1.5	2.78						
76.3 × 2.0	3.69						
76.3 × 3.0	5.46						
89.1 × 1.5	3.26						
89.1 × 2.0	4.32						
89.1 × 3.0	6.41						
89.1 × 4.0	8.48						
101.6 × 1.5	3.73						
101.6 × 2.0	4.94						
101.6 × 3.0	7.34						
101.6 × 4.0	9.73						
114.3 × 2.0	5.57						
114.3 × 3.0	8.29						
114.3 × 4.0	11.00						
139.8 × 2.0	6.84						
139.8 × 3.0	10.19						
139.8 × 4.0	13.54						
165.2 × 3.0	12.08						
165.2 × 4.0	16.07						
216.3 × 3.0	15.88						
216.3 × 4.0	21.16						

## ステンレス配管用パイプ(SUS304)

寸 法	p/kg
6 × 1.0 × 4000	0.50
8 × 1.0 × 4000	0.70
10 × 1.0 × 4000	0.90
10 × 1.5 × 4000	1.27
10.5 × 1.5 × 4000	1.34
10.5 × 2.0 × 4000	1.69
12 × 1.0 × 4000	1.10
12 × 2.0 × 4000	1.99
12.7 × 1.5 × 4000	1.67
12.7 × 2.0 × 4000	2.13
13.8 × 1.5 × 4000	1.84
13.8 × 2.0 × 4000	2.35
13.8 × 3.0 × 4000	3.23
16 × 1.0 × 4000	1.50
16 × 1.5 × 4000	2.17
16 × 2.0 × 4000	2.79
17.3 × 1.5 × 4000	2.36
17.3 × 2.0 × 4000	3.05
17.3 × 2.5 × 4000	3.69
17.3 × 3.0 × 4000	4.28
19 × 1.0 × 4000	1.79
19 × 1.5 × 4000	2.62
19 × 2.0 × 4000	3.39
20 × 1.5 × 4000	2.76
20 × 2.0 × 4000	3.59
21.7 × 1.5 × 4000	3.02
21.7 × 2.0 × 4000	3.92
21.7 × 2.5 × 4000	4.80
21.7 × 3.0 × 4000	5.60
22 × 1.0 × 4000	2.09
25.4 × 1.5 × 4000	3.57

寸 法	p/kg
25.4 × 2.0 × 4000	4.68
25.4 × 3.0 × 4000	6.68
27.2 × 1.5 × 4000	3.84
27.2 × 2.0 × 4000	5.04
27.2 × 2.5 × 4000	6.16
27.2 × 3.0 × 4000	7.24
30 × 1.5 × 4000	4.24
30 × 2.0 × 4000	5.56
32 × 1.5 × 4000	4.56
32 × 2.0 × 4000	5.96
32 × 3.0 × 4000	8.68
34 × 1.5 × 4000	4.84
34 × 2.0 × 4000	6.36
34 × 3.0 × 4000	9.28
34 × 3.5 × 4000	10.64
34 × 4.0 × 4000	11.96
38 × 1.5 × 4000	5.44
38 × 2.0 × 4000	7.16
38 × 3.0 × 4000	10.47
42.7 × 1.5 × 4000	6.16
42.7 × 2.0 × 4000	8.12
42.7 × 3.0 × 4000	11.87
42.7 × 3.5 × 4000	13.68
42.7 × 4.0 × 4000	15.43
48.6 × 1.5 × 4000	7.04
48.6 × 2.0 × 4000	9.28
48.6 × 3.0 × 4000	13.64
48.6 × 3.5 × 4000	15.73
48.6 × 4.0 × 4000	17.78
50.8 × 1.5 × 4000	7.36
50.8 × 2.0 × 4000	9.72



## ステンレス配管用パイプ(SUS304)

寸 法	p/kg
50.8 × 3.0 × 4000	14.29
60.5 × 1.5 × 4000	8.82
60.5 × 2.0 × 4000	11.66
60.5 × 3.0 × 4000	17.19
60.5 × 3.5 × 4000	19.89
60.5 × 4.0 × 4000	22.53
76.3 × 2.0 × 4000	14.81
76.3 × 3.0 × 4000	21.92
76.3 × 3.5 × 4000	25.40
76.3 × 4.0 × 4000	28.82
76.3 × 5.0 × 4000	35.53
89.1 × 2.0 × 4000	17.36
89.1 × 3.0 × 4000	25.74
89.1 × 4.0 × 4000	33.92
89.1 × 5.0 × 4000	41.90
101.6 × 2.0 × 4000	19.85
101.6 × 3.0 × 4000	29.48
101.6 × 4.0 × 4000	38.90
101.6 × 5.0 × 4000	48.13
101.6 × 6.0 × 4000	57.16
114.3 × 2.0 × 4000	22.38
114.3 × 3.0 × 4000	33.27
114.3 × 4.0 × 4000	43.97
114.3 × 5.0 × 4000	54.46
114.3 × 6.0 × 4000	64.75
139.8 × 3.0 × 4000	40.90
139.8 × 3.5 × 4000	47.54
139.8 × 4.0 × 4000	54.13
139.8 × 5.0 × 4000	67.17
139.8 × 6.0 × 4000	80.00
165.2 × 3.0 × 4000	48.49

寸 法	p/kg
165.2 × 3.5 × 4000	56.40
165.2 × 4.0 × 4000	64.26
165.2 × 5.0 × 4000	79.82
165.2 × 6.0 × 4000	95.19
216.3 × 3.0 × 4000	63.77
216.3 × 4.0 × 4000	84.62
216.3 × 5.0 × 4000	105.28
216.3 × 6.0 × 4000	125.74
267.4 × 3.0 × 4000	79.04
267.4 × 4.0 × 4000	104.99
267.4 × 5.0 × 4000	130.74
267.4 × 6.0 × 4000	156.29
318.5 × 3.0 × 4000	94.32
318.5 × 4.0 × 4000	125.36
318.5 × 4.5 × 4000	140.81
318.5 × 5.0 × 4000	156.20
318.5 × 6.0 × 4000	186.85
355.6 × 3.0 × 4000	105.41
355.6 × 4.0 × 4000	140.15
355.6 × 5.0 × 4000	174.69
355.6 × 6.0 × 4000	209.03
406.4 × 3.0 × 4000	120.60
406.4 × 4.0 × 4000	160.40
406.4 × 5.0 × 4000	200.00
406.4 × 6.0 × 4000	239.40
457.2 × 3.0 × 4000	135.79
457.2 × 4.0 × 4000	180.65
457.2 × 5.0 × 4000	225.31
457.2 × 6.0 × 4000	269.78

## ステンレス角管(SUS304)

寸 法	HL	#400
7 × 7 × 1.0 × 4000		
9 × 9 × 0.8 × 4000		
9 × 9 × 1.0 × 4000		
10 × 10 × 1.0 × 4000		
10 × 10 × 1.2 × 4000		
10 × 19 × 1.0 × 4000		
10 × 19 × 1.2 × 4000		
12 × 12 × 1.0 × 4000		
12 × 12 × 1.2 × 4000		
12 × 22 × 1.0 × 5000		
12 × 22 × 1.2 × 5000		
12 × 22 × 1.5 × 5000		
12 × 25 × 1.2 × 5000		
12 × 25 × 1.5 × 5000		
13 × 13 × 1.0 × 4000		
13 × 13 × 1.2 × 4000		
14 × 14 × 1.0 × 4000		
14 × 14 × 1.2 × 4000		
14 × 24 × 1.0 × 5000		
14 × 24 × 1.2 × 5000		
14 × 24 × 1.5 × 5000		
14 × 24 × 2.0 × 5000		
16 × 16 × 1.0 × 5000		
16 × 16 × 1.2 × 5000		
16 × 16 × 1.5 × 5000		
16 × 32 × 1.0 × 5000		
16 × 32 × 1.2 × 5000		
16 × 32 × 1.5 × 5000		
18 × 40 × 1.0 × 5000		
18 × 40 × 1.2 × 5000		
18 × 40 × 1.5 × 5000		
18 × 65 × 1.2 × 5000		
18 × 65 × 1.5 × 5000		
19 × 19 × 1.0 × 5000		
19 × 19 × 1.2 × 5000		

寸 法	HL	#400
19 × 19 × 1.5 × 5000		
19 × 19 × 2.0 × 5000		
20 × 20 × 1.2 × 5000		
20 × 20 × 1.5 × 5000		
20 × 30 × 1.2 × 5000		
20 × 30 × 1.5 × 5000		
20 × 40 × 1.2 × 5000		
20 × 40 × 1.5 × 5000		
20 × 40 × 2.0 × 5000		
20 × 50 × 1.2 × 5000		
20 × 50 × 1.5 × 5000		
21 × 21 × 1.0 × 5000		
21 × 21 × 1.2 × 5000		
21 × 21 × 1.5 × 5000		
22 × 22 × 1.0 × 5000		
22 × 22 × 1.2 × 5000		
22 × 22 × 1.5 × 5000		
24 × 24 × 1.0 × 5000		
24 × 24 × 1.2 × 5000		
24 × 24 × 1.5 × 5000		
25 × 25 × 1.2 × 5000		
25 × 25 × 1.5 × 5000		
25 × 30 × 1.2 × 5000		
25 × 30 × 1.5 × 5000		
25 × 40 × 1.2 × 5000		
25 × 40 × 1.5 × 5000		
25 × 40 × 2.0 × 5000		
25 × 50 × 1.5 × 5000		
25 × 50 × 2.0 × 5000		
25 × 60 × 1.5 × 5000		
25 × 60 × 2.0 × 5000		
25 × 70 × 1.5 × 5000		
25 × 70 × 2.0 × 5000		
25.4 × 25.4 × 1.2 × 5000		
25.4 × 25.4 × 1.5 × 5000		

## ステンレス角管(SUS304)

寸 法	HL	#400
26 × 51 × 1.2 × 5000		
26 × 51 × 1.5 × 5000		
26 × 51 × 2.0 × 5000		
28.6 × 28.6 × 1.0 × 5000		
28.6 × 28.6 × 1.2 × 5000		
28.6 × 28.6 × 1.5 × 5000		
30 × 30 × 1.2 × 5000		
30 × 30 × 1.5 × 5000		
30 × 50 × 1.5 × 5000		
30 × 50 × 2.0 × 5000		
30 × 60 × 1.5 × 5000		
30 × 60 × 2.0 × 5000		
30 × 70 × 1.5 × 5000		
30 × 70 × 2.0 × 5000		
30 × 90 × 1.5 × 5000		
30 × 90 × 2.0 × 5000		
30 × 90 × 3.0 × 5000		
32 × 32 × 1.2 × 5000		
32 × 32 × 1.5 × 5000		
32 × 32 × 2.0 × 5000		
32 × 61 × 1.5 × 5000		
32 × 61 × 2.0 × 5000		
35 × 35 × 1.2 × 5000		
35 × 35 × 1.5 × 5000		
38.5 × 38.5 × 1.2 × 5000		
38.5 × 38.5 × 1.5 × 5000		
38.5 × 38.5 × 2.0 × 5000		
40 × 40 × 1.5 × 5000		
40 × 40 × 2.0 × 5000		
40 × 60 × 1.5 × 5000		
40 × 60 × 2.0 × 5000		
40 × 80 × 1.5 × 5000		
40 × 80 × 2.0 × 5000		
40 × 80 × 3.0 × 5000		
40 × 100 × 2.0 × 5000		

寸 法	HL	#400
40 × 100 × 3.0 × 5000		
41 × 41 × 1.2 × 5000		
41 × 41 × 1.5 × 5000		
41 × 41 × 2.0 × 5000		
45 × 75 × 1.5 × 5000		
45 × 75 × 2.0 × 5000		
45 × 75 × 3.0 × 5000		
46 × 46 × 1.5 × 5000		
46 × 46 × 2.0 × 5000		
50 × 50 × 1.5 × 5000		
50 × 50 × 2.0 × 5000		
50 × 50 × 3.0 × 5000		
50 × 90 × 1.5 × 5000		
50 × 90 × 2.0 × 5000		
50 × 90 × 3.0 × 5000		
50 × 100 × 2.0 × 5000		
50 × 100 × 3.0 × 5000		
50 × 150 × 2.0 × 5000		
50 × 150 × 3.0 × 5000		
60 × 60 × 1.5 × 5000		
60 × 60 × 2.0 × 5000		
60 × 60 × 3.0 × 5000		
60 × 120 × 2.0 × 5000		
60 × 120 × 3.0 × 5000		
75 × 75 × 2.0 × 5000		
75 × 75 × 3.0 × 5000		
100 × 100 × 2.0 × 5000		
100 × 100 × 3.0 × 5000		