

AL建材用板(A1100H24)片面養生テープ貼り

サ イ ズ	枚/KG
0.8 × 1000 × 2000	4.34
0.8 × 1220 × 2440	6.45
1.0 × 1000 × 2000	5.42
1.0 × 1000 × 3000	8.13
1.0 × 1220 × 2440	8.07
1.0 × 1250 × 2500	8.47
1.0 × 1250 × 4000	13.55
1.0 × 1525 × 3050	12.60
1.2 × 1000 × 2000	6.50
1.2 × 1250 × 2500	10.16
1.2 × 1250 × 3000	12.20
1.5 × 1000 × 2000	8.13
1.5 × 1000 × 3000	12.20
1.5 × 1000 × 4000	16.26
1.5 × 1250 × 2500	12.70
1.5 × 1250 × 3000	15.24
1.5 × 1250 × 4000	20.33
1.5 × 1525 × 3050	18.91
2.0 × 1000 × 2000	10.84
2.0 × 1000 × 3000	16.26
2.0 × 1000 × 4000	21.68
2.0 × 1250 × 2000	13.55
2.0 × 1250 × 2500	16.94
2.0 × 1250 × 3000	20.33
2.0 × 1250 × 3500	23.71
2.0 × 1250 × 4000	27.10
2.0 × 1250 × 5000	33.88
2.0 × 1520 × 2000	16.48
2.0 × 1520 × 2500	20.60
2.0 × 1520 × 3000	24.72
2.0 × 1520 × 3500	28.83
2.0 × 1520 × 4000	32.95
2.0 × 1525 × 2500	20.66
2.0 × 1525 × 3100	25.62
2.0 × 1525 × 4000	33.06
2.0 × 1900 × 4000	41.19

サ イ ズ	枚/KG
2.5 × 1000 × 2000	13.55
2.5 × 1000 × 3000	20.33
2.5 × 1000 × 4000	27.10
2.5 × 1250 × 2500	21.17
2.5 × 1250 × 3000	25.41
2.5 × 1250 × 3500	29.64
2.5 × 1250 × 4000	33.88
2.5 × 1520 × 2500	25.75
2.5 × 1520 × 3000	30.89
2.5 × 1520 × 3500	36.04
2.5 × 1520 × 4000	41.19
2.5 × 1525 × 2500	25.83
2.5 × 1525 × 3100	32.03
2.5 × 1525 × 4000	41.33
2.5 × 1900 × 4000	51.49
3.0 × 1000 × 2000	16.26
3.0 × 1000 × 3000	24.39
3.0 × 1250 × 2500	25.41
3.0 × 1250 × 3000	30.49
3.0 × 1250 × 3500	35.57
3.0 × 1250 × 4000	40.65
3.0 × 1520 × 2500	30.89
3.0 × 1520 × 3000	37.07
3.0 × 1520 × 3500	43.25
3.0 × 1520 × 4000	49.43
3.0 × 1525 × 4000	49.59
4.0 × 1000 × 2000	21.68
4.0 × 1250 × 2500	33.88
4.0 × 1250 × 4000	54.20
4.0 × 1525 × 3050	50.42
5.0 × 1000 × 2000	27.10
5.0 × 1250 × 2500	42.34
5.0 × 1250 × 4000	67.75
5.0 × 1525 × 3050	63.02
6.0 × 1000 × 2000	32.52
6.0 × 1250 × 2500	50.81

アルミ皮膜板

寸 法	枚/KG	シルバー B1 クリアーなし	シルバー B1	シルバー B1 片面クリアー	シルバー B1 両面クリアー	ブロンズ YB1C 両面クリアー	ブロンズ YB1N 艶消クリアー	ブロンズ YB3N 艶消クリアー	ブロンズ YB5N 艶消クリアー	ブラック YK1N 艶消クリアー	ステン色 ステン1N 艶消クリアー	ステン色 ステン3N 艶消クリアー	ホワイト YW1C 両面クリアー
0.8 × 1000 × 2000	4.34		○			○	○		○	○			○
0.8 × 1220 × 2440	6.45		○										
1.0 × 1000 × 2000	5.42	○	○			○	○	○	○	○	○	○	○
1.0 × 1250 × 2500	8.47	○	○				○	○	○	○	○	○	
1.2 × 1000 × 2000	6.50	○											
1.2 × 1250 × 2500	10.16	○											
1.5 × 1000 × 2000	8.13	○				○							
1.5 × 1250 × 2500	12.70	○				○							
1.5 × 1250 × 3000	15.24	○											
1.5 × 1250 × 4000	20.33	○											
2.0 × 1000 × 2000	10.84	○				○	○	○	○	○	○	○	○
2.0 × 1250 × 2500	16.94	○				○							
2.0 × 1250 × 3000	20.33	○											
2.0 × 1250 × 4000	27.10	○											
3.0 × 1000 × 2000	16.26	○				○	○	○	○	○	○	○	○
3.0 × 1250 × 2500	25.41	○											
5.0 × 1000 × 2000	27.10												

アルミ丸棒

		A2011		A2017		A2024		A5052		A5056		A6061		A7075	
	M/KG	2M	4M	2M	4M	2M	4M	2M	4M	2M	4M	2M	4M	2M	4M
4.0	0.03			○						○					
5.0	0.05	○		○		○		○		○					
6.0	0.08	○		○		○		○		○					
7.0	0.10	○		○				○		○					
8.0	0.14	○		○		○		○		○		○		○	
9.0	0.17	○		○				○		○					
10.0	0.21	○		○	○	○		○	○	○	○	○		○	
11.0	0.26	○		○	○			○	○	○	○				
12.0	0.31	○		○	○	○		○	○	○	○	○		○	
13.0	0.36	○		○	○			○	○	○	○				
14.0	0.42	○		○	○			○	○	○	○	○		○	
15.0	0.48	○		○	○	○		○	○	○	○	○			
16.0	0.54	○		○	○			○	○	○	○	○		○	
17.0	0.62	○		○	○			○	○	○					
18.0	0.69	○		○	○			○	○	○	○	○		○	
19.0	0.77	○		○	○			○	○	○	○	○			
20.0	0.85	○		○	○	○		○	○	○	○	○		○	
21.0	0.94	○		○	○			○	○	○					
22.0	1.03	○		○	○			○	○	○	○				
23.0	1.13	○		○	○			○	○	○					
24.0	1.23	○		○				○		○					
25.0	1.33	○		○	○	○		○	○	○	○	○			
26.0	1.44	○		○	○			○	○	○	○	○			
27.0	1.55	○		○				○		○					
28.0	1.67	○		○	○	○		○	○	○	○	○			
29.0	1.79	○		○				○		○					
30.0	1.92	○		○	○	○		○	○	○	○	○		○	
31.0	2.05	○		○				○		○					
32.0	2.18	○		○	○			○	○	○	○	○			
33.0	2.32	○		○				○		○					
34.0	2.46	○		○	○			○	○	○					
35.0	2.61	○		○	○	○		○	○	○	○	○			
36.0	2.76	○		○	○			○	○	○	○				
37.0	2.91	○		○						○					
38.0	3.07	○		○	○			○	○	○	○	○			
39.0	3.24	○		○						○					

*M単重は、参考値です。

アルミ丸棒

		A2011		A2017		A2024		A5052		A5056		A6061		A7075	
	M/KG	2M	4M	2M	4M	2M	4M	2M	4M	2M	4M	2M	4M	2M	4M
40.0	3.33	○		○	○	○		○	○	○	○	○		○	
41.0	3.58	○		○						○					
42.0	3.67	○		○	○				○	○	○	○			
43.0	3.94			○						○					
44.0	4.03			○						○					
45.0	4.21	○		○	○	○		○	○	○	○	○			
46.0	4.40	○		○						○					
47.0	4.70			○						○					
48.0	4.80			○						○					
49.0	5.11			○						○					
50.0	5.20	○		○	○	○		○	○	○	○	○		○	
51.0	5.54			○						○					
52.0	5.63			○	○	○				○					
53.0	5.98			○						○					
54.0	6.07			○						○					
55.0	6.30	○		○	○	○		○	○	○	○	○			
56.0	6.53			○						○					
57.0	6.76			○						○					
58.0	7.16			○						○					
59.0	7.41			○						○					
60.0	7.49	○		○	○	○		○	○	○	○	○		○	
61.0	7.92			○						○					
62.0	8.00			○						○		○			
65.0	8.79	○		○	○	○		○	○	○		○			
70.0	10.20			○	○	○		○		○		○		○	
72.0	11.03									○					
75.0	11.71			○		○		○		○		○			
80.0	13.32			○		○		○		○		○		○	
85.0	15.04			○		○		○		○		○			
90.0	16.86			○		○		○		○		○		○	
95.0	18.78			○	1M			○		○		○			
100.0	20.81			○	○	○		○		○		○		○	
105.0	22.95			○	○					○					
110.0	25.18			○	○	○		○		○		○		○	
115.0	27.53			○						○					
120.0	29.97			○	○	○		○		○		○		○	

*M単重は、参考値です。

アルミ丸棒

		A2011		A2017		A2024		A5052		A5056		A6061		A7075	
	M/KG	2M	1M	2M	1M	2M	1M	2M	1M	2M	1M	2M	1M	2M	1M
125.0	32.52			○						○					
130.0	35.17			○	○	○		○		○		○		○	
135.0	37.93			○						○					
140.0	40.79			○	○	○		○		○		○		○	
150.0	46.83			○	○	○		○		○		○		○	
155.0	50.00			○						○					
160.0	53.28			○	○	○		○		○		○		○	
165.0	56.66			○						○					
170.0	60.15			○	○			○		○				○	
175.0	63.74			○						○					
180.0	67.43			○	○	○		○		○		○		○	
185.0	71.23									○					
190.0	75.14			○				○		○				○	
200.0	83.25			○	○	○		○		○		○		○	
210.0	91.79			○						○	○	○		○	
220.0	100.74			○	○					○	○	○		○	
230.0	110.10			○	○					○	○	○		○	
240.0	119.88			○						○	○	○		○	
250.0	130.08			○	○			○		○	○	○		○	
260.0	140.70			○	○					○				○	
270.0	151.73			○	○					○					
280.0	163.17			○	○					○		○			
290.0	175.04			○						○		○			
300.0	187.32			○	○			○		○	○	○			
310.0	200.01			○						○					
320.0	213.13			○						○					
330.0	226.65			○	○					○					
340.0	240.60			○						○					
350.0	254.96				○					○	○		○		
360.0	269.74				○					○					
370.0	284.93									○					
375.0	292.68									○	○				
380.0	300.54									○					
390.0	316.57									○					
400.0	333.01			○	○					○	○		○		
420.0	367.14									○	○				

*M単重は、参考値です。

アルミ平角棒(A6063T5)

寸 法	P/KG	寸 法	P/KG	寸 法	P/KG
2 × 10 × 4000	0.22	5 × 30 × 4000	1.63	8 × 60 × 4000	5.20
2 × 15 × 4000	0.33	5 × 35 × 4000	1.90	8 × 75 × 4000	6.50
2 × 20 × 4000	0.43	5 × 40 × 4000	2.17	8 × 100 × 4000	8.67
2 × 25 × 4000	0.54	5 × 50 × 4000	2.71	9 × 20 × 4000	1.95
2 × 30 × 4000	0.65	5 × 60 × 4000	3.25	9 × 30 × 4000	2.93
2 × 50 × 4000	1.08	5 × 70 × 4000	3.79	9 × 40 × 4000	3.90
3 × 10 × 4000	0.33	5 × 100 × 4000	5.42	9 × 50 × 4000	4.88
3 × 12 × 4000	0.39	6 × 9 × 4000	0.59	9 × 60 × 4000	5.85
3 × 15 × 4000	0.49	6 × 10 × 4000	0.65	9 × 75 × 4000	7.32
3 × 20 × 4000	0.65	6 × 12 × 4000	0.78	9 × 100 × 4000	9.76
3 × 25 × 4000	0.81	6 × 15 × 4000	0.98	10 × 15 × 4000	1.63
3 × 30 × 4000	0.98	6 × 20 × 4000	1.30	10 × 20 × 4000	2.17
3 × 35 × 4000	1.14	6 × 25 × 4000	1.63	10 × 25 × 4000	2.71
3 × 40 × 4000	1.30	6 × 30 × 4000	1.95	10 × 30 × 4000	3.25
3 × 50 × 4000	1.63	6 × 32 × 4000	2.08	10 × 35 × 4000	3.79
4 × 10 × 4000	0.43	6 × 35 × 4000	2.28	10 × 40 × 4000	4.34
4 × 12 × 4000	0.52	6 × 40 × 4000	2.60	10 × 45 × 4000	4.88
4 × 15 × 4000	0.65	6 × 50 × 4000	3.25	10 × 50 × 4000	5.42
4 × 20 × 4000	0.87	6 × 60 × 4000	3.90	10 × 60 × 4000	6.50
4 × 25 × 4000	1.08	6 × 75 × 4000	4.88	10 × 70 × 4000	7.59
4 × 30 × 4000	1.30	6 × 100 × 4000	6.50	10 × 75 × 4000	8.13
4 × 40 × 4000	1.73	8 × 15 × 4000	1.30	10 × 80 × 4000	8.67
4 × 50 × 4000	2.17	8 × 20 × 4000	1.73	10 × 100 × 4000	10.84
4 × 70 × 4000	3.04	8 × 25 × 4000	2.17	10 × 120 × 4000	13.01
5 × 10 × 4000	0.54	8 × 30 × 4000	2.60	10 × 125 × 4000	13.55
5 × 12 × 4000	0.65	8 × 32 × 4000	2.78	10 × 150 × 4000	16.26
5 × 15 × 4000	0.81	8 × 35 × 4000	3.04	12 × 20 × 4000	2.60
5 × 20 × 4000	1.08	8 × 40 × 4000	3.47	12 × 25 × 4000	3.25
5 × 25 × 4000	1.36	8 × 50 × 4000	4.34	12 × 30 × 4000	3.90

アルミ平角棒(A6063T5)

寸 法	P/KG
12 × 40 × 4000	5.20
12 × 50 × 4000	6.50
12 × 60 × 4000	7.80
12 × 75 × 4000	9.76
12 × 100 × 4000	13.01
12 × 120 × 4000	15.61
13 × 25 × 4000	3.52
13 × 40 × 4000	5.64
15 × 20 × 4000	3.25
15 × 25 × 4000	4.07
15 × 30 × 4000	4.88
15 × 40 × 4000	6.50
15 × 50 × 4000	8.13
15 × 60 × 4000	9.76
15 × 75 × 4000	12.20
15 × 100 × 4000	16.26
15 × 150 × 4000	24.39
20 × 25 × 4000	5.42
20 × 30 × 4000	6.50
20 × 35 × 4000	7.59
20 × 40 × 4000	8.67
20 × 50 × 4000	10.84
20 × 70 × 4000	15.18
20 × 80 × 4000	17.34
20 × 100 × 4000	21.68
20 × 150 × 4000	32.52
25 × 30 × 4000	8.13
25 × 35 × 4000	9.49
25 × 40 × 4000	10.84

アルミ平角棒

B2アルマイト付

寸 法	P/KG
25 × 50 × 4000	13.55
25 × 60 × 4000	16.26
25 × 80 × 4000	21.68
25 × 100 × 4000	27.10
30 × 40 × 4000	13.01
30 × 50 × 4000	16.26
30 × 60 × 4000	19.51
30 × 65 × 4000	21.14
30 × 75 × 4000	24.39
30 × 100 × 4000	32.52
35 × 40 × 4000	15.18
35 × 50 × 4000	18.97
35 × 60 × 4000	22.76
35 × 75 × 4000	28.46
35 × 85 × 4000	32.25
35 × 100 × 4000	37.94
40 × 50 × 4000	21.68
40 × 60 × 4000	26.02
40 × 75 × 4000	32.52
40 × 100 × 4000	43.36

寸 法	P/KG
3 × 20 × 4000	0.67
3 × 25 × 4000	0.84
3 × 30 × 4000	1.01
3 × 40 × 4000	1.34
3 × 50 × 4000	1.68
4 × 20 × 4000	0.90
4 × 25 × 4000	1.12
4 × 40 × 4000	1.79
4 × 50 × 4000	2.24
5 × 20 × 4000	1.12
5 × 25 × 4000	1.40
5 × 30 × 4000	1.68
5 × 40 × 4000	2.24
5 × 50 × 4000	2.80
6 × 25 × 4000	1.68
6 × 30 × 4000	2.02
6 × 40 × 4000	2.69
6 × 50 × 4000	3.36

アルミ四角棒

A6063T5

寸 法	P/KG
6 × 6 × 4000	0.39
8 × 8 × 4000	0.69
10 × 10 × 4000	1.08
12 × 12 × 4000	1.56
13 × 13 × 4000	1.83
14 × 14 × 4000	2.12
15 × 15 × 4000	2.44
16 × 16 × 4000	2.78
18 × 18 × 4000	3.51
19 × 19 × 4000	3.91
20 × 20 × 4000	4.34
22 × 22 × 4000	5.25
25 × 25 × 4000	6.78
30 × 30 × 4000	9.76
32 × 32 × 4000	11.10
35 × 35 × 4000	13.28
38 × 38 × 4000	15.65
40 × 40 × 4000	17.34
45 × 45 × 4000	21.95
50 × 50 × 4000	27.10
55 × 55 × 4000	32.79
60 × 60 × 4000	39.02
65 × 65 × 4000	45.80
70 × 70 × 4000	53.12
75 × 75 × 4000	60.98
80 × 80 × 4000	69.38
85 × 85 × 4000	78.32
90 × 90 × 4000	87.80
95 × 95 × 4000	97.83
100 × 100 × 4000	108.40

アルミチャンネル

A6063T5

寸 法	M/KG	4M	5M
1.0 × 15 × 15	0.12	○	
1.5 × 10 × 10	0.11	○	
1.5 × 15 × 15	0.17	○	
1.5 × 20 × 12	0.17	○	
1.5 × 25 × 16	0.22		○
1.6 × 10 × 10	0.12	○	○
2.0 × 15 × 15	0.23	○	○
2.0 × 18 × 10	0.19	○	
2.0 × 20 × 20	0.31	○	○
2.0 × 22 × 12	0.23	○	
2.0 × 25 × 25	0.39	○	○
2.0 × 30 × 15	0.31	○	○
2.0 × 35 × 20	0.39	○	
2.0 × 40 × 20	0.42	○	
2.4 × 30 × 30	0.56	○	○
2.4 × 35 × 20	0.46	○	
2.5 × 20 × 20	0.38	○	
2.5 × 50 × 25	0.65	○	
3.0 × 15 × 15	0.32	○	
3.0 × 30 × 25	0.61	○	
3.0 × 40 × 20	0.61	○	○
3.0 × 50 × 25	0.77	○	○
3.0 × 50 × 30 R	0.85		○
3.0 × 60 × 30	0.93	○	○
3.2 × 75 × 40	1.29	○	
4.0 × 60 × 30 R	1.22		○
4.0 × 80 × 40	1.65	○	○
5.0 × 75 × 50	2.22	○	
5.0 × 100 × 50 R	2.61	○	○
6.0 × 75 × 40 R	2.33	○	○
6.0 × 80 × 40 R	2.41	○	
6.0 × 125 × 65 R	3.97	○	○
8.0 × 150 × 75 R	6.38	○	

アルミアングル(A6063T5)

寸 法	P/KG
1.0 × 15 × 15 × 4000	0.31
1.0 × 19 × 19 × 4000	0.40
1.0 × 20 × 20 × 4000	0.42
1.0 × 25 × 25 × 4000	0.53
1.2 × 10 × 10 × 4000	0.24
1.2 × 12 × 12 × 4000	0.30
1.5 × 10 × 15 × 4000	0.38
1.5 × 10 × 20 × 4000	0.46
1.5 × 10 × 25 × 4000	0.54
1.5 × 10 × 30 × 4000	0.63
1.5 × 10 × 40 × 4000	0.79
1.5 × 15 × 15 × 4000	0.46
1.5 × 15 × 20 × 4000	0.54
1.5 × 15 × 30 × 4000	0.71
1.5 × 19 × 19 × 4000	0.59
1.5 × 20 × 20 × 4000	0.63
1.5 × 25 × 25 × 4000	0.79
1.5 × 30 × 30 × 4000	0.95
2.0 × 10 × 10 × 4000	0.39
2.0 × 10 × 15 × 4000	0.50
2.0 × 15 × 15 × 4000	0.61
2.0 × 15 × 20 × 4000	0.72
2.0 × 15 × 30 × 4000	0.93
2.0 × 20 × 20 × 4000	0.82
2.0 × 20 × 25 × 4000	0.93
2.0 × 20 × 30 × 4000	1.04
2.0 × 20 × 40 × 4000	1.26
2.0 × 25 × 25 × 4000	1.04
2.0 × 30 × 30 × 4000	1.26
2.0 × 40 × 40 × 4000	1.69

寸 法	P/KG
2.5 × 13 × 35 × 4000	1.23
2.5 × 25 × 25 × 4000	1.29
3.0 × 15 × 15 × 4000	0.88
3.0 × 20 × 20 × 4000	1.20
3.0 × 20 × 30 × 4000	1.53
3.0 × 20 × 40 × 4000	1.85
3.0 × 25 × 25 × 4000	1.53
3.0 × 25 × 50 × 4000	2.34
3.0 × 30 × 30 × 4000	1.85
3.0 × 35 × 35 × 4000	2.18
3.0 × 40 × 40 × 4000	2.50
3.0 × 50 × 50 × 4000	3.15
4.0 × 25 × 25 × 4000	1.99
4.0 × 30 × 30 × 4000	2.43
4.0 × 30 × 30 × 4000	2.43
4.0 × 35 × 35 × 4000	2.86
4.0 × 35 × 50 × 4000	3.51
4.0 × 40 × 40 × 4000	3.30
4.0 × 50 × 50 × 4000	4.16
5.0 × 25 × 25 × 4000	2.44
5.0 × 30 × 30 × 4000	2.98
5.0 × 35 × 35 × 4000	3.52
5.0 × 40 × 40 × 4000	4.07
5.0 × 40 × 60 × 4000	5.15
5.0 × 50 × 50 × 4000	5.15
5.0 × 50 × 75 × 4000	6.50
5.0 × 60 × 60 × 4000	6.23
6.0 × 40 × 40 × 4000	4.81
6.0 × 50 × 50 × 4000	6.11
6.0 × 60 × 60 × 4000	7.41

アルミアングル(A6063T5)

B2アルマイト付き

寸 法	P/KG
6.0 × 65 × 65 × 4000	8.06
8.0 × 80 × 80 × 4000	13.18
9.0 × 75 × 75 × 4000	13.76
10 × 100 × 100 × 4000	20.60

寸 法	P/KG
1.2 × 12 × 12 × 4000	0.30
1.5 × 15 × 15 × 4000	0.46
1.5 × 15 × 20 × 4000	0.54
2.0 × 15 × 15 × 4000	0.61
2.0 × 15 × 20 × 4000	0.72
2.0 × 15 × 30 × 4000	0.93
2.0 × 20 × 20 × 4000	0.82
2.0 × 20 × 40 × 4000	1.26
2.0 × 25 × 25 × 4000	1.04
2.0 × 30 × 30 × 4000	1.26
3.0 × 15 × 15 × 4000	0.88
3.0 × 20 × 20 × 4000	1.20
3.0 × 20 × 30 × 4000	1.53
3.0 × 20 × 40 × 4000	1.85
3.0 × 25 × 25 × 4000	1.53
3.0 × 25 × 50 × 4000	2.34
3.0 × 30 × 30 × 4000	1.85
3.0 × 40 × 40 × 4000	2.50
3.0 × 50 × 50 × 4000	3.15
4.0 × 50 × 50 × 4000	4.16
5.0 × 50 × 50 × 4000	5.15

アルミ角管

A6063T5

寸 法	P/KG
10 × 10 × 1.0 × 5000	0.49
10 × 15 × 1.2 × 5000	0.73
12 × 12 × 1.2 × 5000	0.70
12 × 25 × 1.2 × 5000	1.13
15 × 15 × 1.5 × 5000	1.10
15 × 25 × 1.5 × 5000	1.51
15 × 30 × 1.5 × 5000	1.71
19 × 19 × 1.5 × 5000	1.42
19 × 19 × 2.4 × 5000	2.17
20 × 20 × 1.5 × 5000	1.50
20 × 20 × 2.0 × 5000	1.95
20 × 30 × 1.5 × 5000	1.91
20 × 30 × 2.0 × 5000	2.49
20 × 30 × 2.5 × 5000	3.05
20 × 40 × 2.0 × 5000	3.05
20 × 40 × 2.5 × 5000	3.72
22 × 30 × 2.5 × 5000	3.20
25 × 25 × 1.5 × 5000	1.91
25 × 25 × 2.0 × 5000	2.49
25 × 25 × 2.5 × 5000	3.05
25 × 30 × 3.0 × 5000	3.98
25 × 40 × 3.0 × 5000	4.80
25 × 50 × 2.0 × 5000	3.85
25 × 60 × 2.0 × 5000	4.38
30 × 30 × 1.5 × 5000	2.32
30 × 30 × 2.0 × 5000	3.03
30 × 30 × 3.0 × 5000	4.39
30 × 40 × 2.0 × 5000	3.57
30 × 50 × 2.0 × 5000	4.13
30 × 60 × 2.0 × 5000	4.66
30 × 60 × 2.5 × 5000	5.74

寸 法	P/KG
30 × 70 × 2.0 × 5000	5.19
30 × 70 × 2.4 × 5000	6.20
30 × 70 × 3.0 × 5000	7.64
30 × 100 × 2.0 × 5000	6.83
30 × 100 × 2.5 × 5000	8.44
30 × 100 × 2.8 × 5000	9.45
40 × 40 × 2.0 × 5000	4.12
40 × 40 × 2.5 × 5000	5.08
40 × 40 × 3.0 × 5000	6.02
40 × 60 × 2.0 × 5000	5.20
40 × 60 × 2.5 × 5000	6.44
40 × 60 × 3.0 × 5000	7.64
40 × 60 × 4.0 × 5000	9.97
40 × 70 × 3.0 × 5000	8.20
40 × 80 × 2.5 × 5000	7.79
40 × 80 × 3.0 × 5000	9.25
50 × 50 × 2.0 × 5000	5.19
50 × 50 × 2.5 × 5000	6.44
50 × 50 × 3.0 × 5000	7.64
50 × 100 × 2.5 × 5000	9.82
50 × 100 × 3.0 × 5000	11.95
50 × 150 × 2.5 × 5000	13.21
50 × 150 × 3.0 × 5000	15.85
60 × 60 × 2.0 × 5000	6.29
60 × 120 × 2.5 × 5000	11.90
60 × 120 × 2.8 × 5000	13.19
70 × 70 × 2.5 × 5000	9.45
75 × 75 × 2.5 × 5000	10.13
80 × 80 × 2.5 × 5000	10.84
100 × 100 × 2.5 × 5000	13.21
100 × 100 × 3.0 × 5000	15.77

アルミ丸管

寸 法			A1050		A5052		A6063	
			4M	5M	4M	5M	4M	4M
外径	内径	M/KG	引拔品	引拔品	引拔品	引拔品	引拔品	押出品
5	×	1.0	0.03				○	
6	×	1.0	0.04	○	○		○	
7	×	1.0	0.05				○	
8	×	0.8	0.05	○	○			
8	×	1.0	0.06	○	○		○	
8	×	1.4	0.08			○	○	
9	×	1.0	0.07				○	
9.5	×	1.0	0.07				○	
10	×	1.0	0.08	○	○		○	○
10	×	1.4	0.10			○	○	
10	×	1.5	0.11	○	○			
11	×	1.0	0.09					○
12	×	1.0	0.10	○	○	○	○	○
12	×	1.5	0.14		○			
12	×	2.0	0.17	○	○	○	○	
12.7	×	1.0	0.10	○	○			
13	×	1.0	0.10					○
14	×	1.0	0.11	○	○			○
14	×	2.0	0.21	○	○			
15	×	1.0	0.12	○	○		○	○
15	×	1.4	0.16			○	○	
15	×	2.0	0.22		○			
16	×	1.0	0.13	○	○		○	○
16	×	1.5	0.19	○	○		○	○
16	×	2.0	0.24	○	○	○	○	
16	×	3.0	0.34			○	○	
17	×	1.0	0.14	○	○			○
18	×	1.0	0.15	○	○		○	
18	×	1.5	0.21	○	○		○	
18	×	2.0	0.28		○			
19	×	1.0	0.16	○	○	○	○	○
19	×	1.5	0.23	○	○		○	○
19	×	2.0	0.29	○	○	○	○	
19	×	3.0	0.41	○	○			

*M単重は、参考値です。

アルミ丸管

寸 法			A1050		A5052		A6063	
			4M	5M	4M	5M	4M	4M
外径	内径	M/KG	引拔品	引拔品	引拔品	引拔品	引拔品	押出品
20	× 1.0	0.16	○	○			○	○
20	× 1.4	0.22			○	○		
20	× 1.5	0.24	○	○			○	○
20	× 2.0	0.31	○	○	○	○	○	○
20	× 3.0	0.44			○	○		
22	× 1.0	0.18	○	○			○	○
22	× 1.5	0.27	○	○			○	○
22	× 2.0	0.35	○	○	○	○	○	
22	× 3.0	0.49			○	○	○	
25	× 1.0	0.21	○	○			○	○
25	× 1.5	0.30	○	○			○	○
25	× 1.6	0.32			○	○		
25	× 2.0	0.40	○	○	○	○	○	○
25	× 2.5	0.49					○	
25	× 3.0	0.57	○	○	○	○	○	○
28	× 1.0	0.23					○	○
28	× 1.5	0.34					○	○
28	× 1.6	0.36			○	○		
28	× 2.0	0.45	○	○	○	○	○	○
28	× 3.0	0.65		○	○	○		
30	× 1.0	0.25	○	○			○	○
30	× 1.4	0.35			○			
30	× 1.5	0.37					○	○
30	× 2.0	0.48	○	○	○	○	○	○
30	× 3.0	0.70	○	○	○	○	○	○
32	× 1.0	0.27		○			○	
32	× 1.5	0.40					○	○
32	× 2.0	0.52	○	○	○	○	○	○
32	× 3.0	0.75	○	○	○	○	○	○
35	× 1.0	0.29					○	
35	× 1.5	0.43					○	○
35	× 2.0	0.57	○	○	○	○	○	○
35	× 3.0	0.83	○	○	○	○	○	○
38	× 1.5	0.47					○	○

*M単重は、参考値です。

アルミ丸管

寸 法			A1050		A5052		A6063	
			4M	5M	4M	5M	4M	4M
外径	内径	M/KG	引拔品	引拔品	引拔品	引拔品	引拔品	押出品
38	×	2.0	0.62	○	○	○	○	○
38	×	3.0	0.91	○	○	○	○	
38	×	4.0	1.17			○	○	
38	×	5.0	1.43			○	○	
40	×	1.0	0.34	○	○			○
40	×	1.5	0.50					○
40	×	2.0	0.66	○	○	○	○	○
40	×	3.0	0.96	○	○	○	○	○
40	×	4.0	1.24					○
40	×	5.0	1.51			○	○	
42	×	2.0	0.69	○	○			
43	×	1.5	0.54	○	○			
45	×	1.0	0.38					○
45	×	1.5	0.56					○
45	×	2.0	0.74	○	○	○	○	○
45	×	3.0	1.09	○	○	○	○	○
45	×	5.0	1.73	○	○	○	○	
50	×	1.0	0.42					○
50	×	1.5	0.63	○	○			○
50	×	2.0	0.83	○	○	○	○	○
50	×	3.0	1.22	○	○	○	○	○
50	×	4.0	1.59	○	○	○	○	
50	×	5.0	1.94	○	○	○	○	○
55	×	2.0	0.92					○
55	×	3.0	1.35		○			○
55	×	5.0	2.16			○		
55	×	8.0	3.25			○	○	
60	×	2.0	1.00			○	○	○
60	×	3.0	1.48	○	○	○	○	○
60	×	4.0	1.94	○	○	○	○	
60	×	5.0	2.38	○	○	○	○	○
65	×	2.0	1.09					○
65	×	3.0	1.61	○	○	○	○	○
65	×	5.0	2.59	○	○	○	○	

*M単重は、参考値です。

アルミ丸管

寸 法			A1050		A5052		A6063	
			4M	5M	4M	5M	4M	4M
外径	内径	M/KG	引抜品	引抜品	引抜品	引抜品	引抜品	押出品
70	×	2.0	1.17			○		
70	×	3.0	1.74	○	○	○	○	○
70	×	5.0	2.81	○	○	○	○	
75	×	3.0	1.87	○	○	○	○	○
70	×	4.0	2.28				○	
75	×	5.0	3.02	○	○	○		
80	×	3.0	2.00	○	○	○	○	○
80	×	4.0	2.63			○	○	
80	×	5.0	3.24	○	○	○	○	
85	×	3.0	2.13		○			
85	×	5.0	3.46	○	○			
90	×	3.0	2.25	○	○		○	○
90	×	4.0	2.97			○	○	
90	×	5.0	3.67	○	○	○	○	
100	×	3.0	2.51	○	○	○	○	○
100	×	4.0	3.32	○	○			
100	×	5.0	4.10	○	○	○	○	○
110	×	3.0	2.77	○	○		○	○
110	×	5.0	4.54	○	○	○	○	○
120	×	3.0	3.03	○	○		○	○
120	×	4.0	4.01			○	○	
120	×	5.0	4.97	○	○	○	○	○
130	×	3.0	3.29	○	○	○	○	
130	×	5.0	5.40	○	○	○		○
150	×	3.0	3.81	○	○			
150	×	5.0	6.26	○	○	○	○	○
160	×	5.0	6.70				○	
165	×	5.0	6.91	○	○			
180	×	5.0	7.56				○	
200	×	5.0	8.42				○	

*M単重は、参考値です。