

ステンレス板(SUS304)

寸 法	NO. 1	2B	#400	HL	枚/kg	寸 法	NO. 1	2B	#400	HL	枚/kg
0.3 × 1000 × 2000		○	○		4.76	3.0 × 1000 × 2000	○	○	○	○	47.58
0.4 × 1000 × 2000		○	○		6.34	3.0 × 1219 × 2438	○	○	○		70.70
0.5 × 1000 × 2000		○	○	○	7.93	3.0 × 1524 × 3048		○			110.51
0.5 × 1219 × 2438		○			11.78	4.0 × 1000 × 2000	○				63.44
0.6 × 1000 × 2000		○			9.52	4.0 × 1219 × 2438	○				94.27
0.6 × 1219 × 2438		○			14.14	5.0 × 1000 × 2000	○				79.30
0.8 × 1000 × 2000		○		○	12.69	5.0 × 1219 × 2438	○				117.84
0.8 × 1219 × 2438		○	○	○	18.85	6.0 × 1000 × 2000	○				95.16
1.0 × 1000 × 2000		○	○	○	15.86	6.0 × 1219 × 2438	○				141.40
1.0 × 1000 × 3000				○	23.79	ステンレス板(SUS430)					
1.0 × 1219 × 2438		○	○	○	23.57						
1.2 × 1000 × 2000		○	○	○	19.03						
1.2 × 1000 × 3000				○	28.55						
1.2 × 1000 × 4000				○	38.06						
1.2 × 1219 × 2438		○	○	○	28.28						
1.5 × 1000 × 2000		○	○	○	23.79						
1.5 × 1000 × 3000				○	35.69						
1.5 × 1000 × 4000				○	47.58	寸 法	NO. 1	2B	#400	HL	枚/kg
1.5 × 1219 × 2438		○	○	○	35.35	0.5 × 1000 × 2000		○			7.93
1.5 × 1219 × 3048		○		○	44.20	0.6 × 1000 × 2000		○			9.52
1.5 × 1219 × 4000		○		○	58.00	1.0 × 1000 × 2000		○	○		15.86
1.5 × 1524 × 3048		○			55.25	1.0 × 1219 × 2438		○	○		23.57
2.0 × 1000 × 2000		○	○	○	31.72	1.2 × 1000 × 2000		○			19.03
2.0 × 1000 × 3000				○	47.58	1.2 × 1219 × 2438		○	○		28.28
2.0 × 1000 × 4000				○	63.44	1.5 × 1000 × 2000		○	○		23.79
2.0 × 1219 × 2438		○	○	○	47.13	1.5 × 1219 × 2438		○	○		35.35
2.0 × 1219 × 3048				○	58.93	2.0 × 1000 × 2000		○			31.72
2.0 × 1219 × 4000				○	77.33	2.0 × 1219 × 2438		○	○		47.13
2.0 × 1524 × 3048		○			73.67	2.5 × 1000 × 2000		○			39.65
2.5 × 1000 × 2000		○	○		39.65	2.5 × 1219 × 2438		○	○		58.92
2.5 × 1219 × 2438		○			58.92	3.0 × 1000 × 2000		○			47.58
						3.0 × 1219 × 2438		○	○		70.70

ステンレス直線

(SUS304)

径	m/kg	2M	4M
2.0	0.02	○	
2.5	0.04	○	
3.0	0.06	○	
4.0	0.10	○	○
5.0	0.16	○	○
6.0	0.22	○	○
7.0	0.31	○	○
8.0	0.40	○	○
9.0	0.50	○	○
10.0	0.62	○	○
12.0	0.90	○	○
13.0	1.05	○	

ステンレス引抜丸棒

SUS304

径	m/kg
8	0.40
9	0.50
10	0.62
11	0.75
12	0.90
13	1.05
14	1.22
15	1.40
16	1.59
17	1.80
18	2.02
19	2.25
20	2.49
22	3.01
25	3.89
28	4.88
30	5.61
32	6.38
35	7.63
36	8.07
38	8.99
40	9.97
42	10.99
45	12.61

SUS303

径	m/kg
48	14.35
50	15.57
55	18.84
60	22.42
65	26.31
70	30.52
75	35.03
80	39.86

径	m/kg
8	0.40
10	0.62
12	0.90
14	1.22
15	1.40
16	1.59
18	2.02
20	2.49
22	3.01
25	3.89
28	4.88
30	5.61
32	6.38
35	7.63
36	8.07
38	8.99
40	9.97
45	12.61
50	15.57

* M単重量は参考値です。

ステンレス酸洗丸棒

SUS304

径	m/kg
8	0.40
9	0.50
10	0.62
12	0.90
13	1.05
14	1.22
15	1.40
16	1.59
19	2.25
20	2.49
22	3.01
25	3.89
28	4.88
30	5.61
32	6.38
35	7.63
38	8.99
40	9.97
42	10.99
45	12.61
48	14.35
50	15.57
55	18.84
60	22.42

SUS303

径	m/kg
10	0.62
12	0.92
13	1.09
14	1.22
16	1.64
19	2.32

径	m/kg
65	26.31
70	30.52
75	35.03
80	39.86
85	45.00
90	50.45
95	56.21
100	62.28
110	75.36
120	89.69
130	105.26
150	140.13
180	201.79

* M単重量は参考値です。

ステンレスピーリング丸棒

SUS304

径	m/kg	径	m/kg
8	0.40	55	18.84
9	0.50	60	22.42
10	0.62	65	26.31
11	0.75	70	30.52
12	0.90	75	35.03
13	1.05	80	39.86
14	1.22	85	45.00
15	1.40	90	50.45
16	1.59	95	56.21
17	1.80	100	62.28
18	2.02	105	68.67
19	2.25	110	75.36
20	2.49	115	82.37
22	3.01	120	89.69
25	3.89	125	97.32
26	4.21	130	105.26
28	4.88	135	113.51
30	5.61	140	122.07
32	6.38	145	130.95
34	7.20	150	140.13
35	7.63	155	149.63
36	8.07	160	159.44
38	8.99	170	180.00
40	9.97	180	201.79
42	10.99	190	224.84
44	12.06	210	274.66
45	12.61	220	301.45
46	13.18	230	329.47
48	14.35	240	358.75
50	15.57	250	389.26

径	m/kg
260	421.03
270	454.04
280	488.29
290	523.79
300	560.54
310	598.53
320	637.77
330	678.25
340	719.98
350	762.96
360	807.18
380	899.36
400	996.52

SUS303

径	m/kg	径	m/kg	径	m/kg
8	0.40	65	26.31	280	488.29
9	0.50	70	30.52	290	523.79
10	0.62	75	35.03	300	560.54
11	0.75	80	39.86	310	598.53
12	0.90	85	45.00	320	637.77
13	1.05	90	50.45		
14	1.22	95	56.21		
15	1.40	100	62.28		
16	1.59	105	68.67		
18	2.02	110	75.36		
19	2.25	115	82.37		
20	2.49	120	89.69		
22	3.01	125	97.32		
25	3.89	130	105.26		
26	4.21	135	113.51		
28	4.88	140	122.07		
30	5.61	145	130.95		
32	6.38	150	140.13		
34	7.20	160	159.44		
35	7.63	170	180.00		
36	8.07	180	201.79		
38	8.99	190	224.84		
40	9.97	200	249.13		
42	10.99	210	274.66		
45	12.61	220	301.45		
46	13.18	230	329.47		
48	14.35	240	358.75		
50	15.57	250	389.26		
55	18.84	260	421.03		
60	22.42	270	454.04		

* M単重量は参考値です。

ステンレスセンターレス丸棒

SUS304

径	P/kg
2.0 × 2000	0.05
2.5 × 2000	0.08
3.0 × 2000	0.11
4.0 × 2000	0.20
5.0 × 2000	0.31
6.0 × 2000	0.45
7.0 × 2000	0.61
8.0 × 2000	0.80
9.0 × 2000	1.01
10.0 × 2000	1.25
11.0 × 2000	1.51
12.0 × 2000	1.79
13.0 × 2000	2.11
14.0 × 2000	2.44
15.0 × 2000	2.80
16.0 × 2000	3.19
17.0 × 2000	3.60
18.0 × 2000	4.04
19.0 × 2000	4.50
20.0 × 2000	4.98
22.0 × 2000	6.03
24.0 × 2000	7.17
25.0 × 2000	7.79
26.0 × 2000	8.42
28.0 × 2000	9.77
30.0 × 2000	11.21
35.0 × 2000	15.26
40.0 × 2000	19.93
50.0 × 2000	31.14

SUS303

径	P/kg
2.0 × 2100	0.05
3.0 × 2100	0.12
4.0 × 2100	0.21
4.5 × 2100	0.26
5.0 × 2100	0.33
6.0 × 2100	0.47
7.0 × 2100	0.64
8.0 × 2100	0.84
9.0 × 2100	1.06
9.5 × 2100	1.18
10.0 × 2100	1.31
11.0 × 2100	1.58
12.0 × 2100	1.88
13.0 × 2100	2.21
14.0 × 2100	2.56
15.0 × 2100	2.94
16.0 × 2100	3.35
17.0 × 2100	3.78
18.0 × 2100	4.24
19.0 × 2100	4.72
20.0 × 2100	5.23
21.0 × 2100	5.77
22.0 × 2100	6.33
23.0 × 2100	6.92
24.0 × 2100	7.53
25.0 × 2100	8.17
26.0 × 2100	8.84
28.0 × 2100	10.25
30.0 × 2100	11.77
32.0 × 2100	13.39
35.0 × 2100	16.02
40.0 × 2100	20.93
45.0 × 2100	26.49
50.0 × 2100	32.70

ステンレスHL丸棒

(SUS304)

径	P/kg
8	0.40
9	0.50
10	0.62
12	0.90
13	1.05
14	1.22
15	1.40
16	1.59
19	2.25
20	2.49
22	3.01
25	3.89
28	4.88

ステンレス四角、平角棒(SUS304)

サイズ	P/Kg	Cold	Hot	HL	#400
2 × 6 × 2000	0.19	○			
2 × 8 × 2000	0.26	○			
2 × 9 × 2000	0.29	○			
2 × 10 × 3000	0.48	○			
2 × 10 × 4000	0.64	○			
2 × 12 × 4000	0.77	○			
2 × 15 × 4000	0.96	○			
2 × 20 × 4000	1.27	○			
2 × 25 × 4000	1.59	○			
2 × 30 × 4000	1.91	○			
2 × 32 × 4000	2.03	○			
2 × 40 × 4000	2.54	○			
2 × 50 × 4000	3.18	○			
3 × 3 × 2000	0.22	○			
3 × 5 × 3000	0.36	○			
3 × 6 × 3000	0.43	○			
3 × 7 × 3000	0.50	○			
3 × 8 × 3000	0.57	○			
3 × 9 × 3000	0.65	○			
3 × 10 × 4000	0.96	○	○	○	
3 × 12 × 4000	1.15	○	○	○	
3 × 13 × 4000	1.24	○	○	○	
3 × 15 × 4000	1.43	○	○	○	
3 × 16 × 4000	1.53	○		○	
3 × 19 × 4000	1.81	○	○	○	
3 × 20 × 4000	1.91	○	○	○	○
3 × 22 × 4000	2.10	○		○	
3 × 25 × 4000	2.38	○	○	○	○
3 × 30 × 4000	2.86	○	○	○	○
3 × 32 × 4000	3.05	○	○	○	○
3 × 35 × 4000	3.33		○		
3 × 38 × 4000	3.62	○	○	○	○
3 × 40 × 4000	3.81	○	○	○	○

サイズ	P/Kg	Cold	Hot	HL	#400
3 × 42 × 4000	4.00	○		○	
3 × 45 × 4000	4.29	○	○	○	
3 × 48 × 4000	4.57	○		○	
3 × 50 × 4000	4.76	○	○	○	○
3 × 60 × 4000	5.71	○	○	○	
3 × 65 × 4000	6.19	○	○	○	
3 × 75 × 4000	7.14	○	○	○	
3 × 100 × 4000	9.52	○	○	○	
3 × 110 × 4000	10.47	○			
3 × 120 × 4000	11.42	○			
3 × 125 × 4000	11.90	○			
3 × 130 × 4000	12.37	○			
3 × 140 × 4000	13.33	○			
3 × 150 × 4000	14.28	○			
4 × 4 × 4000	0.51	○			
4 × 9 × 4000	1.15	○			
4 × 10 × 4000	1.27	○		○	
4 × 11 × 4000	1.40	○	○	○	
4 × 13 × 4000	1.65	○		○	
4 × 15 × 4000	1.91	○	○	○	
4 × 16 × 4000	2.03	○		○	
4 × 17 × 4000	2.16	○			
4 × 19 × 4000	2.41	○	○	○	
4 × 20 × 4000	2.54	○	○	○	○
4 × 22 × 4000	2.80	○		○	
4 × 25 × 4000	3.18	○	○	○	○
4 × 30 × 4000	3.81	○	○	○	○
4 × 32 × 4000	4.06	○	○	○	○
4 × 35 × 4000	4.44		○		
4 × 38 × 4000	4.83	○	○	○	○
4 × 40 × 4000	5.08	○	○	○	○
4 × 45 × 4000	5.71	○	○	○	
4 × 50 × 4000	6.35	○	○	○	○

ステンレス四角、平角棒(SUS304)

サイズ	P/Kg	Cold	Hot	HL	#400
4 × 60 × 4000	7.62	○	○	○	
4 × 65 × 4000	8.25	○	○	○	
4 × 75 × 4000	9.52	○	○	○	
4 × 90 × 4000	11.42	○		○	
4 × 100 × 4000	12.69	○	○	○	
5 × 5 × 4000	0.80	○			
5 × 8 × 4000	1.29	○			
5 × 9 × 4000	1.43	○			
5 × 10 × 4000	1.59	○		○	
5 × 12 × 4000	1.91	○		○	
5 × 13 × 4000	2.07	○		○	
5 × 15 × 4000	2.38	○	○	○	
5 × 16 × 4000	2.54	○		○	
5 × 19 × 4000	3.02	○	○	○	
5 × 20 × 4000	3.18	○	○	○	○
5 × 22 × 4000	3.49	○	○	○	
5 × 25 × 4000	3.97	○	○	○	○
5 × 30 × 4000	4.76	○	○	○	○
5 × 32 × 4000	5.08	○	○	○	○
5 × 34 × 4000	5.40	○		○	
5 × 35 × 4000	5.56		○		
5 × 38 × 4000	6.03	○	○	○	○
5 × 40 × 4000	6.35	○	○	○	○
5 × 50 × 4000	7.93	○	○	○	○
5 × 60 × 4000	9.52	○	○	○	
5 × 65 × 4000	10.31	○	○	○	
5 × 75 × 4000	11.90	○	○	○	
5 × 90 × 4000	14.28	○	○	○	
5 × 100 × 4000	15.86	○	○	○	
5 × 130 × 4000	20.62	○			
6 × 6 × 4000	1.15	○			
6 × 9 × 4000	1.72	○			
6 × 10 × 4000	1.91	○		○	

サイズ	P/Kg	Cold	Hot	HL	#400
6 × 12 × 4000	2.29	○		○	
6 × 13 × 4000	2.48	○		○	
6 × 15 × 4000	2.86	○	○	○	
6 × 16 × 4000	3.05	○		○	
6 × 18 × 4000	3.43	○		○	
6 × 19 × 4000	3.62	○	○	○	
6 × 20 × 4000	3.81	○	○	○	○
6 × 22 × 4000	4.19	○		○	
6 × 25 × 4000	4.76	○	○	○	○
6 × 30 × 4000	5.71	○	○	○	○
6 × 32 × 4000	6.09	○	○	○	○
6 × 35 × 4000	6.67		○		
6 × 38 × 4000	7.24	○	○	○	○
6 × 40 × 4000	7.62	○	○	○	○
6 × 42 × 4000	8.00	○		○	
6 × 45 × 4000	8.57	○	○	○	
6 × 48 × 4000	9.14	○		○	
6 × 50 × 4000	9.52	○	○	○	○
6 × 60 × 4000	11.42	○	○	○	○
6 × 65 × 4000	12.37	○	○	○	○
6 × 70 × 4000	13.33	○	○	○	
6 × 75 × 4000	14.28	○	○	○	○
6 × 90 × 4000	17.13	○	○	○	
6 × 100 × 4000	19.04	○	○	○	○
6 × 110 × 4000	20.94	○	○		
6 × 120 × 4000	22.84	○			
6 × 125 × 4000	23.79	○			
6 × 130 × 4000	24.75	○			
6 × 140 × 4000	26.65	○			
6 × 150 × 4000	28.55	○			
7 × 7 × 4000	1.56	○			
7 × 20 × 4000	4.44		○		
8 × 8 × 4000	2.03	○		○	○

ステンレス四角、平角棒(SUS304)

サイズ	P/Kg	Cold	Hot	HL	#400
8 × 10 × 4000	2.54	○		○	
8 × 16 × 4000	4.06	○	○	○	
8 × 32 × 4000	8.12	○		○	
8 × 38 × 4000	9.65	○		○	
8 × 40 × 4000	10.15		○		
8 × 50 × 4000	12.69	○	○	○	
8 × 100 × 4000	25.38		○		
9 × 9 × 4000	2.57	○		○	○
9 × 13 × 4000	3.72	○		○	
9 × 15 × 4000	4.29	○	○	○	
9 × 16 × 4000	4.57	○		○	
9 × 19 × 4000	5.43	○	○	○	
9 × 20 × 4000	5.71	○	○	○	○
9 × 22 × 4000	6.28	○	○	○	
9 × 25 × 4000	7.14	○	○	○	○
9 × 30 × 4000	8.57	○	○	○	○
9 × 32 × 4000	9.14	○	○	○	○
9 × 35 × 4000	10.00		○		
9 × 38 × 4000	10.85	○	○	○	○
9 × 40 × 4000	11.42	○	○	○	○
9 × 50 × 4000	14.28	○	○	○	○
9 × 55 × 4000	15.71		○		
9 × 60 × 4000	17.13		○		
9 × 65 × 4000	18.56	○	○	○	○
9 × 75 × 4000	21.42	○	○	○	○
9 × 90 × 4000	25.70	○	○	○	
9 × 100 × 4000	28.55	○	○	○	
9 × 125 × 4000	35.69	○	○		
9 × 150 × 4000	42.83	○			
9 × 200 × 4000	57.10	○			
9 × 250 × 4000	71.37	○			
9 × 300 × 4000	85.65	○			
10 × 10 × 4000	3.18	○		○	○

サイズ	P/Kg	Cold	Hot	HL	#400
10 × 15 × 4000	4.76	○	○	○	
10 × 19 × 4000	6.03	○	○	○	
10 × 20 × 4000	6.35	○	○	○	○
10 × 25 × 4000	7.93	○	○	○	○
10 × 30 × 4000	9.52	○	○	○	○
10 × 32 × 4000	10.15	○	○	○	○
10 × 35 × 4000	11.11	○	○		
10 × 38 × 4000	12.06	○	○	○	○
10 × 40 × 4000	12.69	○	○	○	
10 × 50 × 4000	15.86	○	○	○	○
10 × 65 × 4000	20.62	○	○	○	○
10 × 75 × 4000	23.79	○	○	○	
10 × 100 × 4000	31.72	○	○	○	
10 × 125 × 4000	39.65	○	○		
10 × 150 × 4000	47.58	○	○		
10 × 200 × 4000	63.44	○			
10 × 250 × 4000	79.30	○			
12 × 12 × 4000	4.57	○	○	○	○
12 × 14 × 4000	5.33	○			
12 × 15 × 4000	5.71		○		
12 × 16 × 4000	6.09	○		○	
12 × 19 × 4000	7.24	○	○	○	
12 × 20 × 4000	7.62	○		○	○
12 × 25 × 4000	9.52	○	○	○	○
12 × 28 × 4000	10.66		○		
12 × 30 × 4000	11.42	○	○	○	○
12 × 32 × 4000	12.18	○	○	○	
12 × 35 × 4000	13.33	○	○		
12 × 38 × 4000	14.47	○	○	○	○
12 × 40 × 4000	15.23	○	○	○	○
12 × 50 × 4000	19.04	○	○	○	○
12 × 65 × 4000	24.75	○	○	○	○
12 × 70 × 4000	26.65		○		

ステンレス四角、平角棒(SUS304)

サイズ	P/Kg	Cold	Hot	HL	#400
12 × 75 × 4000	28.60	○	○	○	
12 × 90 × 4000	34.20	○	○	○	
12 × 100 × 4000	38.10	○	○	○	
12 × 125 × 4000	47.60	○	○		
12 × 150 × 4000	57.20	○	○		
12 × 200 × 4000	76.00	○			
12 × 250 × 4000	95.20	○			
12 × 300 × 4000	114.00	○			
13 × 13 × 4000	5.36	○	○	○	○
14 × 14 × 4000	6.20	○	○	○	
15 × 15 × 4000	7.12	○	○	○	
16 × 16 × 4000	8.12	○	○	○	○
16 × 19 × 4000	9.64	○		○	
16 × 20 × 4000	10.20	○	○	○	○
16 × 25 × 4000	12.70	○	○	○	○
16 × 30 × 4000	15.20		○		
16 × 32 × 4000	16.20	○	○	○	
16 × 35 × 4000	17.80		○		
16 × 38 × 4000	19.30	○	○	○	○
16 × 40 × 4000	20.30	○	○	○	
16 × 50 × 4000	25.40	○	○	○	○
16 × 65 × 4000	33.00	○	○	○	
16 × 75 × 4000	38.10	○	○	○	
16 × 90 × 4000	45.60		○		
16 × 100 × 4000	50.80	○	○	○	
16 × 125 × 4000	63.60	○	○		
16 × 150 × 4000	76.00	○	○		
16 × 200 × 4000	102.00	○			
16 × 250 × 4000	127.00	○			
16 × 300 × 4000	152.00	○			
19 × 19 × 4000	11.40	○	○	○	○
19 × 25 × 4000	15.10	○	○	○	○
19 × 30 × 4000	18.10		○		

サイズ	P/Kg	Cold	Hot	HL	#400
19 × 32 × 4000	19.30	○	○	○	○
19 × 35 × 4000	21.10		○		
19 × 38 × 4000	22.90	○	○	○	○
19 × 40 × 4000	24.10		○		
19 × 50 × 4000	30.10	○	○	○	○
19 × 65 × 4000	39.20	○	○	○	
19 × 75 × 4000	45.20	○	○	○	
19 × 100 × 4000	60.40	○	○	○	
19 × 125 × 4000	75.20	○	○		
19 × 150 × 4000	90.40	○	○		
19 × 200 × 4000	120.00	○			
19 × 250 × 4000	151.00	○			
19 × 300 × 4000	181.00	○			
20 × 20 × 4000	12.70	○	○	○	
22 × 22 × 4000	15.40	○	○	○	
22 × 25 × 4000	17.40		○		
22 × 30 × 4000	20.90		○		
22 × 32 × 4000	22.30	○	○		
22 × 35 × 4000	24.40		○		
22 × 38 × 4000	26.50	○	○		
22 × 40 × 4000	27.90		○		
22 × 45 × 4000	31.40		○		
22 × 50 × 4000	34.90	○	○		
22 × 65 × 4000	45.20	○	○		
22 × 75 × 4000	52.40	○	○		
22 × 100 × 4000	69.60	○	○		
22 × 125 × 4000	87.20		○		
22 × 150 × 4000	105.00		○		
25 × 25 × 4000	19.80	○	○	○	
25 × 32 × 4000	25.40	○	○		
25 × 38 × 4000	30.10	○	○		
25 × 40 × 4000	31.70		○		
25 × 50 × 4000	39.60	○	○		

ステンレス四角、平角棒(SUS304)

サイズ	P/Kg	Cold	Hot	HL	#400
25 × 60 × 4000	47.58		○		
25 × 65 × 4000	51.55	○	○		
25 × 75 × 4000	59.48	○	○		
25 × 100 × 4000	79.30	○	○		
25 × 125 × 4000	99.13	○	○		
25 × 150 × 4000	118.95	○	○		
26 × 26 × 4000	21.45	○			
28 × 28 × 4000	24.87	○	○	○	
30 × 30 × 4000	28.55	○	○	○	
30 × 50 × 4000	47.58	○	○		
30 × 55 × 4000	52.34	○	○		
30 × 65 × 4000	61.86	○	○		
30 × 75 × 4000	71.37	○	○		
30 × 100 × 4000	95.16	○	○		
30 × 125 × 4000	118.95		○		
30 × 150 × 4000	142.74		○		
32 × 32 × 4000	32.48	○	○		
35 × 50 × 4000	55.51	○	○		
35 × 65 × 4000	72.17		○		
35 × 75 × 4000	83.27		○		
35 × 100 × 4000	111.02	○	○		
35 × 125 × 4000	138.78		○		
35 × 150 × 4000	166.53		○		
36 × 36 × 4000	41.11	○	○		
38 × 38 × 4000	45.81	○	○		
40 × 40 × 4000	50.76	○	○		
40 × 50 × 4000	63.44		○		
40 × 75 × 4000	95.16		○		
40 × 100 × 4000	126.88		○		
40 × 125 × 4000	158.60		○		
40 × 150 × 4000	190.32		○		
42 × 42 × 4000	55.95		○		
45 × 45 × 4000	64.24	○	○		

サイズ	P/Kg	Cold	Hot	HL	#400
50 × 50 × 4000	79.30	○	○		
50 × 75 × 4000	118.95		○		
50 × 100 × 4000	158.60		○		
50 × 125 × 4000	198.25		○		
50 × 150 × 4000	237.90		○		
55 × 55 × 4000	95.96	○	○		
60 × 60 × 4000	114.20	○	○		
60 × 75 × 4000	142.74		○		
60 × 100 × 4000	190.32		○		
60 × 125 × 4000	237.90		○		
60 × 150 × 4000	285.48		○		
65 × 65 × 4000	134.02		○		
70 × 70 × 4000	155.43		○		
70 × 100 × 4000	222.04		○		
70 × 125 × 4000	277.55		○		
70 × 150 × 4000	333.06		○		
75 × 75 × 4000	178.43		○		
80 × 100 × 4000	253.76		○		
80 × 125 × 4000	317.20		○		
80 × 150 × 4000	380.64		○		
90 × 90 × 4000	256.94		○		
90 × 125 × 4000	356.85		○		
90 × 150 × 4000	428.22		○		
100 × 100 × 4000	317.20		○		
100 × 125 × 4000	396.50		○		
100 × 150 × 4000	475.80		○		

ステンレスアングル(SUS304)

サ イ ズ	M/KG	酸洗		HL		# 400	
		4M	6M	4M	6M	4M	6M
3 × 20 × 20	0.90	○		○		○	
3 × 25 × 25	1.13	○		○		○	
3 × 30 × 30	1.37	○	○	○	○	○	○
3 × 40 × 40	1.85	○	○	○	○	○	○
3 × 50 × 50	2.37	○	○				
4 × 35 × 35	2.10		○				
4 × 40 × 40	2.41	○	○		○		
4 × 50 × 50	3.10	○	○		○		○
5 × 40 × 40	2.98	○	○		○		○
5 × 45 × 45	3.42		○				
5 × 50 × 50	3.80	○	○		○		○
6 × 30 × 30	2.53		○				
6 × 35 × 35	3.03		○				
6 × 40 × 40	3.50		○				
6 × 50 × 50	4.48	○	○		○		○
6 × 60 × 60	5.43		○				
6 × 65 × 65	5.98	○	○		○		○
6 × 75 × 75	6.93	○	○		○		○
6 × 100 × 100	9.32		○				
7 × 70 × 70	7.42		○				
8 × 65 × 65	7.73		○				
8 × 80 × 80	9.63		○				
8 × 100 × 100	12.20		○				
9 × 50 × 50	6.43		○				
9 × 65 × 65	8.63		○				
9 × 75 × 75	10.10	○	○		○		○
9 × 90 × 90	12.30		○				
9 × 125 × 125	17.17		○				
10 × 100 × 100	15.10	○	○		○		○
12 × 100 × 100	17.50		○				
12 × 125 × 125	22.67		○				
15 × 125 × 125	28.00		○				

ステンレス圧延チャンネル(SUS304)

サ イ ズ	M/KG	4M	6M
3 × 40 × 20	1.80		○
3 × 50 × 25	2.29		○
4 × 100 × 50	6.19	○	○
5 × 80 × 40	5.99	○	○
5 × 100 × 50	7.65	○	○
6 × 100 × 50	9.02	○	○
6 × 130 × 65	12.50	○	○
6 × 150 × 75	13.90	○	○
9 × 150 × 75	20.17	○	○
10 × 200 × 100	30.34	○	○

ステンレス溶接チャンネル(SUS304)

サ イ ズ	P/KG
6 × 120 × 60	65.40
6 × 150 × 75	83.40
9 × 150 × 75	121.00
10 × 200 × 100	182.00

ステンレスフォーミングチャンネル (SUS304)

サ イ ズ	P/KG
3 × 40 × 20 × 6000	11.00
3 × 50 × 12.5 × 6000	10.30
3 × 50 × 25 × 6000	13.80
3 × 60 × 15 × 6000	12.40
3 × 60 × 30 × 6000	16.70
3 × 75 × 35 × 6000	20.30
3 × 80 × 20 × 6000	16.70
3 × 80 × 40 × 6000	22.40
3 × 100 × 25 × 6000	21.00
3 × 100 × 50 × 6000	28.10
3 × 120 × 60 × 6000	33.80
5 × 80 × 40 × 6000	36.90
5 × 100 × 50 × 6000	46.40
6 × 80 × 40 × 6000	44.00
6 × 100 × 50 × 6000	55.40
6 × 125 × 65 × 6000	71.10

ステンレス化粧管(SUS304)

寸法	M/KG	4M		5M		6M	
		HL	#400	HL	#400	HL	#400
5 × 0.8	0.08		○				
5 × 1.0	0.10		○				
6 × 0.8	0.10		○				
6 × 1.0	0.12		○				
7 × 0.8	0.12		○				
7 × 1.0	0.15		○				
8 × 0.8	0.14		○				
8 × 1.0	0.17	○	○				
9 × 0.8	0.16		○				
9 × 1.0	0.20		○				
10 × 0.8	0.18		○				
10 × 1.0	0.22	○	○				
12 × 0.8	0.22		○				
12 × 1.0	0.27	○	○				
13 × 0.8	0.24		○				
13 × 1.0	0.30	○	○				
13 × 1.2	0.35	○	○				
13 × 1.5	0.43	○	○	○	○	○	○
13.8 × 1.2	0.37	○	○				
13.8 × 1.5	0.46	○	○				
14 × 0.8	0.26		○				
14 × 1.0	0.32		○				
15 × 0.8	0.28		○				
15 × 1.0	0.35		○				
16 × 1.0	0.37	○	○				
16 × 1.2	0.44	○	○				
16 × 1.5	0.54	○	○	○	○	○	○
16 × 2.0	0.69	○	○				
17.3 × 1.5	0.59	○	○	○	○	○	○
17.3 × 2.0	0.76	○	○	○	○		

寸法	M/KG	4M		5M		6M	
		HL	#400	HL	#400	HL	#400
19 × 1.0	0.45	○	○				
19 × 1.2	0.53	○	○				
19 × 1.5	0.65	○	○	○	○	○	○
19 × 2.0	0.84	○	○				
21.7 × 1.2	0.61	○	○				
21.7 × 1.5	0.75	○	○	○	○	○	○
21.7 × 2.0	0.98	○	○				
21.7 × 3.0	1.39	○	○				
22 × 0.8	0.42		○				
22 × 1.0	0.52	○	○				
22 × 1.2	0.62	○	○				
22 × 1.5	0.76	○	○	○	○	○	○
22 × 2.0	0.99	○	○				
25 × 0.8	0.48		○				
25 × 1.0	0.6		○				
25 × 1.2	0.71	○	○				
25 × 1.5	0.87	○	○	○	○	○	○
25 × 2.0	1.14		○	○	○	○	○
25.4 × 3.0	1.64	○	○				
25.4 × 1.0	0.61		○				
25.4 × 1.5	0.89	○	○				
25.4 × 2.0	1.16	○	○				
27.2 × 1.0	0.65		○				
27.2 × 1.2	0.77	○	○				
27.2 × 1.5	0.96	○	○	○	○	○	○
27.2 × 2.0	1.25	○	○	○	○	○	○
27.2 × 3.0	1.8	○	○				
32 × 1.0	0.77		○				
32 × 1.2	0.92	○	○				
32 × 1.5	1.14	○	○	○	○	○	○

ステンレス化粧管(SUS304)

寸法	M/KG	4M		5M		6M	
		HL	#400	HL	#400	HL	#400
32 × 2.0	1.49	○	○	○	○	○	○
32 × 3.0	2.16	○	○				
34 × 1.0	0.82		○				
34 × 1.2	0.98	○	○				
34 × 1.5	1.21	○	○	○	○	○	○
34 × 2.0	1.59	○	○	○	○	○	○
34 × 3.0	2.31	○	○	○	○	○	○
38 × 1.0	0.92		○				
38 × 1.2	1.1	○	○				
38 × 1.5	1.36	○	○	○	○	○	○
38 × 2.0	1.79	○	○	○	○	○	○
38 × 3.0	2.61	○	○	○	○	○	○
42.7 × 1.2	1.24	○	○				
42.7 × 1.5	1.53	○	○	○	○	○	○
42.7 × 2.0	2.02	○	○	○	○	○	○
42.7 × 3.0	2.96	○	○	○	○	○	○
45 × 1.5	1.62	○	○				
45 × 2.0	2.13	○	○				
48.6 × 1.2	1.41	○	○				
48.6 × 1.5	1.75	○	○	○	○	○	○
48.6 × 2.0	2.31	○	○	○	○	○	○
48.6 × 3.0	3.4	○	○	○	○	○	○
50 × 1.0	1.22		○				
50 × 1.2	1.45		○				
50 × 1.5	1.81	○	○	○	○	○	○
50 × 2.0	2.38	○	○	○	○	○	○
50 × 3.0	3.5		○	○	○	○	○
60.5 × 1.5	2.2	○	○	○	○	○	○
60.5 × 2.0	2.9	○	○	○	○	○	○
60.5 × 3.0	4.28	○	○	○	○	○	○

寸法	M/KG	4M		5M		6M	
		HL	#400	HL	#400	HL	#400
76.3 × 1.5	2.78	○	○			○	○
76.3 × 2.0	3.69	○	○			○	○
76.3 × 3.0	5.46	○	○			○	○
89.1 × 1.5	3.26	○	○				
89.1 × 2.0	4.32	○	○			○	○
89.1 × 3.0	6.41	○	○			○	○
89.1 × 4.0	8.48	○	○			○	○
101.6 × 1.5	3.73	○	○				
101.6 × 2.0	4.94	○	○			○	○
101.6 × 3.0	7.34	○	○			○	○
101.6 × 4.0	9.73	○	○			○	○
114.3 × 2.0	5.57	○	○			○	○
114.3 × 3.0	8.29	○	○			○	○
114.3 × 4.0	11.00	○	○			○	○
139.8 × 2.0	6.84	○	○			○	○
139.8 × 3.0	10.19	○	○			○	○
139.8 × 4.0	13.54	○	○			○	○
165.2 × 3.0	12.08	○	○			○	○
165.2 × 4.0	16.07	○	○			○	○
216.3 × 3.0	15.88	○	○			○	○
216.3 × 4.0	21.16	○	○			○	○

ステンレス配管用パイプ(SUS304)

寸 法	p/kg
6 × 1.0 × 4000	0.50
8 × 1.0 × 4000	0.70
10 × 1.0 × 4000	0.90
10 × 1.5 × 4000	1.27
10.5 × 1.5 × 4000	1.34
10.5 × 2.0 × 4000	1.69
12 × 1.0 × 4000	1.10
12 × 2.0 × 4000	1.99
12.7 × 1.5 × 4000	1.67
12.7 × 2.0 × 4000	2.13
13.8 × 1.5 × 4000	1.84
13.8 × 2.0 × 4000	2.35
13.8 × 3.0 × 4000	3.23
16 × 1.0 × 4000	1.50
16 × 1.5 × 4000	2.17
16 × 2.0 × 4000	2.79
17.3 × 1.5 × 4000	2.36
17.3 × 2.0 × 4000	3.05
17.3 × 2.5 × 4000	3.69
17.3 × 3.0 × 4000	4.28
19 × 1.0 × 4000	1.79
19 × 1.5 × 4000	2.62
19 × 2.0 × 4000	3.39
20 × 1.5 × 4000	2.76
20 × 2.0 × 4000	3.59
21.7 × 1.5 × 4000	3.02
21.7 × 2.0 × 4000	3.92
21.7 × 2.5 × 4000	4.80
21.7 × 3.0 × 4000	5.60
22 × 1.0 × 4000	2.09
25.4 × 1.5 × 4000	3.57

寸 法	p/kg
25.4 × 2.0 × 4000	4.68
25.4 × 3.0 × 4000	6.68
27.2 × 1.5 × 4000	3.84
27.2 × 2.0 × 4000	5.04
27.2 × 2.5 × 4000	6.16
27.2 × 3.0 × 4000	7.24
30 × 1.5 × 4000	4.24
30 × 2.0 × 4000	5.56
32 × 1.5 × 4000	4.56
32 × 2.0 × 4000	5.96
32 × 3.0 × 4000	8.68
34 × 1.5 × 4000	4.84
34 × 2.0 × 4000	6.36
34 × 3.0 × 4000	9.28
34 × 3.5 × 4000	10.64
34 × 4.0 × 4000	11.96
38 × 1.5 × 4000	5.44
38 × 2.0 × 4000	7.16
38 × 3.0 × 4000	10.47
42.7 × 1.5 × 4000	6.16
42.7 × 2.0 × 4000	8.12
42.7 × 3.0 × 4000	11.87
42.7 × 3.5 × 4000	13.68
42.7 × 4.0 × 4000	15.43
48.6 × 1.5 × 4000	7.04
48.6 × 2.0 × 4000	9.28
48.6 × 3.0 × 4000	13.64
48.6 × 3.5 × 4000	15.73
48.6 × 4.0 × 4000	17.78
50.8 × 1.5 × 4000	7.36
50.8 × 2.0 × 4000	9.72

ステンレス配管用パイプ(SUS304)

寸 法	p/kg
50.8 × 3.0 × 4000	14.29
60.5 × 1.5 × 4000	8.82
60.5 × 2.0 × 4000	11.66
60.5 × 3.0 × 4000	17.19
60.5 × 3.5 × 4000	19.89
60.5 × 4.0 × 4000	22.53
76.3 × 2.0 × 4000	14.81
76.3 × 3.0 × 4000	21.92
76.3 × 3.5 × 4000	25.40
76.3 × 4.0 × 4000	28.82
76.3 × 5.0 × 4000	35.53
89.1 × 2.0 × 4000	17.36
89.1 × 3.0 × 4000	25.74
89.1 × 4.0 × 4000	33.92
89.1 × 5.0 × 4000	41.90
101.6 × 2.0 × 4000	19.85
101.6 × 3.0 × 4000	29.48
101.6 × 4.0 × 4000	38.90
101.6 × 5.0 × 4000	48.13
101.6 × 6.0 × 4000	57.16
114.3 × 2.0 × 4000	22.38
114.3 × 3.0 × 4000	33.27
114.3 × 4.0 × 4000	43.97
114.3 × 5.0 × 4000	54.46
114.3 × 6.0 × 4000	64.75
139.8 × 3.0 × 4000	40.90
139.8 × 3.5 × 4000	47.54
139.8 × 4.0 × 4000	54.13
139.8 × 5.0 × 4000	67.17
139.8 × 6.0 × 4000	80.00
165.2 × 3.0 × 4000	48.49

寸 法	p/kg
165.2 × 3.5 × 4000	56.40
165.2 × 4.0 × 4000	64.26
165.2 × 5.0 × 4000	79.82
165.2 × 6.0 × 4000	95.19
216.3 × 3.0 × 4000	63.77
216.3 × 4.0 × 4000	84.62
216.3 × 5.0 × 4000	105.28
216.3 × 6.0 × 4000	125.74
267.4 × 3.0 × 4000	79.04
267.4 × 4.0 × 4000	104.99
267.4 × 5.0 × 4000	130.74
267.4 × 6.0 × 4000	156.29
318.5 × 3.0 × 4000	94.32
318.5 × 4.0 × 4000	125.36
318.5 × 4.5 × 4000	140.81
318.5 × 5.0 × 4000	156.20
318.5 × 6.0 × 4000	186.85
355.6 × 3.0 × 4000	105.41
355.6 × 4.0 × 4000	140.15
355.6 × 5.0 × 4000	174.69
355.6 × 6.0 × 4000	209.03
406.4 × 3.0 × 4000	120.60
406.4 × 4.0 × 4000	160.40
406.4 × 5.0 × 4000	200.00
406.4 × 6.0 × 4000	239.40
457.2 × 3.0 × 4000	135.79
457.2 × 4.0 × 4000	180.65
457.2 × 5.0 × 4000	225.31
457.2 × 6.0 × 4000	269.78

ステンレス角管(SUS304)

寸 法	HL	#400
7 × 7 × 1.0 × 4000	○	○
9 × 9 × 0.8 × 4000	○	○
9 × 9 × 1.0 × 4000	○	○
10 × 10 × 1.0 × 4000	○	○
10 × 10 × 1.2 × 4000	○	○
10 × 19 × 1.0 × 4000	○	○
10 × 19 × 1.2 × 4000	○	○
12 × 12 × 1.0 × 4000	○	○
12 × 12 × 1.2 × 4000	○	○
12 × 22 × 1.0 × 5000	○	○
12 × 22 × 1.2 × 5000	○	○
12 × 22 × 1.5 × 5000	○	○
12 × 25 × 1.2 × 5000	○	○
12 × 25 × 1.5 × 5000	○	○
13 × 13 × 1.0 × 4000	○	○
13 × 13 × 1.2 × 4000	○	○
14 × 14 × 1.0 × 4000	○	○
14 × 14 × 1.2 × 4000	○	○
14 × 24 × 1.0 × 5000	○	○
14 × 24 × 1.2 × 5000	○	○
14 × 24 × 1.5 × 5000	○	○
14 × 24 × 2.0 × 5000	○	
16 × 16 × 1.0 × 5000	○	○
16 × 16 × 1.2 × 5000	○	○
16 × 16 × 1.5 × 5000	○	○
16 × 32 × 1.0 × 5000	○	
16 × 32 × 1.2 × 5000	○	○
16 × 32 × 1.5 × 5000	○	○
18 × 40 × 1.0 × 5000	○	○
18 × 40 × 1.2 × 5000	○	○
18 × 40 × 1.5 × 5000	○	○
18 × 65 × 1.2 × 5000	○	○
18 × 65 × 1.5 × 5000	○	○
19 × 19 × 1.0 × 5000	○	○
19 × 19 × 1.2 × 5000	○	○

寸 法	HL	#400
19 × 19 × 1.5 × 5000	○	○
19 × 19 × 2.0 × 5000	○	
20 × 20 × 1.2 × 5000	○	
20 × 20 × 1.5 × 5000	○	○
20 × 30 × 1.2 × 5000	○	○
20 × 30 × 1.5 × 5000	○	○
20 × 40 × 1.2 × 5000	○	○
20 × 40 × 1.5 × 5000	○	○
20 × 40 × 2.0 × 5000	○	
20 × 50 × 1.2 × 5000	○	
20 × 50 × 1.5 × 5000	○	○
21 × 21 × 1.0 × 5000	○	○
21 × 21 × 1.2 × 5000	○	○
21 × 21 × 1.5 × 5000	○	○
22 × 22 × 1.0 × 5000	○	
22 × 22 × 1.2 × 5000	○	
22 × 22 × 1.5 × 5000	○	○
24 × 24 × 1.0 × 5000	○	
24 × 24 × 1.2 × 5000	○	○
24 × 24 × 1.5 × 5000	○	○
25 × 25 × 1.2 × 5000	○	○
25 × 25 × 1.5 × 5000	○	○
25 × 30 × 1.2 × 5000	○	
25 × 30 × 1.5 × 5000	○	○
25 × 40 × 1.2 × 5000	○	○
25 × 40 × 1.5 × 5000	○	○
25 × 40 × 2.0 × 5000	○	
25 × 50 × 1.5 × 5000	○	○
25 × 50 × 2.0 × 5000	○	○
25 × 60 × 1.5 × 5000	○	○
25 × 60 × 2.0 × 5000	○	○
25 × 70 × 1.5 × 5000	○	○
25 × 70 × 2.0 × 5000	○	○
25.4 × 25.4 × 1.2 × 5000	○	○
25.4 × 25.4 × 1.5 × 5000	○	○

ステンレス角管(SUS304)

寸 法	HL	#400
26 × 51 × 1.2 × 5000	○	○
26 × 51 × 1.5 × 5000	○	○
26 × 51 × 2.0 × 5000	○	○
28.6 × 28.6 × 1.0 × 5000	○	○
28.6 × 28.6 × 1.2 × 5000	○	○
28.6 × 28.6 × 1.5 × 5000	○	○
30 × 30 × 1.2 × 5000	○	○
30 × 30 × 1.5 × 5000	○	○
30 × 50 × 1.5 × 5000	○	○
30 × 50 × 2.0 × 5000	○	
30 × 60 × 1.5 × 5000	○	○
30 × 60 × 2.0 × 5000	○	○
30 × 70 × 1.5 × 5000	○	○
30 × 70 × 2.0 × 5000	○	○
30 × 90 × 1.5 × 5000	○	○
30 × 90 × 2.0 × 5000	○	○
30 × 90 × 3.0 × 5000	○	
32 × 32 × 1.2 × 5000	○	○
32 × 32 × 1.5 × 5000	○	○
32 × 32 × 2.0 × 5000	○	
32 × 61 × 1.5 × 5000	○	○
32 × 61 × 2.0 × 5000	○	○
35 × 35 × 1.2 × 5000	○	○
35 × 35 × 1.5 × 5000	○	○
38.5 × 38.5 × 1.2 × 5000	○	○
38.5 × 38.5 × 1.5 × 5000	○	○
38.5 × 38.5 × 2.0 × 5000	○	○
40 × 40 × 1.5 × 5000	○	○
40 × 40 × 2.0 × 5000	○	○
40 × 60 × 1.5 × 5000	○	○
40 × 60 × 2.0 × 5000	○	○
40 × 80 × 1.5 × 5000	○	○
40 × 80 × 2.0 × 5000	○	○
40 × 80 × 3.0 × 5000	○	
40 × 100 × 2.0 × 5000	○	○

寸 法	HL	#400
40 × 100 × 3.0 × 5000	○	
41 × 41 × 1.2 × 5000	○	○
41 × 41 × 1.5 × 5000	○	○
41 × 41 × 2.0 × 5000	○	○
45 × 75 × 1.5 × 5000	○	○
45 × 75 × 2.0 × 5000	○	○
45 × 75 × 3.0 × 5000	○	
46 × 46 × 1.5 × 5000	○	○
46 × 46 × 2.0 × 5000	○	○
50 × 50 × 1.5 × 5000	○	○
50 × 50 × 2.0 × 5000	○	○
50 × 50 × 3.0 × 5000	○	○
50 × 90 × 1.5 × 5000	○	
50 × 90 × 2.0 × 5000	○	
50 × 90 × 3.0 × 5000	○	
50 × 100 × 2.0 × 5000	○	○
50 × 100 × 3.0 × 5000	○	○
50 × 150 × 2.0 × 5000	○	○
50 × 150 × 3.0 × 5000	○	
60 × 60 × 1.5 × 5000	○	○
60 × 60 × 2.0 × 5000	○	○
60 × 60 × 3.0 × 5000	○	○
60 × 120 × 2.0 × 5000	○	○
60 × 120 × 3.0 × 5000	○	
75 × 75 × 2.0 × 5000	○	○
75 × 75 × 3.0 × 5000	○	○
100 × 100 × 2.0 × 5000	○	○
100 × 100 × 3.0 × 5000	○	