

## AL建材用板(A1100P-H14) 片面養生テープ貼り

寸法 (mm)				枚/kg
板厚	幅	長さ		
0.8	× 1000	× 2000		4.34
1.0	× 1000	× 2000		5.42
1.0	× 1000	× 3000		8.13
1.0	× 1250	× 2500		8.47
1.0	× 1250	× 4000		13.55
1.0	× 1525	× 3050		12.60
1.2	× 1000	× 2000		6.50
1.2	× 1250	× 2500		10.16
1.5	× 1000	× 2000		8.13
1.5	× 1000	× 3000		12.20
1.5	× 1000	× 4000		16.26
1.5	× 1250	× 2500		12.70
1.5	× 1250	× 3000		15.24
1.5	× 1250	× 4000		20.33
1.5	× 1250	× 4000		20.33
1.5	× 1525	× 3050		18.91
2.0	× 1000	× 2000		10.84
2.0	× 1000	× 3000		16.26
2.0	× 1000	× 4000		21.68
2.0	× 1000	× 4000		21.68
2.0	× 1250	× 2500		16.94
2.0	× 1250	× 3000		20.33
2.0	× 1250	× 4000		27.10
2.0	× 1525	× 3050		25.21
2.0	× 1900	× 4000		41.19

寸法 (mm)				枚/kg
板厚	幅	長さ		
2.5	× 1000	× 2000		13.55
2.5	× 1000	× 3000		20.33
2.5	× 1000	× 4000		27.10
2.5	× 1250	× 2500		21.17
2.5	× 1250	× 3000		25.41
2.5	× 1250	× 4000		33.88
2.5	× 1525	× 3050		31.51
2.5	× 1900	× 4000		51.49
3.0	× 1000	× 2000		16.26
3.0	× 1000	× 3000		24.39
3.0	× 1250	× 2500		25.41
3.0	× 1250	× 3000		30.49
3.0	× 1250	× 4000		40.65
3.0	× 1525	× 3050		37.81
3.0	× 1900	× 4000		61.79
4.0	× 1000	× 2000		21.68
4.0	× 1250	× 2500		33.88
4.0	× 1250	× 4000		54.20
4.0	× 1525	× 3050		50.42
5.0	× 1000	× 2000		27.10
5.0	× 1250	× 2500		42.34
5.0	× 1250	× 4000		67.75
5.0	× 1525	× 3050		63.02
6.0	× 1000	× 2000		32.52
6.0	× 1250	× 2500		50.81

※単重は参考値です。

### A5052-H34板

※2.0x1000x2000 H32あり

寸法 (mm)				枚/kg
板厚	幅	長さ		
0.5	× 1000	× 2000		2.71
0.8	× 1000	× 2000		4.34
0.8	× 1250	× 2500		6.78
1.0	× 1000	× 2000		5.42
1.0	× 1250	× 2500		8.47
1.2	× 1000	× 2000		6.50
1.2	× 1250	× 2500		10.16
1.5	× 1000	× 2000		8.13
1.5	× 1250	× 2500		12.70
1.5	× 1525	× 3050		18.91
1.6	× 1000	× 2000		8.67
1.6	× 1250	× 2500		13.55
2.0	× 1000	× 2000		10.84
2.0	× 1250	× 2500		16.94
2.0	× 1525	× 3050		25.21
3.0	× 1000	× 2000		16.26
3.0	× 1250	× 2500		25.41
3.0	× 1525	× 3050		37.81
4.0	× 1000	× 2000		21.68
4.0	× 1250	× 2500		33.88
4.0	× 1525	× 3050		50.42
5.0	× 1000	× 2000		27.10
5.0	× 1250	× 250		4.23
5.0	× 1525	× 3050		63.02
6.0	× 1000	× 2000		32.52
6.0	× 1250	× 2500		50.81

### A5052-O板

寸法 (mm)				枚/kg
板厚	幅	長さ		
1.0	× 1000	× 2000		5.42
2.0	× 1000	× 2000		10.84
2.5	× 1000	× 2000		13.55
3.0	× 1000	× 2000		16.26
4.0	× 1000	× 2000		21.68

### A5052-H112板

寸法 (mm)				枚/kg
板厚	幅	長さ		
8.0	× 1250	× 2500		67.75
10.0	× 1250	× 2500		84.69
12.0	× 1250	× 2500		101.63
15.0	× 1250	× 2500		127.03
20.0	× 1250	× 2500		169.38
25.0	× 1250	× 2500		211.72
30.0	× 1250	× 2500		254.06
35.0	× 1250	× 2500		296.41
40.0	× 1250	× 2500		338.75
45.0	× 1250	× 2500		381.09
50.0	× 1250	× 2500		423.44

※単重は参考値です。

アルミ皮膜板 (母材A1100P-H14)

板厚	寸法 (mm)		枚/kg	シルバー	シルバー	シルバー	ステン色	ステン色	ステン色	ブロンズ	ブロンズ	ブロンズ	ブラック	ホワイト
	幅	長さ		B1のみ クリアーなし	B1のみ 艶有りクリアー	B1のみ 艶消しクリアー	ステン1N 艶消しクリアー	ステン2N 艶消しクリアー	ステン3N 艶消しクリアー	YB1N 艶消しクリアー	YB3N 艶消しクリアー	YB5N 艶消しクリアー	YK1N 艶消しクリアー	YW1C 艶消しクリアー
0.8	× 1000	× 2000	4.34		○									
1.0	× 1000	× 2000	5.42	○	○	○							○	○
1.0	× 1000	× 3000	8.13	○										
1.0	× 1250	× 2500	8.47	○	○	○							○	○
1.2	× 1000	× 2000	6.50	○										
1.2	× 1250	× 2500	10.16	○										
1.5	× 1000	× 2000	8.13	○	○	○							○	
1.5	× 1250	× 2500	12.70	○	○	○								
1.5	× 1250	× 3000	15.24	○	○	○								
1.5	× 1250	× 4000	20.33	○	○	○								
2.0	× 1000	× 2000	10.84	○	○	○	○	○	○	○	○	○	○	○
2.0	× 1250	× 2500	16.94	○	○	○	○	○	○	○	○	○	○	
2.0	× 1250	× 3000	20.33	○	○	○								
2.0	× 1250	× 4000	27.10	○	○	○								
3.0	× 1000	× 2000	16.26	○	○	○	○	○	○	○	○	○	○	○
3.0	× 1250	× 2500	25.41	○	○	○								
5.0	× 1000	× 2000	27.10		○	○								

※単重は参考値です。

アルミ丸棒

外径 (mm)	単重 m/kg	A1070		A2014	A2017		A2024	A5052		A5056		A5083	A6061		A6063		A7075
		2m	4m	2m	2m	4m	2m	2m	4m	2m	4m	2m	2m	4m	2m	4m	2m
3	0.02	●						●		●							
4	0.03	●			●			●		●							
5	0.05	●			●		●	●		●							
6	0.08	●			●		●	●		●							
7	0.10	●			●			●		●							
8	0.14	●			●		●	●		●	●		●		●	●	
9	0.17	●			●			●		●					●	●	
10	0.21	●	●		●	●	●	●	●	●	●		●	●	●	●	
11	0.26	●	●		●	●		●	●	●	●						
12	0.31	●	●		●	●	●	●	●	●	●		●		●	●	
13	0.36	●	●		●	●		●	●	●	●				●	●	
14	0.42	●	●		●	●		●	●	●	●		●				
15	0.48	●	●		●	●	●	●	●	●	●		●		●	●	
16	0.54	●	●		●	●		●	●	●	●		●	●	●	●	
17	0.62	●	●		●	●		●	●	●	●						
18	0.69	●	●		●	●		●	●	●	●		●				
19	0.77	●	●		●	●		●	●	●	●		●	●			
20	0.85	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
21	0.94				●	●		●	●	●	●						
22	1.03	●	●		●	●		●	●	●	●					●	
23	1.13				●	●		●		●							
24	1.23				●	●		●		●							
25	1.33	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
26	1.44	●	●	●	●	●		●	●	●	●		●				
27	1.55				●			●		●							
28	1.67	●	●	●	●	●	●	●	●	●	●		●				
29	1.79				●			●		●							
30	1.92	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
31	2.05				●			●		●							
32	2.18		●		●	●		●	●	●	●		●	●	●	●	
33	2.32				●	●		●		●							
34	2.46				●	●		●	●	●	●						
35	2.61	●	●	●	●	●	●	●	●	●	●	●	●	●	●		●
36	2.76	●	●	●	●	●		●	●	●	●						
37	2.91				●			●		●							
38	3.07	●	●		●	●		●	●	●	●		●				
39	3.24		●		●			●		●							
40	3.41	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
41	3.58				●			●		●							
42	3.75	●	●		●	●		●	●	●	●		●	●			
43	3.91				●			●		●							

※単重は、参考値です。

(合金により変動します。) 26

アルミ丸棒

外径 (mm)	単重 m/kg	A1070		A2014	A2017		A2024	A5052		A5056		A5083	A6061		A6063		A7075
		2m	4m	2m	2m	4m	2m	2m	4m	2m	4m	2m	2m	4m	2m	4m	2m
44	4.12				●			●		●							
45	4.31	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
46	4.50				●	●		●		●							
47	4.70				●			●		●							
48	4.90				●	●		●	●	●	●						
49	5.11				●			●		●							
50	5.32	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
51	5.54				●			●		●							
52	5.76				●	●		●		●							
53	5.98				●			●		●							
54	6.21				●			●		●							
55	6.44	●	●	●	●	●	●	●	●	●	●		●	●	●		●
56	6.67				●			●		●							
57	6.92				●			●		●							
58	7.16				●			●		●							
59	7.41				●			●		●							
60	7.66	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
61	7.92				●					●							
62	8.18				●					●			●				
63	8.45				●					●							
64	8.72				●												
65	8.99	●	●	●	●	●	●	●	●	●	●		●	●	●		
68	9.84									●							
70	10.43	●		●	●	●	●	●		●		●	●		●		●
72	11.03				●												
75	11.97	●		●	●	●	●	●		●			●		●		●
80	13.62	●		●	●	●	●	●		●		●	●		●		
81	13.96				●												
85	15.38	●		●	●	●	●	●		●		●	●		●		●
90	17.21	●		●	●	●	●	●		●			●		●		●
95	19.21	●			●	●		●		●			●		●		●
100	21.28	●		●	●		●	●		●		●	●		●		●
105	23.47				●					●			●				
110	25.75	●		●1m	●		●	●		●			●		●		●
115	28.15				●					●			●				
120	30.65	●		●	●		●	●		●		●	●		●		●
125	33.26				●					●							
130	35.97	●		●1m	●		●	●		●		●	●		●		●
135	38.79				●					●							

※単重は、参考値です。

(合金により変動します。) 27

アルミ丸棒

外径 (mm)	単重 m/kg	A1070		A2014	A2017		A2024	A5052		A5056		A5083	A6061			A6063		A7075
		2m	4m	2m	2m	4m	2m	2m	4m	2m	4m	2m	2m	4m	2m	4m	2m	
140	41.72	●		●1m	●		●	●		●		●	●		●		●	
145	44.75				●					●								
150	47.89	●		●1m	●		●	●		●		●	●		●		●	
155	51.14				●					●								
160	54.19	●		●1m	●		●	●		●		●	●		●		●	
165	57.95				●					●								
170	61.51	●			●			●		●			●		●		●	
175	65.18				●					●								
180	68.96			●	●		●	●		●		●	●		●		●	
185	72.85				●					●								
190	76.84				●			●		●			●		●		●	
200	85.14			●	●		●	●		●		●	●		●		●	
210	93.86				●					●		●	●		●		●	
220	103.02				●					●		●	●				●	
230	112.59				●					●		●	●		●		●	
240	122.60				●					●		●	●				●	
250	133.03				●					●		●	●		●		●	
260	143.88				●					●		●	●				●	
270	155.16				●					●		●	●					
280	166.87				●					●		●	●				●	
290	179.00				●					●		●	●					
300	191.56				●					●		●	●		●		●	
310	204.54				●					●		●	●		●			
320	217.95				●					●		●	●		●			
330	231.79				●	●1m				●		●	●					
340	246.05				●					●		●	●					
350	260.73				●	●1m				●		●	●		●			
360	275.85				●	●1m				●					●			
370	291.38					●1m				●								
375	299.31									●								
380	307.35									●								
390	323.73									●								
400	340.55					●1m				●			●					
420	375.46									●								
450	431.01									●								
480	490.39									●								
500	532.11									●								

※単重は、参考値です。  
(合金により変動します。)

**アルミ平角棒 生地**  
**(A6063-T5)**

寸 法 (mm)	本/kg	寸 法 (mm)	本/kg	寸 法 (mm)	本/kg
2 × 10 × 4000	0.22	4 × 50 × 4000	2.17	6 × 60 × 4000	3.90
2 × 12 × 4000	0.26	4 × 60 × 4000	2.60	6 × 65 × 4000	4.23
2 × 15 × 4000	0.33	4 × 70 × 4000	3.04	6 × 75 × 4000	4.88
2 × 20 × 4000	0.43	5 × 10 × 4000	0.54	6 × 100 × 4000	6.50
2 × 25 × 4000	0.54	5 × 12 × 4000	0.65	6 × 160 × 4000	10.41
2 × 30 × 4000	0.65	5 × 13 × 4000	0.70	8 × 15 × 4000	1.30
2 × 35 × 4000	0.76	5 × 15 × 4000	0.81	8 × 20 × 4000	1.73
2 × 40 × 4000	0.87	5 × 20 × 4000	1.08	8 × 25 × 4000	2.17
2 × 50 × 4000	1.08	5 × 25 × 4000	1.36	8 × 30 × 4000	2.60
3 × 10 × 4000	0.33	5 × 30 × 4000	1.63	8 × 32 × 4000	2.78
3 × 12 × 4000	0.39	5 × 35 × 4000	1.90	8 × 35 × 4000	3.04
3 × 15 × 4000	0.49	5 × 40 × 4000	2.17	8 × 40 × 4000	3.47
3 × 16 × 4000	0.52	5 × 50 × 4000	2.71	8 × 50 × 4000	4.34
3 × 20 × 4000	0.65	5 × 60 × 4000	3.25	8 × 60 × 4000	5.20
3 × 25 × 4000	0.81	5 × 70 × 4000	3.79	8 × 75 × 4000	6.50
3 × 30 × 4000	0.98	5 × 75 × 4000	4.07	8 × 100 × 4000	8.67
3 × 35 × 4000	1.14	5 × 100 × 4000	5.42	9 × 13 × 4000	1.27
3 × 40 × 4000	1.30	6 × 9 × 4000	0.59	9 × 20 × 4000	1.95
3 × 50 × 4000	1.63	6 × 10 × 4000	0.65	9 × 30 × 4000	2.93
3 × 60 × 4000	1.95	6 × 12 × 4000	0.78	9 × 40 × 4000	3.90
3 × 70 × 4000	2.28	6 × 15 × 4000	0.98	9 × 50 × 4000	4.88
4 × 10 × 4000	0.43	6 × 20 × 4000	1.30	9 × 60 × 4000	5.85
4 × 12 × 4000	0.52	6 × 25 × 4000	1.63	9 × 75 × 4000	7.32
4 × 15 × 4000	0.65	6 × 30 × 4000	1.95	9 × 100 × 4000	9.76
4 × 20 × 4000	0.87	6 × 32 × 4000	2.08	10 × 15 × 4000	1.63
4 × 25 × 4000	1.08	6 × 35 × 4000	2.28	10 × 20 × 4000	2.17
4 × 28 × 4000	1.21	6 × 40 × 4000	2.60	10 × 25 × 4000	2.71
4 × 30 × 4000	1.30	6 × 45 × 4000	2.93	10 × 30 × 4000	3.25
4 × 40 × 4000	1.73	6 × 50 × 4000	3.25	10 × 35 × 4000	3.79

※単重は参考値です。

**アルミ平角棒 生地**  
**(A6063-T5)**

寸 法 (mm)	本/kg	寸 法 (mm)	本/kg	寸 法 (mm)	本/kg
10 × 40 × 4000	4.34	15 × 40 × 4000	6.50	30 × 40 × 4000	13.01
10 × 45 × 4000	4.88	15 × 50 × 4000	8.13	30 × 50 × 4000	16.26
10 × 50 × 4000	5.42	15 × 60 × 4000	9.76	30 × 60 × 4000	19.51
10 × 60 × 4000	6.50	15 × 75 × 4000	12.20	30 × 65 × 4000	21.14
10 × 64 × 4000	6.94	15 × 100 × 4000	16.26	30 × 75 × 4000	24.39
10 × 70 × 4000	7.59	15 × 150 × 4000	24.39	30 × 100 × 4000	32.52
10 × 75 × 4000	8.13	15 × 200 × 2500	20.33	30 × 150 × 2500	30.49
10 × 80 × 4000	8.67	20 × 25 × 4000	5.42	30 × 200 × 2500	40.65
10 × 100 × 4000	10.84	20 × 30 × 4000	6.50	35 × 40 × 4000	15.18
10 × 120 × 4000	13.01	20 × 35 × 4000	7.59	35 × 50 × 4000	18.97
10 × 125 × 4000	13.55	20 × 40 × 4000	8.67	35 × 60 × 4000	22.76
10 × 150 × 4000	16.26	20 × 50 × 4000	10.84	35 × 75 × 4000	28.46
12 × 15 × 4000	1.95	20 × 60 × 4000	13.01	35 × 85 × 4000	32.25
12 × 20 × 4000	2.60	20 × 65 × 4000	14.09	35 × 100 × 2500	23.71
12 × 25 × 4000	3.25	20 × 70 × 4000	15.18	35 × 100 × 4000	37.94
12 × 30 × 4000	3.90	20 × 80 × 4000	17.34	40 × 50 × 4000	21.68
12 × 40 × 4000	5.20	20 × 100 × 4000	21.68	40 × 60 × 4000	26.02
12 × 50 × 4000	6.50	20 × 150 × 4000	32.52	40 × 75 × 4000	32.52
12 × 60 × 4000	7.80	20 × 200 × 2500	27.10	40 × 100 × 2500	27.10
12 × 75 × 4000	9.76	25 × 30 × 4000	8.13	40 × 100 × 4000	43.36
12 × 100 × 4000	13.01	25 × 35 × 4000	9.49	50 × 100 × 2500	33.88
12 × 120 × 4000	15.61	25 × 40 × 4000	10.84	76 × 100 × 2500	51.49
12 × 150 × 4000	19.51	25 × 50 × 4000	13.55		
13 × 25 × 4000	3.52	25 × 60 × 4000	16.26		
13 × 26 × 4000	3.66	25 × 80 × 4000	21.68		
13 × 40 × 4000	5.64	25 × 100 × 2500	16.94		
15 × 20 × 4000	3.25	25 × 100 × 4000	27.10		
15 × 25 × 4000	4.07	25 × 150 × 2500	25.41		
15 × 30 × 4000	4.88	25 × 200 × 2500	33.88		

※単重は参考値です。

アルミ平角棒 シルバーアルマイト付き  
(A6063-T5)

寸法 (mm)	本/kg	寸法 (mm)	本/kg
1.5 × 50 × 4000	0.81	4.0 × 12 × 4000	0.52
2.0 × 10 × 4000	0.22	4.0 × 15 × 4000	0.65
2.0 × 15 × 4000	0.33	4.0 × 20 × 4000	0.87
2.0 × 20 × 4000	0.43	4.0 × 25 × 4000	1.08
2.0 × 25 × 4000	0.54	4.0 × 30 × 4000	1.30
2.0 × 30 × 4000	0.65	4.0 × 40 × 4000	1.73
2.0 × 35 × 4000	0.76	4.0 × 50 × 4000	2.17
2.0 × 40 × 4000	0.87	5.0 × 10 × 4000	0.54
2.0 × 50 × 4000	1.08	5.0 × 15 × 4000	0.81
2.0 × 64 × 4000	1.39	5.0 × 20 × 4000	1.08
2.0 × 67 × 4000	1.45	5.0 × 25 × 4000	1.36
2.0 × 88 × 4000	1.91	5.0 × 30 × 4000	1.63
3.0 × 10 × 4000	0.33	5.0 × 40 × 4000	2.17
3.0 × 12 × 4000	0.39	5.0 × 50 × 4000	2.71
3.0 × 15 × 4000	0.49	5.0 × 60 × 4000	3.25
3.0 × 20 × 4000	0.65	5.0 × 70 × 4000	3.79
3.0 × 25 × 4000	0.81	5.0 × 100 × 4000	5.42
3.0 × 30 × 4000	0.98	6.0 × 6 × 4000	0.39
3.0 × 35 × 4000	1.14	6.0 × 15 × 4000	0.98
3.0 × 40 × 4000	1.30	6.0 × 20 × 4000	1.30
3.0 × 50 × 4000	1.63	6.0 × 25 × 4000	1.63
3.0 × 60 × 4000	1.95	6.0 × 30 × 4000	1.95
3.0 × 70 × 4000	2.28	6.0 × 40 × 4000	2.60
3.0 × 100 × 4000	3.25	6.0 × 50 × 4000	3.25
3.0 × 112 × 4000	3.64	6.0 × 75 × 4000	4.88
		6.0 × 100 × 4000	6.50

※単重は参考値です。

**アルミ四角棒 生地**  
(A6063-T5)

寸 法 (mm)				本/kg	寸 法 (mm)				本/kg		
縦	x	横	長さ		縦	x	横	長さ			
5	x	5	x	2000	0.14	60	x	60	x	3000	29.27
5	x	5	x	4000	0.27	60	x	60	x	4000	39.02
6	x	6	x	4000	0.39	65	x	65	x	2500	28.62
7	x	7	x	4000	0.53	65	x	65	x	3000	34.35
8	x	8	x	4000	0.69	70	x	70	x	2500	33.20
9	x	9	x	4000	0.88	70	x	70	x	3000	39.84
10	x	10	x	4000	1.08	75	x	75	x	2500	38.11
12	x	12	x	4000	1.56	75	x	75	x	3000	45.73
13	x	13	x	4000	1.83	80	x	80	x	2500	43.36
14	x	14	x	4000	2.12	80	x	80	x	3000	52.03
15	x	15	x	4000	2.44	85	x	85	x	3000	58.74
16	x	16	x	4000	2.78	90	x	90	x	2500	54.88
18	x	18	x	4000	3.51	90	x	90	x	3000	65.85
19	x	19	x	4000	3.91	95	x	95	x	3000	73.37
20	x	20	x	4000	4.34	100	x	100	x	2500	67.75
22	x	22	x	4000	5.25	100	x	100	x	3000	81.30
25	x	25	x	4000	6.78						
30	x	30	x	4000	9.76						
32	x	32	x	4000	11.10						
35	x	35	x	4000	13.28						
38	x	38	x	4000	15.65						
40	x	40	x	4000	17.34						
45	x	45	x	4000	21.95						
50	x	50	x	4000	27.10						
55	x	55	x	4000	32.79						

※単重は参考値です。

**アルミチャンネル R無し 生地**  
(A6063-T5)

厚み	寸法 (mm)			長さ	本/kg		
	縦	横					
1.5	x	10	x	10	x	4000	0.44
1.5	x	15	x	15	x	4000	0.68
1.5	x	20	x	12	x	4000	0.67
1.5	x	25	x	16	x	4000	0.88
1.6	x	10	x	10	x	4000	0.46
2.0	x	12	x	12	x	4000	0.69
2.0	x	15	x	15	x	4000	0.89
2.0	x	18	x	10	x	4000	0.74
2.0	x	20	x	20	x	4000	1.21
2.0	x	22	x	12	x	4000	0.91
2.0	x	25	x	15	x	4000	1.11
2.0	x	25	x	25	x	4000	1.54
2.0	x	30	x	15	x	4000	1.21
2.0	x	35	x	20	x	4000	1.54
2.0	x	40	x	20	x	4000	1.65
2.4	x	30	x	30	x	4000	2.22
2.4	x	35	x	20	x	4000	1.83
2.5	x	20	x	20	x	4000	1.49
2.5	x	35	x	20	x	4000	1.90
2.5	x	50	x	25	x	4000	2.57
3.0	x	15	x	15	x	4000	1.27
3.0	x	30	x	25	x	4000	2.41
3.0	x	40	x	20	x	4000	2.41
3.0	x	50	x	25	x	4000	3.06
3.0	x	60	x	30	x	4000	3.71
3.2	x	75	x	40	x	4000	5.15
3.6	x	90	x	30	x	4000	5.57
4.0	x	80	x	40	x	4000	6.59
5.0	x	75	x	50	x	4000	8.94
5.0	x	100	x	50	x	4000	10.30
6.0	x	75	x	40	x	4000	9.30
6.0	x	80	x	40	x	4000	9.63
6.0	x	125	x	65	x	4000	15.80
8.0	x	150	x	75	x	4000	24.63

厚み	寸法 (mm)			長さ	本/kg		
	縦	横					
3.0	x	50	x	30	x	4000	3.38
4.0	x	60	x	30	x	4000	4.86
5.0	x	100	x	50	x	4000	10.30
5.0	x	100	x	50	x	5000	12.87
6.0	x	75	x	40	x	4000	9.30
6.0	x	75	x	40	x	5000	11.63
6.0	x	80	x	40	x	4000	9.63
6.0	x	125	x	65	x	4000	15.80
6.0	x	125	x	65	x	5000	19.76
8.0	x	150	x	75	x	4000	24.63
8.0	x	150	x	75	x	5000	30.79

**アルミチャンネル R付き 生地**  
(A6063-T5)

寸法 (mm)					本/kg		
縦	横	長さ	厚み				
5.0	x	100	x	50	x	4000	10.30
6.0	x	75	x	40	x	4000	9.30
6.0	x	80	x	40	x	4000	9.63
6.0	x	125	x	65	x	4000	15.80
6.0	x	125	x	65	x	5000	19.76
8.0	x	150	x	75	x	4000	24.63
8.0	x	150	x	75	x	5000	30.79

※単重は参考値です。

アルミチャンネル R無し シルバーアルマイト付き  
(A6063-T5)

厚み	寸法 (mm)			長さ	本/kg		
	縦	横					
1.0	x	5.5	x	8	x	4000	0.21
1.5	x	6.2	x	8.3	x	4000	0.32
1.0	x	6.5	x	9	x	4000	0.24
1.0	x	7	x	7	x	4000	0.21
1.0	x	7.5	x	10	x	4000	0.28
1.5	x	7.5	x	10	x	4000	0.40
1.0	x	7.5	x	25	x	4000	0.60
1.0	x	8.5	x	10	x	4000	0.29
1.0	x	10	x	10	x	4000	0.30
1.6	x	10	x	10	x	4000	0.46
1.2	x	10	x	15	x	4000	0.49
1.0	x	11	x	5	x	4000	0.21
1.0	x	12	x	10	x	4000	0.33
2.0	x	12	x	12	x	4000	0.69
1.2	x	12.4	x	12.4	x	4000	0.45
1.0	x	14	x	10	x	4000	0.35
2.0	x	14	x	10	x	4000	0.65
2.0	x	15	x	15	x	4000	0.89
1.5	x	15	x	24	x	4000	0.98
2.0	x	18	x	10	x	4000	0.74
1.0	x	18	x	12	x	4000	0.43
2.0	x	20	x	12	x	4000	0.87
2.0	x	20	x	20	x	4000	1.21
2.0	x	22	x	12	x	4000	0.91
1.0	x	22	x	13	x	4000	0.50
1.5	x	24	x	10	x	4000	0.67
2.0	x	25	x	15	x	4000	1.11
2.0	x	25	x	25	x	4000	1.54
1.0	x	27	x	15	x	4000	0.60
2.0	x	30	x	15	x	4000	1.21
2.4	x	30	x	20	x	4000	1.70
2.4	x	30	x	30	x	4000	2.22
2.0	x	35	x	20	x	4000	1.54

厚み	寸法 (mm)			長さ	本/kg		
	縦	横					
2.4	x	35	x	20	x	4000	1.83
1.9	x	38	x	20	x	4000	1.53
2.0	x	40	x	20	x	4000	1.65
3.0	x	40	x	20	x	5000	3.01
2.0	x	40	x	30	x	4000	2.08
2.5	x	50	x	20	x	5000	2.88
2.5	x	50	x	25	x	4000	2.57
3.0	x	50	x	25	x	4000	3.06
3.0	x	60	x	30	x	5000	4.63
3.0	x	100	x	50	x	4000	6.31

※単重は参考値です。

アルミアングル R無し 生地  
(A6063-T5)

寸法 (mm)					本/kg	寸法 (mm)					本/kg				
厚み	縦	横	長さ			厚み	縦	横	長さ						
1.0	×	10	×	10	×	4000	0.21	2.5	×	25	×	25	×	4000	1.29
1.0	×	15	×	15	×	4000	0.31	2.5	×	13	×	35	×	4000	1.23
1.0	×	19	×	19	×	4000	0.40	3.0	×	15	×	15	×	4000	0.88
1.0	×	20	×	20	×	4000	0.42	3.0	×	20	×	20	×	4000	1.20
1.0	×	25	×	25	×	4000	0.53	3.0	×	25	×	25	×	4000	1.53
1.0	×	30	×	30	×	4000	0.64	3.0	×	30	×	30	×	4000	1.85
1.2	×	10	×	10	×	4000	0.24	3.0	×	35	×	35	×	4000	2.18
1.2	×	12	×	12	×	4000	0.30	3.0	×	40	×	40	×	4000	2.50
1.2	×	25	×	25	×	4000	0.63	3.0	×	50	×	50	×	4000	3.15
1.2	×	30	×	30	×	4000	0.76	3.0	×	15	×	25	×	4000	1.20
1.5	×	15	×	15	×	4000	0.46	3.0	×	15	×	30	×	4000	1.37
1.5	×	15	×	20	×	4000	0.54	3.0	×	20	×	30	×	4000	1.53
1.5	×	15	×	25	×	4000	0.63	3.0	×	20	×	40	×	4000	1.85
1.5	×	19	×	19	×	4000	0.59	3.0	×	25	×	50	×	4000	2.34
1.5	×	20	×	20	×	4000	0.63	3.0	×	30	×	40	×	4000	2.18
1.5	×	25	×	25	×	4000	0.79	4.0	×	25	×	25	×	4000	1.99
1.5	×	30	×	30	×	4000	0.95	4.0	×	30	×	30	×	4000	2.43
1.5	×	50	×	50	×	4000	1.60	4.0	×	35	×	35	×	4000	2.86
1.5	×	10	×	15	×	4000	0.38	4.0	×	40	×	40	×	4000	3.30
1.5	×	10	×	20	×	4000	0.46	4.0	×	50	×	50	×	4000	4.16
1.5	×	10	×	25	×	4000	0.54	4.0	×	70	×	70	×	4000	5.90
1.5	×	10	×	30	×	4000	0.63	4.0	×	25	×	38	×	4000	2.56
1.5	×	10	×	40	×	4000	0.79	4.0	×	35	×	50	×	4000	3.51
1.5	×	15	×	20	×	4000	0.54	4.5	×	30	×	60	×	4000	4.17
1.5	×	15	×	25	×	4000	0.63	5.0	×	25	×	25	×	4000	2.44
1.5	×	15	×	30	×	4000	0.71	5.0	×	30	×	30	×	4000	2.98
1.8	×	15	×	18	×	4000	0.61	5.0	×	35	×	35	×	4000	3.52
2.0	×	10	×	10	×	4000	0.39	5.0	×	40	×	40	×	4000	4.07
2.0	×	15	×	15	×	4000	0.61	5.0	×	50	×	50	×	4000	5.15
2.0	×	15	×	30	×	4000	0.93	5.0	×	60	×	60	×	4000	6.23
2.0	×	20	×	20	×	4000	0.82	5.0	×	40	×	60	×	4000	5.15
2.0	×	20	×	30	×	4000	1.04	5.0	×	50	×	60	×	4000	5.69
2.0	×	25	×	25	×	4000	1.04	5.0	×	50	×	75	×	4000	6.50
2.0	×	30	×	30	×	4000	1.26	6.0	×	40	×	40	×	4000	4.81
2.0	×	40	×	40	×	4000	1.69	6.0	×	50	×	50	×	4000	6.11
2.0	×	50	×	50	×	4000	2.12	6.0	×	60	×	60	×	4000	7.41
2.0	×	10	×	15	×	4000	0.50	6.0	×	65	×	65	×	4000	8.06
2.0	×	15	×	20	×	4000	0.72	6.0	×	75	×	75	×	4000	9.37
2.0	×	15	×	25	×	4000	0.82	8.0	×	65	×	65	×	4000	10.58
2.0	×	15	×	30	×	4000	0.93	8.0	×	80	×	80	×	4000	13.18
2.0	×	20	×	25	×	4000	0.93	9.0	×	75	×	75	×	4000	13.76
2.0	×	20	×	30	×	4000	1.04	10.0	×	100	×	100	×	4000	20.60
2.0	×	20	×	40	×	4000	1.26								
2.0	×	20	×	50	×	4000	1.47								
2.0	×	30	×	50	×	4000	1.69								
2.0	×	40	×	70	×	4000	2.34								

※単重は参考値です。

アルミアングル R付き 生地  
(A6063-T5)

厚み	寸法 (mm)			本/kg
	縦	横	長さ	
3.0	× 25	× 25	× 4000	1.53
3.0	× 30	× 30	× 4000	1.85
3.0	× 40	× 40	× 4000	2.50
3.0	× 50	× 50	× 4000	3.15
4.0	× 40	× 40	× 4000	3.30
4.0	× 50	× 50	× 4000	4.16
4.0	× 70	× 100	× 4000	7.20
5.0	× 30	× 30	× 4000	2.98
5.0	× 40	× 40	× 4000	4.07
5.0	× 50	× 50	× 4000	5.15
5.0	× 60	× 60	× 4000	6.23
5.0	× 50	× 65	× 4000	5.96
5.0	× 50	× 75	× 4000	6.50
6.0	× 40	× 40	× 4000	4.81
6.0	× 50	× 50	× 4000	6.11
6.0	× 50	× 50	× 5000	7.64
6.0	× 60	× 60	× 4000	7.41
6.0	× 65	× 65	× 4000	8.06
6.0	× 65	× 65	× 5000	10.08
6.0	× 70	× 70	× 4000	8.72
6.0	× 75	× 75	× 4000	9.37
6.0	× 60	× 90	× 4000	9.37
7.0	× 75	× 75	× 4000	10.85
7.0	× 90	× 90	× 4000	13.13
8.0	× 65	× 65	× 5000	13.22
8.0	× 80	× 80	× 4000	13.18
9.0	× 75	× 75	× 4000	13.76
9.0	× 90	× 90	× 4000	16.68
10.0	× 100	× 100	× 4000	20.60
10.0	× 75	× 100	× 4000	17.89
12.0	× 75	× 125	× 4000	24.46

アルミアングル R付き 生地  
(A5052-H112)

厚み	寸法 (mm)			本/kg
	縦	横	長さ	
3.0	× 30	× 30	× 4000	1.85
3.0	× 40	× 40	× 4000	2.49
4.0	× 40	× 40	× 4000	3.28
5.0	× 40	× 40	× 4000	4.06
5.0	× 50	× 50	× 4000	5.13
6.0	× 50	× 50	× 4000	6.11
6.0	× 60	× 60	× 4000	7.42
6.0	× 65	× 65	× 4000	8.04
9.0	× 75	× 75	× 4000	13.72

※単重は参考値です。

アルミ等辺アングル R無し  
シルバーアルマイト付き (A6063-T5)

厚み	寸法 (mm)			長さ	本/kg
	縦	横			
1.2	× 10	× 10	× 4000	0.24	
1.2	× 12	× 12	× 4000	0.30	
1.2	× 13	× 13	× 4000	0.32	
1.5	× 15	× 15	× 4000	0.46	
2.0	× 15	× 15	× 4000	0.61	
3.0	× 15	× 15	× 4000	0.88	
1.5	× 19	× 19	× 4000	0.59	
1.5	× 20	× 20	× 4000	0.63	
2.0	× 20	× 20	× 4000	0.82	
3.0	× 20	× 20	× 4000	1.20	
1.2	× 25	× 25	× 4000	0.63	
1.5	× 25	× 25	× 4000	0.79	
2.0	× 25	× 25	× 4000	1.04	
2.5	× 25	× 25	× 4000	1.29	
3.0	× 25	× 25	× 4000	1.53	
4.0	× 25	× 25	× 4000	1.99	
1.2	× 30	× 30	× 4000	0.76	
1.5	× 30	× 30	× 4000	0.95	
2.0	× 30	× 30	× 4000	1.26	
3.0	× 30	× 30	× 4000	1.85	
5.0	× 30	× 30	× 4000	2.98	
2.0	× 35	× 35	× 4000	1.47	
3.0	× 35	× 35	× 4000	2.18	
1.5	× 38	× 38	× 4000	1.21	
2.0	× 40	× 40	× 4000	1.69	
3.0	× 40	× 40	× 4000	2.50	
4.0	× 40	× 40	× 4000	3.30	
5.0	× 40	× 40	× 4000	4.07	
1.5	× 45	× 45	× 4000	1.44	
1.5	× 50	× 50	× 4000	1.60	
2.0	× 50	× 50	× 4000	2.12	
3.0	× 50	× 50	× 4000	3.15	
4.0	× 50	× 50	× 4000	4.16	
5.0	× 50	× 50	× 4000	5.15	
2.0	× 55	× 55	× 4000	2.34	
2.0	× 60	× 60	× 4000	2.56	
5.0	× 60	× 60	× 4000	6.23	
2.2	× 70	× 70	× 4000	3.29	
5.0	× 75	× 75	× 4000	7.86	
2.3	× 80	× 80	× 4000	3.93	

アルミ不等辺アングル R無し  
シルバーアルマイト付き (A6063-T5)

厚み	寸法 (mm)			長さ	本/kg
	縦	横			
1.2	× 15	× 6	× 4000	0.26	
1.5	× 15	× 10	× 4000	0.38	
1.9	× 15	× 10	× 4000	0.48	
2.0	× 15	× 10	× 4000	0.50	
1.8	× 18	× 15	× 4000	0.61	
1.5	× 20	× 9	× 4000	0.45	
1.5	× 20	× 10	× 4000	0.46	
1.5	× 20	× 15	× 4000	0.54	
1.8	× 20	× 15	× 4000	0.65	
2.0	× 20	× 15	× 4000	0.72	
1.5	× 25	× 9	× 4000	0.53	
1.5	× 25	× 10	× 4000	0.54	
1.5	× 25	× 15	× 4000	0.63	
1.8	× 25	× 15	× 4000	0.75	
2.0	× 25	× 15	× 4000	0.82	
2.0	× 25	× 20	× 4000	0.93	
1.5	× 30	× 9	× 4000	0.61	
1.5	× 30	× 10	× 4000	0.63	
1.5	× 30	× 15	× 4000	0.71	
2.0	× 30	× 15	× 4000	0.93	
3.0	× 30	× 15	× 4000	1.37	
2.0	× 30	× 20	× 4000	1.04	
3.0	× 30	× 20	× 4000	1.53	
3.0	× 30	× 25	× 4000	1.69	
2.5	× 35	× 13	× 4000	1.23	
2.0	× 35	× 15	× 4000	1.04	
1.5	× 40	× 9	× 4000	0.77	
1.5	× 40	× 10	× 4000	0.79	
2.0	× 40	× 15	× 4000	1.15	
2.0	× 40	× 20	× 4000	1.26	
3.0	× 40	× 20	× 4000	1.85	
1.5	× 45	× 15	× 4000	0.95	
2.0	× 50	× 10	× 4000	1.26	
2.0	× 50	× 20	× 4000	1.47	
3.0	× 50	× 20	× 4000	2.18	
2.0	× 50	× 25	× 4000	1.58	
3.0	× 50	× 25	× 4000	2.34	
4.0	× 50	× 35	× 4000	3.51	
1.5	× 63.5	× 19	× 4000	1.32	
5.0	× 75	× 50	× 4000	6.50	
1.5	× 76.2	× 25.4	× 4000	1.63	
3.0	× 80	× 40	× 4000	3.80	

※単重は参考値です。

アルミアングル R付き 生地  
(A6063-T5)

寸 法 (mm)	本/kg
3.0 × 25 × 25 × 4000	1.53
3.0 × 30 × 30 × 4000	1.85
3.0 × 40 × 40 × 4000	2.50
3.0 × 50 × 50 × 4000	3.15
4.0 × 40 × 40 × 4000	3.30
4.0 × 50 × 50 × 4000	4.16
4.0 × 70 × 100 × 4000	7.20
5.0 × 30 × 30 × 4000	2.98
5.0 × 40 × 40 × 4000	4.07
5.0 × 50 × 50 × 4000	5.15
5.0 × 60 × 60 × 4000	6.23
5.0 × 50 × 65 × 4000	5.96
5.0 × 50 × 75 × 4000	6.50
6.0 × 40 × 40 × 4000	4.81
6.0 × 50 × 50 × 4000	6.11
6.0 × 50 × 50 × 5000	7.64
6.0 × 60 × 60 × 4000	7.41
6.0 × 65 × 65 × 4000	8.06
6.0 × 65 × 65 × 5000	10.08
6.0 × 70 × 70 × 4000	8.72
6.0 × 75 × 75 × 4000	9.37
6.0 × 60 × 90 × 4000	9.37
7.0 × 75 × 75 × 4000	10.85
7.0 × 90 × 90 × 4000	13.13
8.0 × 65 × 65 × 5000	13.22
8.0 × 80 × 80 × 4000	13.18
9.0 × 75 × 75 × 4000	13.76
9.0 × 90 × 90 × 4000	16.68
10.0 × 100 × 100 × 4000	20.60
10.0 × 75 × 100 × 4000	17.89
12.0 × 75 × 125 × 4000	24.46

アルミアングル R付き 生地  
(A5052-H112)

寸 法 (mm)	本/kg
3.0 × 30 × 30 × 4000	1.85
3.0 × 40 × 40 × 4000	2.49
4.0 × 40 × 40 × 4000	3.28
5.0 × 40 × 40 × 4000	4.06
5.0 × 50 × 50 × 4000	5.13
6.0 × 50 × 50 × 4000	6.11
6.0 × 60 × 60 × 4000	7.42
6.0 × 65 × 65 × 4000	8.04
9.0 × 75 × 75 × 4000	13.72

※単重は参考値です。

アルミアングル R無し シルバーアルマイト付き  
(A6063-T5)

寸法 (mm)	本/kg
1.2 × 10 × 10 × 4000	0.24
1.2 × 12 × 12 × 4000	0.30
1.2 × 13 × 13 × 4000	0.32
1.5 × 15 × 15 × 4000	0.46
2.0 × 15 × 15 × 4000	0.61
3.0 × 15 × 15 × 4000	0.88
1.5 × 19 × 19 × 4000	0.59
1.5 × 20 × 20 × 4000	0.63
2.0 × 20 × 20 × 4000	0.82
3.0 × 20 × 20 × 4000	1.20
1.2 × 25 × 25 × 4000	0.63
1.5 × 25 × 25 × 4000	0.79
2.0 × 25 × 25 × 4000	1.04
2.5 × 25 × 25 × 4000	1.29
3.0 × 25 × 25 × 4000	1.53
4.0 × 25 × 25 × 4000	1.99
1.2 × 30 × 30 × 4000	0.76
1.5 × 30 × 30 × 4000	0.95
2.0 × 30 × 30 × 4000	1.26
3.0 × 30 × 30 × 4000	1.85
5.0 × 30 × 30 × 4000	2.98
2.0 × 35 × 35 × 4000	1.47
3.0 × 35 × 35 × 4000	2.18
1.5 × 38 × 38 × 4000	1.21
2.0 × 40 × 40 × 4000	1.69
3.0 × 40 × 40 × 4000	2.50
4.0 × 40 × 40 × 4000	3.30
5.0 × 40 × 40 × 4000	4.07
1.5 × 45 × 45 × 4000	1.44
1.5 × 50 × 50 × 4000	1.60
2.0 × 50 × 50 × 4000	2.12
3.0 × 50 × 50 × 4000	3.15
4.0 × 50 × 50 × 4000	4.16
5.0 × 50 × 50 × 4000	5.15
2.0 × 55 × 55 × 4000	2.34
2.0 × 60 × 60 × 4000	2.56

※単重は参考値です。

寸法 (mm)	本/kg
5.0 × 60 × 60 × 4000	6.23
2.2 × 70 × 70 × 4000	3.29
5.0 × 75 × 75 × 4000	7.86
2.3 × 80 × 80 × 4000	3.93
1.2 × 15 × 6 × 4000	0.26
1.5 × 15 × 10 × 4000	0.38
1.9 × 15 × 10 × 4000	0.48
2.0 × 15 × 10 × 4000	0.50
1.8 × 18 × 15 × 4000	0.61
1.5 × 20 × 9 × 4000	0.45
1.5 × 20 × 10 × 4000	0.46
1.5 × 20 × 15 × 4000	0.54
1.8 × 20 × 15 × 4000	0.65
2.0 × 20 × 15 × 4000	0.72
1.5 × 25 × 9 × 4000	0.53
1.5 × 25 × 10 × 4000	0.54
1.5 × 25 × 15 × 4000	0.63
1.8 × 25 × 15 × 4000	0.75
2.0 × 25 × 15 × 4000	0.82
2.0 × 25 × 20 × 4000	0.93
1.5 × 30 × 9 × 4000	0.61
1.5 × 30 × 10 × 4000	0.63
1.5 × 30 × 15 × 4000	0.71
2.0 × 30 × 15 × 4000	0.93
3.0 × 30 × 15 × 4000	1.37
2.0 × 30 × 20 × 4000	1.04
3.0 × 30 × 20 × 4000	1.53
3.0 × 30 × 25 × 4000	1.69
2.5 × 35 × 13 × 4000	1.23
2.0 × 35 × 15 × 4000	1.04
1.5 × 40 × 9 × 4000	0.77
1.5 × 40 × 10 × 4000	0.79
2.0 × 40 × 15 × 4000	1.15
2.0 × 40 × 20 × 4000	1.26
3.0 × 40 × 20 × 4000	1.85
1.5 × 45 × 15 × 4000	0.95
2.0 × 50 × 10 × 4000	1.26
2.0 × 50 × 20 × 4000	1.47
3.0 × 50 × 20 × 4000	2.18
2.0 × 50 × 25 × 4000	1.58
3.0 × 50 × 25 × 4000	2.34
4.0 × 50 × 35 × 4000	3.51
1.5 × 63.5 × 19 × 4000	1.32
5.0 × 75 × 50 × 4000	6.50
1.5 × 76.2 × 25 × 4000	1.63
3.0 × 80 × 40 × 4000	3.80

**アルミ角管 生地**  
(A6063-T5 L=4000)

寸 法 (mm)	本/kg
15 × 15 × 1.5 × 4000	0.88
19 × 19 × 1.5 × 4000	1.14
20 × 20 × 2.0 × 4000	1.57
25 × 25 × 2.0 × 4000	2.00
25.4 × 25.4 × 1.6 × 4000	1.66
30 × 30 × 2.0 × 4000	2.43
30 × 30 × 3.0 × 4000	3.52
40 × 40 × 2.0 × 4000	3.30
40 × 40 × 3.0 × 4000	4.82
50 × 50 × 2.0 × 4000	4.17
50 × 50 × 3.0 × 4000	6.12
60 × 60 × 2.0 × 4000	5.03
80 × 80 × 2.0 × 4000	6.77
15 × 25 × 1.5 × 4000	1.21
20 × 30 × 2.0 × 4000	2.00
20 × 40 × 2.0 × 4000	2.43
25 × 50 × 2.0 × 4000	3.08
25 × 60 × 2.0 × 4000	3.52
30 × 40 × 2.0 × 4000	2.87
30 × 60 × 2.0 × 4000	3.73
30 × 70 × 3.0 × 4000	6.12
40 × 60 × 3.0 × 4000	6.12
40 × 80 × 2.5 × 4000	6.24
50 × 100 × 2.5 × 4000	7.86

※単重は参考値です。

**アルミ角管 生地**  
(A6063-T5 L=5000)

寸 法 (mm)	本/kg	寸 法 (mm)	本/kg
10 × 10 × 1.0 × 5000	0.49	10 × 15 × 1.2 × 5000	0.74
9 × 9 × 1.2 × 5000	0.51	10 × 20 × 1.2 × 5000	0.90
12 × 12 × 1.2 × 5000	0.71	12 × 25 × 1.2 × 5000	1.13
15 × 15 × 1.2 × 5000	0.90	15 × 20 × 1.5 × 5000	1.31
15 × 15 × 1.5 × 5000	1.10	15 × 25 × 1.5 × 5000	1.51
19 × 19 × 1.5 × 5000	1.43	15 × 30 × 1.5 × 5000	1.71
19 × 19 × 2.4 × 5000	2.16	20 × 30 × 1.5 × 5000	1.92
20 × 20 × 1.5 × 5000	1.51	20 × 40 × 1.5 × 5000	2.32
20 × 20 × 2.0 × 5000	1.96	25 × 50 × 1.5 × 5000	2.93
20 × 20 × 2.5 × 5000	2.38	30 × 60 × 1.5 × 5000	3.54
25 × 25 × 1.5 × 5000	1.92	15 × 25 × 2.0 × 5000	1.96
25 × 25 × 2.0 × 5000	2.50	15 × 30 × 2.0 × 5000	2.23
25 × 25 × 2.5 × 5000	3.05	20 × 30 × 2.0 × 5000	2.50
25.4 × 25.4 × 1.6 × 5000	2.07	20 × 30 × 2.5 × 5000	3.05
30 × 30 × 1.5 × 5000	2.32	20 × 40 × 2.0 × 5000	3.04
30 × 30 × 2.0 × 5000	3.04	20 × 40 × 2.5 × 5000	3.73
30 × 30 × 3.0 × 5000	4.40	22 × 30 × 2.5 × 5000	3.19
40 × 40 × 2.0 × 5000	4.12	20 × 40 × 3.0 × 5000	4.40
40 × 40 × 2.5 × 5000	5.09	25 × 30 × 3.0 × 5000	3.99
40 × 40 × 3.0 × 5000	6.02	25 × 40 × 2.0 × 5000	3.31
50 × 50 × 2.0 × 5000	5.21	25 × 40 × 3.0 × 5000	4.80
50 × 50 × 2.5 × 5000	6.44	25 × 50 × 2.0 × 5000	3.85
50 × 50 × 3.0 × 5000	7.65	25 × 60 × 2.0 × 5000	4.40
60 × 60 × 2.0 × 5000	6.29	30 × 40 × 1.5 × 5000	2.73
60 × 60 × 2.5 × 5000	7.80	30 × 40 × 2.0 × 5000	3.58
70 × 70 × 2.0 × 5000	7.38	30 × 40 × 3.0 × 5000	5.21
70 × 70 × 2.5 × 5000	9.15	30 × 50 × 2.0 × 5000	4.12
75 × 75 × 2.5 × 5000	9.83	30 × 60 × 2.0 × 5000	4.67
80 × 80 × 2.0 × 5000	8.46	30 × 60 × 2.5 × 5000	5.76
80 × 80 × 2.5 × 5000	10.51	30 × 65 × 2.0 × 5000	4.94
100 × 100 × 2.5 × 5000	13.22	30 × 70 × 2.0 × 5000	5.21
100 × 100 × 3.0 × 5000	15.78	30 × 70 × 3.0 × 5000	7.65
		30 × 100 × 2.0 × 5000	6.83
		30 × 100 × 2.5 × 5000	8.47
		35 × 70 × 2.0 × 5000	5.48

※単重は参考値です。

**アルミ角管 生地**  
(A6063-T5 L=5000)

寸 法 (mm)	本/kg
40 × 60 × 2.0 × 5000	5.21
40 × 60 × 2.5 × 5000	6.44
40 × 60 × 3.0 × 5000	7.65
40 × 60 × 4.0 × 5000	9.98
40 × 70 × 3.0 × 5000	8.46
40 × 80 × 2.0 × 5000	6.29
40 × 80 × 2.5 × 5000	7.80
40 × 80 × 3.0 × 5000	9.27
40 × 110 × 2.0 × 5000	7.92
50 × 70 × 2.0 × 5000	6.29
50 × 100 × 2.0 × 5000	7.92
50 × 100 × 2.5 × 5000	9.83
50 × 100 × 3.0 × 5000	11.71
50 × 150 × 2.5 × 5000	13.22
50 × 150 × 3.0 × 5000	15.78
60 × 120 × 2.5 × 5000	11.86
60 × 120 × 2.8 × 5000	13.24
80 × 100 × 2.7 × 5000	12.78

※単重は参考値です。

アルミ角管 シルバーアルマイト付き

(A6063-T5 L=4000)

寸法 (mm)	本/kg
10 × 10 × 1.0 × 4000	0.40
12 × 12 × 1.2 × 4000	0.57
15 × 15 × 1.5 × 4000	0.88
19 × 19 × 1.5 × 4000	1.14
20 × 20 × 1.5 × 4000	1.21
20 × 20 × 2.0 × 4000	1.57
25 × 25 × 1.5 × 4000	1.53
25 × 25 × 2.0 × 4000	2.00
30 × 30 × 1.5 × 4000	1.86
30 × 30 × 2.0 × 4000	2.43
35 × 35 × 2.0 × 4000	2.87
40 × 40 × 2.0 × 4000	3.30
50 × 50 × 2.0 × 4000	4.17
50 × 50 × 3.0 × 4000	6.12
60 × 60 × 2.0 × 4000	5.03
70 × 70 × 2.0 × 4000	5.90
70 × 70 × 2.5 × 4000	7.32
75 × 75 × 2.0 × 4000	6.34
75 × 75 × 2.5 × 4000	7.86
80 × 80 × 2.5 × 4000	8.41
10 × 15 × 1.2 × 4000	0.59
10 × 15 × 1.5 × 4000	0.72
12 × 18 × 1.2 × 4000	0.72
10 × 20 × 1.5 × 4000	0.88
15 × 20 × 1.5 × 4000	1.05
15 × 20 × 2.0 × 4000	1.35
15 × 25 × 1.5 × 4000	1.21
20 × 25 × 2.0 × 4000	1.78
10 × 30 × 1.5 × 4000	1.21
15 × 30 × 1.5 × 4000	1.37
20 × 30 × 2.0 × 4000	2.00
25 × 30 × 1.3 × 4000	1.48
10 × 40 × 2.0 × 4000	2.00
20 × 40 × 2.0 × 4000	2.43
25 × 40 × 2.0 × 4000	2.65
30 × 40 × 2.0 × 4000	2.87
25 × 50 × 2.0 × 4000	3.08
30 × 50 × 2.0 × 4000	3.30
25 × 60 × 2.0 × 4000	3.52
30 × 60 × 2.0 × 4000	3.73
40 × 60 × 2.0 × 4000	4.17
30 × 70 × 2.0 × 4000	4.17
50 × 70 × 2.0 × 4000	5.03
40 × 80 × 2.0 × 4000	5.03
40 × 80 × 2.5 × 4000	6.24
30 × 100 × 2.5 × 4000	6.78
50 × 100 × 2.5 × 4000	7.86

アルミ角管 シルバーアルマイト付き

(A6063-T5 L=5000)

寸法 (mm)	本/kg
10 × 10 × 1.0 × 5000	0.49
12 × 12 × 1.2 × 5000	0.71
15 × 15 × 1.5 × 5000	1.10
20 × 20 × 1.5 × 5000	1.51
20 × 20 × 2.0 × 5000	1.96
25 × 25 × 1.5 × 5000	1.92
25 × 25 × 2.0 × 5000	2.50
30 × 30 × 1.5 × 5000	2.32
30 × 30 × 2.0 × 5000	3.04
35 × 35 × 2.0 × 5000	3.58
40 × 40 × 2.0 × 5000	4.12
50 × 50 × 2.0 × 5000	5.21
60 × 60 × 2.0 × 5000	6.29
70 × 70 × 2.0 × 5000	7.38
75 × 75 × 2.0 × 5000	7.92
100 × 100 × 3.0 × 5000	15.78
15 × 20 × 1.5 × 5000	1.31
15 × 20 × 2.0 × 5000	1.69
15 × 25 × 1.5 × 5000	1.51
20 × 25 × 2.0 × 5000	2.23
10 × 30 × 1.5 × 5000	1.51
15 × 30 × 1.5 × 5000	1.71
20 × 30 × 1.5 × 5000	1.92
20 × 30 × 2.0 × 5000	2.50
20 × 30 × 2.5 × 5000	3.05
10 × 40 × 2.0 × 5000	2.50
20 × 40 × 2.0 × 5000	3.04
25 × 40 × 2.0 × 5000	3.31
30 × 40 × 2.0 × 5000	3.58
25 × 50 × 2.0 × 5000	3.85
30 × 50 × 2.0 × 5000	4.12
25 × 60 × 2.0 × 5000	4.40
30 × 60 × 2.0 × 5000	4.67
40 × 60 × 2.0 × 5000	5.21
30 × 70 × 2.0 × 5000	5.21
50 × 70 × 2.0 × 5000	6.29
40 × 80 × 2.0 × 5000	6.29
40 × 80 × 2.5 × 5000	7.80
30 × 100 × 2.0 × 5000	6.83
30 × 100 × 2.5 × 5000	8.47
50 × 100 × 2.0 × 5000	7.92
50 × 100 × 2.5 × 5000	9.83
50 × 100 × 3.0 × 5000	11.71

※単重は参考値です。

### アルミ丸管(生地)

寸法 (mm)		単重 本/kg	A1070	A5052	A6063	
			4m 引抜品	4m 引抜品	4m 引抜品	4m 押出品
5 × 1.0	0.14					
6 × 1.0	0.17	●		●		
7 × 1.0	0.21					
8 × 0.8	0.20	●				
8 × 1.0	0.24	●		●		
8 × 1.4	0.32		●			
9 × 1.0	0.28			●		
9.5 × 1.0	0.29					
10 × 1.0	0.31	●		●	●	
10 × 1.4	0.42		●			
10 × 1.5	0.44	●				●
10 × 2.0	0.55					●
11 × 1.0	0.35					●
12 × 1.0	0.38	●	●	●	●	
12 × 1.5	0.54					●
12 × 2.0	0.69	●	●			●
12.7 × 1.0	0.40	●				
13 × 1.0	0.41					●
13 × 1.5	0.60					●
14 × 1.0	0.45	●				●
14 × 1.5	0.65					●
14 × 2.0	0.83	●				●
15 × 1.0	0.48	●		●	●	
15 × 1.4	0.66		●			
15 × 1.5	0.70					●
15 × 2.0	0.90					●
16 × 1.0	0.52	●		●	●	
16 × 1.5	0.75	●		●	●	
16 × 2.0	0.97	●	●			●
16 × 3.0	1.35		●			
17 × 1.0	0.55	●				
18 × 1.0	0.59	●		●	●	
18 × 1.5	0.86	●		●	●	
18 × 2.0	1.11					●
19 × 1.0	0.62	●	●	●	●	
19 × 1.5	0.91	●		●	●	
19 × 2.0	1.17	●	●	●	●	
19 × 3.0	1.66	●				

※単重は参考値です。

### アルミ丸管(生地)

寸法 (mm)		単重 本/kg	A1070	A5052	A6063	
外径	肉厚		4m 引抜品	4m 引抜品	4m 引抜品	4m 押出品
20	× 1.0	0.66	●		●	●
20	× 1.4	0.90		●		
20	× 1.5	0.96	●		●	●
20	× 2.0	1.24	●	●	●	●
20	× 2.5	1.51				●
20	× 3.0	1.76		●		●
22	× 1.0	0.73	●		●	●
22	× 1.5	1.06	●		●	●
22	× 2.0	1.38	●	●	●	●
22	× 3.0	1.97		●	●	●
25	× 1.0	0.83	●		●	●
25	× 1.5	1.22	●		●	●
25	× 1.6	1.29		●		
25	× 2.0	1.59	●	●	●	●
25	× 2.5	1.94				●
25	× 3.0	2.28	●	●	●	●
28	× 1.0	0.93			●	●
28	× 1.5	1.37			●	●
28	× 1.6	1.46		●		
28	× 2.0	1.80	●	●	●	●
28	× 3.0	2.59		●		●
30	× 1.0	1.00	●		●	●
30	× 1.4	1.38		●		
30	× 1.5	1.48			●	●
30	× 2.0	1.94	●	●	●	●
30	× 2.5	2.38				●
30	× 3.0	2.80	●	●	●	●
30	× 4.0	3.59				●
32	× 1.0	1.07			●	●
32	× 1.5	1.58			●	●
32	× 2.0	2.07	●	●	●	●
32	× 3.0	3.01	●	●	●	●
35	× 1.0	1.17			●	
35	× 1.5	1.74			●	●
35	× 2.0	2.28	●	●	●	●
35	× 2.5	2.81				●
35	× 3.0	3.32	●	●	●	●
35	× 4.0	4.29				●
38	× 1.5	1.89				●

※単重は参考値です。

### アルミ丸管(生地)

寸法(mm)		単重 本/kg	A1070	A5052	A6063	
外径	肉厚		4m 引抜品	4m 引抜品	4m 引抜品	4m 押出品
38	× 2.0	2.49	●	●	●	●
38	× 3.0	3.63	●	●	●	●
38	× 3.75	4.44		●		
38	× 4.0	4.70		●		
38	× 5.0	5.70		●		
40	× 1.0	1.35	●		●	
40	× 1.5	2.00			●	●
40	× 2.0	2.63	●	●	●	●
40	× 2.5	3.24				●
40	× 3.0	3.84	●	●	●	●
40	× 4.0	4.98	●	●		●
40	× 5.0	6.05		●		●
42	× 2.0	2.76	●			●
43	× 1.5	2.15	●			
45	× 1.0	1.52			●	
45	× 1.5	2.25				●
45	× 2.0	2.97	●	●	●	●
45	× 3.0	4.35	●	●	●	●
45	× 5.0	6.91	●	●		●
50	× 1.0	1.69			●	
50	× 1.5	2.51	●		●	●
50	× 2.0	3.32	●	●	●	●
50	× 2.5	4.10				●
50	× 3.0	4.87	●	●	●	●
50	× 4.0	6.36	●	●		●
50	× 5.0	7.78	●	●	●	●
55	× 2.0	3.66			●	●
55	× 3.0	5.39			●	●
55	× 5.0	8.64		●		
55	× 8.0	12.99		●		
60	× 2.0	4.01		●	●	●
60	× 3.0	5.91	●	●	●	●
60	× 4.0	7.74	●	●		●
60	× 5.0	9.50	●	●	●	●
65	× 2.0	4.35				●
65	× 3.0	6.43	●	●	●	●
65	× 5.0	10.37	●	●		

※単重は参考値です。

### アルミ丸管(生地)

寸法 (mm)		単重 本/kg	A1070	A5052	A6063	
外径	肉厚		4m 引抜品	4m 引抜品	4m 引抜品	4m 押出品
70	× 2.0	4.70				●
70	× 3.0	6.95	●	●	●	●
70	× 4.0	9.12				●
70	× 5.0	11.23	●	●	●	●
75	× 3.0	7.46	●	●	●	●
75	× 5.0	12.10	●	●		
80	× 3.0	7.98	●	●	●	●
80	× 4.0	10.51		●		●
80	× 5.0	12.96	●	●	●	●
85	× 3.0	8.50				
85	× 5.0	13.82	●			
90	× 3.0	9.02	●		●	●
90	× 4.0	11.89		●		
90	× 5.0	14.69	●	●	●	●
100	× 3.0	10.06	●	●	●	●
100	× 4.0	13.27	●			
100	× 5.0	16.41	●	●	●	●
110	× 3.0	11.09	●		●	●
110	× 5.0	18.14	●	●	●	●
120	× 3.0	12.13	●		●	●
120	× 4.0	16.03		●		
120	× 5.0	19.87	●	●	●	●
130	× 3.0	13.17	●	●	●	
130	× 5.0	21.60	●	●		●
140	× 5.0	23.33		●		●
150	× 3.0	15.24	●			●
150	× 5.0	25.05	●	●	●	●
160	× 5.0	26.78				●
165	× 5.0	27.65	●			
180	× 5.0	30.24				●
200	× 5.0	33.69				●

※単重は参考値です。

アルミ丸管 シルバーアルマイト付き  
(A6063-T5 L=4000)

寸法 (mm)		単重
外径	肉厚	本/kg
6	× 1.0	0.17
9	× 1.0	0.28
10	× 1.0	0.31
12	× 1.0	0.38
13	× 1.0	0.41
15	× 1.0	0.48
16	× 1.0	0.52
18	× 1.0	0.59
19	× 1.0	0.62
20	× 2.0	1.24
25	× 1.0	0.83
25	× 2.0	1.59
30	× 2.0	1.94
32	× 1.5	1.58
32	× 2.0	2.07
38	× 1.5	1.89
50	× 2.0	3.32

※単重は、参考値です。