

アルミアングル R無し 生地  
(A6063-T5)

厚み	寸法 (mm)			長さ	本/kg
	縦	横			
1.0	× 10	× 10	× 4000	0.21	
1.0	× 15	× 15	× 4000	0.31	
1.0	× 19	× 19	× 4000	0.40	
1.0	× 20	× 20	× 4000	0.42	
1.0	× 25	× 25	× 4000	0.53	
1.0	× 30	× 30	× 4000	0.64	
1.2	× 10	× 10	× 4000	0.24	
1.2	× 12	× 12	× 4000	0.30	
1.2	× 25	× 25	× 4000	0.63	
1.2	× 30	× 30	× 4000	0.76	
1.5	× 15	× 15	× 4000	0.46	
1.5	× 15	× 20	× 4000	0.54	
1.5	× 15	× 25	× 4000	0.63	
1.5	× 19	× 19	× 4000	0.59	
1.5	× 20	× 20	× 4000	0.63	
1.5	× 25	× 25	× 4000	0.79	
1.5	× 30	× 30	× 4000	0.95	
1.5	× 50	× 50	× 4000	1.60	
1.5	× 10	× 15	× 4000	0.38	
1.5	× 10	× 20	× 4000	0.46	
1.5	× 10	× 25	× 4000	0.54	
1.5	× 10	× 30	× 4000	0.63	
1.5	× 10	× 40	× 4000	0.79	
1.5	× 15	× 20	× 4000	0.54	
1.5	× 15	× 25	× 4000	0.63	
1.5	× 15	× 30	× 4000	0.71	
1.8	× 15	× 18	× 4000	0.61	
2.0	× 10	× 10	× 4000	0.39	
2.0	× 15	× 15	× 4000	0.61	
2.0	× 15	× 30	× 4000	0.93	
2.0	× 20	× 20	× 4000	0.82	
2.0	× 20	× 30	× 4000	1.04	
2.0	× 25	× 25	× 4000	1.04	
2.0	× 30	× 30	× 4000	1.26	
2.0	× 40	× 40	× 4000	1.69	
2.0	× 50	× 50	× 4000	2.12	
2.0	× 10	× 15	× 4000	0.50	
2.0	× 15	× 20	× 4000	0.72	
2.0	× 15	× 25	× 4000	0.82	
2.0	× 15	× 30	× 4000	0.93	
2.0	× 20	× 25	× 4000	0.93	
2.0	× 20	× 30	× 4000	1.04	
2.0	× 20	× 40	× 4000	1.26	
2.0	× 20	× 50	× 4000	1.47	
2.0	× 30	× 50	× 4000	1.69	
2.0	× 40	× 70	× 4000	2.34	

厚み	寸法 (mm)			長さ	本/kg
	縦	横			
2.5	× 25	× 25	× 4000	1.29	
2.5	× 13	× 35	× 4000	1.23	
3.0	× 15	× 15	× 4000	0.88	
3.0	× 20	× 20	× 4000	1.20	
3.0	× 25	× 25	× 4000	1.53	
3.0	× 30	× 30	× 4000	1.85	
3.0	× 35	× 35	× 4000	2.18	
3.0	× 40	× 40	× 4000	2.50	
3.0	× 50	× 50	× 4000	3.15	
3.0	× 15	× 25	× 4000	1.20	
3.0	× 15	× 30	× 4000	1.37	
3.0	× 20	× 30	× 4000	1.53	
3.0	× 20	× 40	× 4000	1.85	
3.0	× 25	× 50	× 4000	2.34	
3.0	× 30	× 40	× 4000	2.18	
4.0	× 25	× 25	× 4000	1.99	
4.0	× 30	× 30	× 4000	2.43	
4.0	× 35	× 35	× 4000	2.86	
4.0	× 40	× 40	× 4000	3.30	
4.0	× 50	× 50	× 4000	4.16	
4.0	× 70	× 70	× 4000	5.90	
4.0	× 25	× 38	× 4000	2.56	
4.0	× 35	× 50	× 4000	3.51	
4.5	× 30	× 60	× 4000	4.17	
5.0	× 25	× 25	× 4000	2.44	
5.0	× 30	× 30	× 4000	2.98	
5.0	× 35	× 35	× 4000	3.52	
5.0	× 40	× 40	× 4000	4.07	
5.0	× 50	× 50	× 4000	5.15	
5.0	× 60	× 60	× 4000	6.23	
5.0	× 40	× 60	× 4000	5.15	
5.0	× 50	× 60	× 4000	5.69	
5.0	× 50	× 75	× 4000	6.50	
6.0	× 40	× 40	× 4000	4.81	
6.0	× 50	× 50	× 4000	6.11	
6.0	× 60	× 60	× 4000	7.41	
6.0	× 65	× 65	× 4000	8.06	
6.0	× 75	× 75	× 4000	9.37	
8.0	× 65	× 65	× 4000	10.58	
8.0	× 80	× 80	× 4000	13.18	
9.0	× 75	× 75	× 4000	13.76	
10.0	× 100	× 100	× 4000	20.60	

※単重は参考値です。

アルミアングル R付き 生地  
(A6063-T5)

厚み	寸法 (mm)			長さ	本/kg
	縦	横			
3.0	× 25	× 25	× 4000	1.53	
3.0	× 30	× 30	× 4000	1.85	
3.0	× 40	× 40	× 4000	2.50	
3.0	× 50	× 50	× 4000	3.15	
4.0	× 40	× 40	× 4000	3.30	
4.0	× 50	× 50	× 4000	4.16	
4.0	× 70	× 100	× 4000	7.20	
5.0	× 30	× 30	× 4000	2.98	
5.0	× 40	× 40	× 4000	4.07	
5.0	× 50	× 50	× 4000	5.15	
5.0	× 60	× 60	× 4000	6.23	
5.0	× 50	× 65	× 4000	5.96	
5.0	× 50	× 75	× 4000	6.50	
6.0	× 40	× 40	× 4000	4.81	
6.0	× 50	× 50	× 4000	6.11	
6.0	× 50	× 50	× 5000	7.64	
6.0	× 60	× 60	× 4000	7.41	
6.0	× 65	× 65	× 4000	8.06	
6.0	× 65	× 65	× 5000	10.08	
6.0	× 70	× 70	× 4000	8.72	
6.0	× 75	× 75	× 4000	9.37	
6.0	× 60	× 90	× 4000	9.37	
7.0	× 75	× 75	× 4000	10.85	
7.0	× 90	× 90	× 4000	13.13	
8.0	× 65	× 65	× 5000	13.22	
8.0	× 80	× 80	× 4000	13.18	
9.0	× 75	× 75	× 4000	13.76	
9.0	× 90	× 90	× 4000	16.68	
10.0	× 100	× 100	× 4000	20.60	
10.0	× 75	× 100	× 4000	17.89	
12.0	× 75	× 125	× 4000	24.46	

アルミアングル R付き 生地  
(A5052-H112)

厚み	寸法 (mm)			長さ	本/kg
	縦	横			
3.0	× 30	× 30	× 4000	1.85	
3.0	× 40	× 40	× 4000	2.49	
4.0	× 40	× 40	× 4000	3.28	
5.0	× 40	× 40	× 4000	4.06	
5.0	× 50	× 50	× 4000	5.13	
6.0	× 50	× 50	× 4000	6.11	
6.0	× 60	× 60	× 4000	7.42	
6.0	× 65	× 65	× 4000	8.04	
9.0	× 75	× 75	× 4000	13.72	

※単重は参考値です。

アルミ等辺アングル R無し  
シルバーアルマイト付き (A6063-T5)

厚み	寸法 (mm)			長さ	本/kg		
	縦	横					
1.2	×	10	×	10	×	4000	0.24
1.2	×	12	×	12	×	4000	0.30
1.2	×	13	×	13	×	4000	0.32
1.5	×	15	×	15	×	4000	0.46
2.0	×	15	×	15	×	4000	0.61
3.0	×	15	×	15	×	4000	0.88
1.5	×	19	×	19	×	4000	0.59
1.5	×	20	×	20	×	4000	0.63
2.0	×	20	×	20	×	4000	0.82
3.0	×	20	×	20	×	4000	1.20
1.2	×	25	×	25	×	4000	0.63
1.5	×	25	×	25	×	4000	0.79
2.0	×	25	×	25	×	4000	1.04
2.5	×	25	×	25	×	4000	1.29
3.0	×	25	×	25	×	4000	1.53
4.0	×	25	×	25	×	4000	1.99
1.2	×	30	×	30	×	4000	0.76
1.5	×	30	×	30	×	4000	0.95
2.0	×	30	×	30	×	4000	1.26
3.0	×	30	×	30	×	4000	1.85
5.0	×	30	×	30	×	4000	2.98
2.0	×	35	×	35	×	4000	1.47
3.0	×	35	×	35	×	4000	2.18
1.5	×	38	×	38	×	4000	1.21
2.0	×	40	×	40	×	4000	1.69
3.0	×	40	×	40	×	4000	2.50
4.0	×	40	×	40	×	4000	3.30
5.0	×	40	×	40	×	4000	4.07
1.5	×	45	×	45	×	4000	1.44
1.5	×	50	×	50	×	4000	1.60
2.0	×	50	×	50	×	4000	2.12
3.0	×	50	×	50	×	4000	3.15
4.0	×	50	×	50	×	4000	4.16
5.0	×	50	×	50	×	4000	5.15
2.0	×	55	×	55	×	4000	2.34
2.0	×	60	×	60	×	4000	2.56
5.0	×	60	×	60	×	4000	6.23
2.2	×	70	×	70	×	4000	3.29
5.0	×	75	×	75	×	4000	7.86
2.3	×	80	×	80	×	4000	3.93

アルミ不等辺アングル R無し  
シルバーアルマイト付き (A6063-T5)

厚み	寸法 (mm)			長さ	本/kg		
	縦	横					
1.2	×	15	×	6	×	4000	0.26
1.5	×	15	×	10	×	4000	0.38
1.9	×	15	×	10	×	4000	0.48
2.0	×	15	×	10	×	4000	0.50
1.8	×	18	×	15	×	4000	0.61
1.5	×	20	×	9	×	4000	0.45
1.5	×	20	×	10	×	4000	0.46
1.5	×	20	×	15	×	4000	0.54
1.8	×	20	×	15	×	4000	0.65
2.0	×	20	×	15	×	4000	0.72
1.5	×	25	×	9	×	4000	0.53
1.5	×	25	×	10	×	4000	0.54
1.5	×	25	×	15	×	4000	0.63
1.8	×	25	×	15	×	4000	0.75
2.0	×	25	×	15	×	4000	0.82
2.0	×	25	×	20	×	4000	0.93
1.5	×	30	×	9	×	4000	0.61
1.5	×	30	×	10	×	4000	0.63
1.5	×	30	×	15	×	4000	0.71
2.0	×	30	×	15	×	4000	0.93
3.0	×	30	×	15	×	4000	1.37
2.0	×	30	×	20	×	4000	1.04
3.0	×	30	×	20	×	4000	1.53
3.0	×	30	×	25	×	4000	1.69
2.5	×	35	×	13	×	4000	1.23
2.0	×	35	×	15	×	4000	1.04
1.5	×	40	×	9	×	4000	0.77
1.5	×	40	×	10	×	4000	0.79
2.0	×	40	×	15	×	4000	1.15
2.0	×	40	×	20	×	4000	1.26
3.0	×	40	×	20	×	4000	1.85
1.5	×	45	×	15	×	4000	0.95
2.0	×	50	×	10	×	4000	1.26
2.0	×	50	×	20	×	4000	1.47
3.0	×	50	×	20	×	4000	2.18
2.0	×	50	×	25	×	4000	1.58
3.0	×	50	×	25	×	4000	2.34
4.0	×	50	×	35	×	4000	3.51
1.5	×	63.5	×	19	×	4000	1.32
5.0	×	75	×	50	×	4000	6.50
1.5	×	76.2	×	25.4	×	4000	1.63
3.0	×	80	×	40	×	4000	3.80

※単重は参考値です。

アルミアングル R付き 生地  
(A6063-T5)

寸 法 (mm)	本/kg
3.0 × 25 × 25 × 4000	1.53
3.0 × 30 × 30 × 4000	1.85
3.0 × 40 × 40 × 4000	2.50
3.0 × 50 × 50 × 4000	3.15
4.0 × 40 × 40 × 4000	3.30
4.0 × 50 × 50 × 4000	4.16
4.0 × 70 × 100 × 4000	7.20
5.0 × 30 × 30 × 4000	2.98
5.0 × 40 × 40 × 4000	4.07
5.0 × 50 × 50 × 4000	5.15
5.0 × 60 × 60 × 4000	6.23
5.0 × 50 × 65 × 4000	5.96
5.0 × 50 × 75 × 4000	6.50
6.0 × 40 × 40 × 4000	4.81
6.0 × 50 × 50 × 4000	6.11
6.0 × 50 × 50 × 5000	7.64
6.0 × 60 × 60 × 4000	7.41
6.0 × 65 × 65 × 4000	8.06
6.0 × 65 × 65 × 5000	10.08
6.0 × 70 × 70 × 4000	8.72
6.0 × 75 × 75 × 4000	9.37
6.0 × 60 × 90 × 4000	9.37
7.0 × 75 × 75 × 4000	10.85
7.0 × 90 × 90 × 4000	13.13
8.0 × 65 × 65 × 5000	13.22
8.0 × 80 × 80 × 4000	13.18
9.0 × 75 × 75 × 4000	13.76
9.0 × 90 × 90 × 4000	16.68
10.0 × 100 × 100 × 4000	20.60
10.0 × 75 × 100 × 4000	17.89
12.0 × 75 × 125 × 4000	24.46

アルミアングル R付き 生地  
(A5052-H112)

寸 法 (mm)	本/kg
3.0 × 30 × 30 × 4000	1.85
3.0 × 40 × 40 × 4000	2.49
4.0 × 40 × 40 × 4000	3.28
5.0 × 40 × 40 × 4000	4.06
5.0 × 50 × 50 × 4000	5.13
6.0 × 50 × 50 × 4000	6.11
6.0 × 60 × 60 × 4000	7.42
6.0 × 65 × 65 × 4000	8.04
9.0 × 75 × 75 × 4000	13.72

※単重は参考値です。

アルミアングル R無し シルバーアルマイト付き  
(A6063-T5)

寸法 (mm)	本/kg
1.2 × 10 × 10 × 4000	0.24
1.2 × 12 × 12 × 4000	0.30
1.2 × 13 × 13 × 4000	0.32
1.5 × 15 × 15 × 4000	0.46
2.0 × 15 × 15 × 4000	0.61
3.0 × 15 × 15 × 4000	0.88
1.5 × 19 × 19 × 4000	0.59
1.5 × 20 × 20 × 4000	0.63
2.0 × 20 × 20 × 4000	0.82
3.0 × 20 × 20 × 4000	1.20
1.2 × 25 × 25 × 4000	0.63
1.5 × 25 × 25 × 4000	0.79
2.0 × 25 × 25 × 4000	1.04
2.5 × 25 × 25 × 4000	1.29
3.0 × 25 × 25 × 4000	1.53
4.0 × 25 × 25 × 4000	1.99
1.2 × 30 × 30 × 4000	0.76
1.5 × 30 × 30 × 4000	0.95
2.0 × 30 × 30 × 4000	1.26
3.0 × 30 × 30 × 4000	1.85
5.0 × 30 × 30 × 4000	2.98
2.0 × 35 × 35 × 4000	1.47
3.0 × 35 × 35 × 4000	2.18
1.5 × 38 × 38 × 4000	1.21
2.0 × 40 × 40 × 4000	1.69
3.0 × 40 × 40 × 4000	2.50
4.0 × 40 × 40 × 4000	3.30
5.0 × 40 × 40 × 4000	4.07
1.5 × 45 × 45 × 4000	1.44
1.5 × 50 × 50 × 4000	1.60
2.0 × 50 × 50 × 4000	2.12
3.0 × 50 × 50 × 4000	3.15
4.0 × 50 × 50 × 4000	4.16
5.0 × 50 × 50 × 4000	5.15
2.0 × 55 × 55 × 4000	2.34
2.0 × 60 × 60 × 4000	2.56

※単重は参考値です。

寸法 (mm)	本/kg
5.0 × 60 × 60 × 4000	6.23
2.2 × 70 × 70 × 4000	3.29
5.0 × 75 × 75 × 4000	7.86
2.3 × 80 × 80 × 4000	3.93
1.2 × 15 × 6 × 4000	0.26
1.5 × 15 × 10 × 4000	0.38
1.9 × 15 × 10 × 4000	0.48
2.0 × 15 × 10 × 4000	0.50
1.8 × 18 × 15 × 4000	0.61
1.5 × 20 × 9 × 4000	0.45
1.5 × 20 × 10 × 4000	0.46
1.5 × 20 × 15 × 4000	0.54
1.8 × 20 × 15 × 4000	0.65
2.0 × 20 × 15 × 4000	0.72
1.5 × 25 × 9 × 4000	0.53
1.5 × 25 × 10 × 4000	0.54
1.5 × 25 × 15 × 4000	0.63
1.8 × 25 × 15 × 4000	0.75
2.0 × 25 × 15 × 4000	0.82
2.0 × 25 × 20 × 4000	0.93
1.5 × 30 × 9 × 4000	0.61
1.5 × 30 × 10 × 4000	0.63
1.5 × 30 × 15 × 4000	0.71
2.0 × 30 × 15 × 4000	0.93
3.0 × 30 × 15 × 4000	1.37
2.0 × 30 × 20 × 4000	1.04
3.0 × 30 × 20 × 4000	1.53
3.0 × 30 × 25 × 4000	1.69
2.5 × 35 × 13 × 4000	1.23
2.0 × 35 × 15 × 4000	1.04
1.5 × 40 × 9 × 4000	0.77
1.5 × 40 × 10 × 4000	0.79
2.0 × 40 × 15 × 4000	1.15
2.0 × 40 × 20 × 4000	1.26
3.0 × 40 × 20 × 4000	1.85
1.5 × 45 × 15 × 4000	0.95
2.0 × 50 × 10 × 4000	1.26
2.0 × 50 × 20 × 4000	1.47
3.0 × 50 × 20 × 4000	2.18
2.0 × 50 × 25 × 4000	1.58
3.0 × 50 × 25 × 4000	2.34
4.0 × 50 × 35 × 4000	3.51
1.5 × 63.5 × 19 × 4000	1.32
5.0 × 75 × 50 × 4000	6.50
1.5 × 76.2 × 25 × 4000	1.63
3.0 × 80 × 40 × 4000	3.80