

アルミ丸棒

外径 (mm)	単重 m/kg	A1070		A2014	A2017		A2024	A5052		A5056		A5083	A6061		A6063		A7075
		2m	4m	2m	2m	4m	2m	2m	4m	2m	4m	2m	2m	4m	2m	4m	2m
3	0.02	●						●		●							
4	0.03	●			●			●		●							
5	0.05	●			●		●	●		●							
6	0.08	●			●		●	●		●							
7	0.10	●			●			●		●							
8	0.14	●			●		●	●		●	●		●		●	●	
9	0.17	●			●			●		●					●	●	
10	0.21	●	●		●	●	●	●	●	●	●		●	●	●	●	
11	0.26	●	●		●	●		●	●	●	●						
12	0.31	●	●		●	●	●	●	●	●	●		●		●	●	
13	0.36	●	●		●	●		●	●	●	●				●	●	
14	0.42	●	●		●	●		●	●	●	●		●				
15	0.48	●	●		●	●	●	●	●	●	●		●		●	●	
16	0.54	●	●		●	●		●	●	●	●		●	●	●	●	
17	0.62	●	●		●	●		●	●	●	●						
18	0.69	●	●		●	●		●	●	●	●		●				
19	0.77	●	●		●	●		●	●	●	●		●	●			
20	0.85	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
21	0.94				●	●		●	●	●	●						
22	1.03	●	●		●	●		●	●	●	●					●	
23	1.13				●	●		●		●							
24	1.23				●	●		●		●							
25	1.33	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
26	1.44	●	●	●	●	●		●	●	●	●		●				
27	1.55				●			●		●							
28	1.67	●	●	●	●	●	●	●	●	●	●		●				
29	1.79				●			●		●							
30	1.92	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
31	2.05				●			●		●							
32	2.18		●		●	●		●	●	●	●		●	●	●	●	
33	2.32				●	●		●		●							
34	2.46				●	●		●	●	●	●						
35	2.61	●	●	●	●	●	●	●	●	●	●	●	●	●	●		●
36	2.76	●	●	●	●	●		●	●	●	●						
37	2.91				●			●		●							
38	3.07	●	●		●	●		●	●	●	●		●				
39	3.24		●		●			●		●							
40	3.41	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
41	3.58				●			●		●							
42	3.75	●	●		●	●		●	●	●	●		●	●			
43	3.94				●			●		●							

※単重は、参考値です。

(合金により変動します。) 26

アルミ丸棒

外径 (mm)	単重 m/kg	A1070		A2014	A2017		A2024	A5052		A5056		A5083	A6061		A6063		A7075
		2m	4m	2m	2m	4m	2m	2m	4m	2m	4m	2m	2m	4m	2m	4m	2m
44	4.12				●			●		●							
45	4.31	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
46	4.50				●	●		●		●							
47	4.70				●			●		●							
48	4.90				●	●		●	●	●	●						
49	5.11				●			●		●							
50	5.32	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
51	5.54				●			●		●							
52	5.76				●	●		●		●							
53	5.98				●			●		●							
54	6.21				●			●		●							
55	6.44	●	●	●	●	●	●	●	●	●	●		●	●	●		●
56	6.67				●			●		●							
57	6.92				●			●		●							
58	7.16				●			●		●							
59	7.41				●			●		●							
60	7.66	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
61	7.92				●					●							
62	8.18				●					●			●				
63	8.45				●					●							
64	8.72				●												
65	8.99	●	●	●	●	●	●	●	●	●	●		●	●	●		
68	9.84									●							
70	10.43	●		●	●	●	●	●	●	●		●	●		●		●
72	11.03				●												
75	11.97	●		●	●	●	●	●	●	●			●		●		●
80	13.62	●		●	●	●	●	●	●	●		●	●		●		
81	13.96				●												
85	15.38	●		●	●	●	●	●	●	●		●	●		●		●
90	17.24	●		●	●	●	●	●	●	●			●		●		●
95	19.21	●			●	●		●		●			●		●		●
100	21.28	●		●	●		●	●		●		●	●		●		●
105	23.47				●					●			●				
110	25.75	●		●1m	●		●	●		●			●		●		●
115	28.15				●					●			●				
120	30.65	●		●	●		●	●		●		●	●		●		●
125	33.26				●					●							
130	35.97	●		●1m	●		●	●		●		●	●		●		●
135	38.79				●					●							

※単重は、参考値です。

(合金により変動します。) 27

アルミ丸棒

外径 (mm)	単重 m/kg	A1070		A2014	A2017		A2024	A5052		A5056		A5083	A6061		A6063		A7075
		2m	4m	2m	2m	4m	2m	2m	4m	2m	4m	2m	2m	4m	2m	4m	2m
140	41.72	●		●1m	●		●	●		●		●	●		●		●
145	44.75				●					●							
150	47.89	●		●1m	●		●	●		●		●	●		●		●
155	51.14				●					●							
160	54.49	●		●1m	●		●	●		●		●	●		●		●
165	57.95				●					●							
170	61.51	●			●			●		●			●		●		●
175	65.18				●					●							
180	68.96			●	●		●	●		●		●	●		●		●
185	72.85				●					●							
190	76.84				●			●		●			●		●		●
200	85.14			●	●		●	●		●		●	●		●		●
210	93.86				●					●		●	●		●		●
220	103.02				●					●		●	●				●
230	112.59				●					●		●	●		●		●
240	122.60				●					●		●	●				●
250	133.03				●					●		●	●		●		●
260	143.88				●					●		●	●				●
270	155.16				●					●		●	●				
280	166.87				●					●		●	●				●
290	179.00				●					●		●	●				
300	191.56				●					●		●	●		●		●
310	204.54				●					●		●	●		●		
320	217.95				●					●		●	●		●		
330	231.79				●	●1m				●		●	●				
340	246.05				●					●		●	●				
350	260.73				●	●1m				●		●	●		●		
360	275.85				●	●1m				●					●		
370	291.38					●1m				●							
375	299.31									●							
380	307.35									●							
390	323.73									●							
400	340.55					●1m				●			●				
420	375.46									●							
450	431.01									●							
480	490.39									●							
500	532.11									●							

※単重は、参考値です。
(合金により変動します。)