

アルミ角管 生地  
(A6063-T5 L=4000)

寸 法 (mm)	本/kg
15 × 15 × 1.5 × 4000	0.88
19 × 19 × 1.5 × 4000	1.14
20 × 20 × 2.0 × 4000	1.57
25 × 25 × 2.0 × 4000	2.00
25.4 × 25.4 × 1.6 × 4000	1.66
30 × 30 × 2.0 × 4000	2.43
30 × 30 × 3.0 × 4000	3.52
40 × 40 × 2.0 × 4000	3.30
40 × 40 × 3.0 × 4000	4.82
50 × 50 × 2.0 × 4000	4.17
50 × 50 × 3.0 × 4000	6.12
60 × 60 × 2.0 × 4000	5.03
80 × 80 × 2.0 × 4000	6.77
15 × 25 × 1.5 × 4000	1.21
20 × 30 × 2.0 × 4000	2.00
20 × 40 × 2.0 × 4000	2.43
25 × 50 × 2.0 × 4000	3.08
25 × 60 × 2.0 × 4000	3.52
30 × 40 × 2.0 × 4000	2.87
30 × 60 × 2.0 × 4000	3.73
30 × 70 × 3.0 × 4000	6.12
40 × 60 × 3.0 × 4000	6.12
40 × 80 × 2.5 × 4000	6.24
50 × 100 × 2.5 × 4000	7.86

※単重は参考値です。

アルミ角管 生地  
(A6063-T5 L=5000)

寸 法 (mm)	本/kg
10 × 10 × 1.0 × 5000	0.49
9 × 9 × 1.2 × 5000	0.51
12 × 12 × 1.2 × 5000	0.71
15 × 15 × 1.2 × 5000	0.90
15 × 15 × 1.5 × 5000	1.10
19 × 19 × 1.5 × 5000	1.43
19 × 19 × 2.4 × 5000	2.16
20 × 20 × 1.5 × 5000	1.51
20 × 20 × 2.0 × 5000	1.96
20 × 20 × 2.5 × 5000	2.38
25 × 25 × 1.5 × 5000	1.92
25 × 25 × 2.0 × 5000	2.50
25 × 25 × 2.5 × 5000	3.05
25.4 × 25.4 × 1.6 × 5000	2.07
30 × 30 × 1.5 × 5000	2.32
30 × 30 × 2.0 × 5000	3.04
30 × 30 × 3.0 × 5000	4.40
40 × 40 × 2.0 × 5000	4.12
40 × 40 × 2.5 × 5000	5.09
40 × 40 × 3.0 × 5000	6.02
50 × 50 × 2.0 × 5000	5.21
50 × 50 × 2.5 × 5000	6.44
50 × 50 × 3.0 × 5000	7.65
60 × 60 × 2.0 × 5000	6.29
60 × 60 × 2.5 × 5000	7.80
70 × 70 × 2.0 × 5000	7.38
70 × 70 × 2.5 × 5000	9.15
75 × 75 × 2.5 × 5000	9.83
80 × 80 × 2.0 × 5000	8.46
80 × 80 × 2.5 × 5000	10.51
100 × 100 × 2.5 × 5000	13.22
100 × 100 × 3.0 × 5000	15.78

寸 法 (mm)	本/kg
10 × 15 × 1.2 × 5000	0.74
10 × 20 × 1.2 × 5000	0.90
12 × 25 × 1.2 × 5000	1.13
15 × 20 × 1.5 × 5000	1.31
15 × 25 × 1.5 × 5000	1.51
15 × 30 × 1.5 × 5000	1.71
20 × 30 × 1.5 × 5000	1.92
20 × 40 × 1.5 × 5000	2.32
25 × 50 × 1.5 × 5000	2.93
30 × 60 × 1.5 × 5000	3.54
15 × 25 × 2.0 × 5000	1.96
15 × 30 × 2.0 × 5000	2.23
20 × 30 × 2.0 × 5000	2.50
20 × 30 × 2.5 × 5000	3.05
20 × 40 × 2.0 × 5000	3.04
20 × 40 × 2.5 × 5000	3.73
22 × 30 × 2.5 × 5000	3.19
20 × 40 × 3.0 × 5000	4.40
25 × 30 × 3.0 × 5000	3.99
25 × 40 × 2.0 × 5000	3.31
25 × 40 × 3.0 × 5000	4.80
25 × 50 × 2.0 × 5000	3.85
25 × 60 × 2.0 × 5000	4.40
30 × 40 × 1.5 × 5000	2.73
30 × 40 × 2.0 × 5000	3.58
30 × 40 × 3.0 × 5000	5.21
30 × 50 × 2.0 × 5000	4.12
30 × 60 × 2.0 × 5000	4.67
30 × 60 × 2.5 × 5000	5.76
30 × 65 × 2.0 × 5000	4.94
30 × 70 × 2.0 × 5000	5.21
30 × 70 × 3.0 × 5000	7.65
30 × 100 × 2.0 × 5000	6.83
30 × 100 × 2.5 × 5000	8.47
35 × 70 × 2.0 × 5000	5.48

※単重は参考値です。

**アルミ角管 生地**  
(A6063-T5 L=5000)

寸 法 (mm)	本/kg
40 × 60 × 2.0 × 5000	5.21
40 × 60 × 2.5 × 5000	6.44
40 × 60 × 3.0 × 5000	7.65
40 × 60 × 4.0 × 5000	9.98
40 × 70 × 3.0 × 5000	8.46
40 × 80 × 2.0 × 5000	6.29
40 × 80 × 2.5 × 5000	7.80
40 × 80 × 3.0 × 5000	9.27
40 × 110 × 2.0 × 5000	7.92
50 × 70 × 2.0 × 5000	6.29
50 × 100 × 2.0 × 5000	7.92
50 × 100 × 2.5 × 5000	9.83
50 × 100 × 3.0 × 5000	11.71
50 × 150 × 2.5 × 5000	13.22
50 × 150 × 3.0 × 5000	15.78
60 × 120 × 2.5 × 5000	11.86
60 × 120 × 2.8 × 5000	13.24
80 × 100 × 2.7 × 5000	12.78

※単重は参考値です。

アルミ角管 シルバーアルマイト付き  
(A6063-T5 L=4000)

寸法 (mm)	本/kg
10 × 10 × 1.0 × 4000	0.40
12 × 12 × 1.2 × 4000	0.57
15 × 15 × 1.5 × 4000	0.88
19 × 19 × 1.5 × 4000	1.14
20 × 20 × 1.5 × 4000	1.21
20 × 20 × 2.0 × 4000	1.57
25 × 25 × 1.5 × 4000	1.53
25 × 25 × 2.0 × 4000	2.00
30 × 30 × 1.5 × 4000	1.86
30 × 30 × 2.0 × 4000	2.43
35 × 35 × 2.0 × 4000	2.87
40 × 40 × 2.0 × 4000	3.30
50 × 50 × 2.0 × 4000	4.17
50 × 50 × 3.0 × 4000	6.12
60 × 60 × 2.0 × 4000	5.03
70 × 70 × 2.0 × 4000	5.90
70 × 70 × 2.5 × 4000	7.32
75 × 75 × 2.0 × 4000	6.34
75 × 75 × 2.5 × 4000	7.86
80 × 80 × 2.5 × 4000	8.41
10 × 15 × 1.2 × 4000	0.59
10 × 15 × 1.5 × 4000	0.72
12 × 18 × 1.2 × 4000	0.72
10 × 20 × 1.5 × 4000	0.88
15 × 20 × 1.5 × 4000	1.05
15 × 20 × 2.0 × 4000	1.35
15 × 25 × 1.5 × 4000	1.21
20 × 25 × 2.0 × 4000	1.78
10 × 30 × 1.5 × 4000	1.21
15 × 30 × 1.5 × 4000	1.37
20 × 30 × 2.0 × 4000	2.00
25 × 30 × 1.3 × 4000	1.48
10 × 40 × 2.0 × 4000	2.00
20 × 40 × 2.0 × 4000	2.43
25 × 40 × 2.0 × 4000	2.65
30 × 40 × 2.0 × 4000	2.87
25 × 50 × 2.0 × 4000	3.08
30 × 50 × 2.0 × 4000	3.30
25 × 60 × 2.0 × 4000	3.52
30 × 60 × 2.0 × 4000	3.73
40 × 60 × 2.0 × 4000	4.17
30 × 70 × 2.0 × 4000	4.17
50 × 70 × 2.0 × 4000	5.03
40 × 80 × 2.0 × 4000	5.03
40 × 80 × 2.5 × 4000	6.24
30 × 100 × 2.5 × 4000	6.78
50 × 100 × 2.5 × 4000	7.86

アルミ角管 シルバーアルマイト付き  
(A6063-T5 L=5000)

寸法 (mm)	本/kg
10 × 10 × 1.0 × 5000	0.49
12 × 12 × 1.2 × 5000	0.71
15 × 15 × 1.5 × 5000	1.10
20 × 20 × 1.5 × 5000	1.51
20 × 20 × 2.0 × 5000	1.96
25 × 25 × 1.5 × 5000	1.92
25 × 25 × 2.0 × 5000	2.50
30 × 30 × 1.5 × 5000	2.32
30 × 30 × 2.0 × 5000	3.04
35 × 35 × 2.0 × 5000	3.58
40 × 40 × 2.0 × 5000	4.12
50 × 50 × 2.0 × 5000	5.21
60 × 60 × 2.0 × 5000	6.29
70 × 70 × 2.0 × 5000	7.38
75 × 75 × 2.0 × 5000	7.92
100 × 100 × 3.0 × 5000	15.78
15 × 20 × 1.5 × 5000	1.31
15 × 20 × 2.0 × 5000	1.69
15 × 25 × 1.5 × 5000	1.51
20 × 25 × 2.0 × 5000	2.23
10 × 30 × 1.5 × 5000	1.51
15 × 30 × 1.5 × 5000	1.71
20 × 30 × 1.5 × 5000	1.92
20 × 30 × 2.0 × 5000	2.50
20 × 30 × 2.5 × 5000	3.05
10 × 40 × 2.0 × 5000	2.50
20 × 40 × 2.0 × 5000	3.04
25 × 40 × 2.0 × 5000	3.31
30 × 40 × 2.0 × 5000	3.58
25 × 50 × 2.0 × 5000	3.85
30 × 50 × 2.0 × 5000	4.12
25 × 60 × 2.0 × 5000	4.40
30 × 60 × 2.0 × 5000	4.67
40 × 60 × 2.0 × 5000	5.21
30 × 70 × 2.0 × 5000	5.21
50 × 70 × 2.0 × 5000	6.29
40 × 80 × 2.0 × 5000	6.29
40 × 80 × 2.5 × 5000	7.80
30 × 100 × 2.0 × 5000	6.83
30 × 100 × 2.5 × 5000	8.47
50 × 100 × 2.0 × 5000	7.92
50 × 100 × 2.5 × 5000	9.83
50 × 100 × 3.0 × 5000	11.71

※単重は参考値です。