

銅板 小板定尺
(365×1200 mm)

板厚(mm)	枚/kg
0.1	0.39
0.15	0.59
0.2	0.79
0.25	0.99
0.3	1.18
0.35	1.38
0.4	1.58
0.5	1.97
0.6	2.37
0.7	2.76
0.8	3.15
1.0	3.94
1.2	4.73
1.4	5.52
1.5	5.91
1.6	6.31
1.8	7.10
2.0	7.88
2.3	9.07
2.5	9.86
2.6	10.25
3.0	11.83
3.2	12.61
3.5	13.80

銅板 大板定尺
(1000×2000 mm)

板厚(mm)	枚/kg
4.0	15.77
4.5	17.74
5.0	19.71
6.0	23.65
8.0	31.54
10.0	39.42
12.0	47.30
15.0	59.13
16.0	63.07
20.0	78.84
25.0	98.55
30.0	118.26
35.0	137.97
40.0	157.68
45.0	177.39
50.0	197.10
60.0	236.52
80.0	315.36
100.0	394.20

板厚(mm)	枚/kg
0.6	10.80
0.8	14.40
1.0	18.00
1.2	21.60
1.5	27.00
1.6	28.80
2.0	36.00
2.3	41.40
2.5	45.00
3.0	54.00
3.2	57.60
4.0	72.00
5.0	90.00
6.0	108.00
8.0	144.00
10.0	180.00
12.0	216.00
15.0	270.00
20.0	360.00
25.0	450.00
20.0	360.00
25.0	450.00

※厚み0.35 は 365 x 1212 (mm)

※単重は参考値です。

銅丸棒

銅四角棒

寸法 (mm)	本/kg
3 × 2000	0.13
4 × 2000	0.23
4.5 × 2000	0.29
5 × 2000	0.35
6 × 2000	0.51
7 × 2000	0.69
8 × 2000	0.9
9 × 2000	1.15
10 × 2000	1.41
5 × 4000	0.71
6 × 4000	1.02
7 × 4000	1.39
8 × 4000	1.81
9 × 4000	2.29
10 × 4000	2.83
11 × 4000	3.42
12 × 4000	4.07
13 × 4000	4.78
14 × 4000	5.54
15 × 4000	6.36
16 × 4000	7.24
17 × 4000	8.17
18 × 4000	9.16
19 × 4000	10.21
20 × 4000	11.31
21 × 4000	12.47
22 × 4000	13.68
23 × 4000	14.96
24 × 4000	16.29
25 × 4000	17.67
26 × 4000	19.11
28 × 4000	22.17
29 × 4000	23.78

※単重は参考値です。

寸法 (mm)	本/kg
30 × 4000	25.45
32 × 4000	28.95
33 × 4000	30.79
34 × 4000	32.69
35 × 4000	34.64
36 × 4000	36.64
38 × 4000	40.83
40 × 4000	45.24
42 × 4000	49.88
45 × 4000	57.26
48 × 4000	65.14
50 × 4000	70.69
52 × 4000	76.45
55 × 4000	85.53
60 × 4000	101.79
65 × 4000	119.46
70 × 4000	138.54
75 × 4000	159.04
80 × 4000	180.96
85 × 4000	204.28
乱尺	m/kg
90 × 乱尺	57.26
95 × 乱尺	63.79
100 × 乱尺	70.69
110 × 乱尺	85.53
120 × 乱尺	101.79
130 × 乱尺	119.46
150 × 乱尺	159.04
160 × 乱尺	180.96
170 × 乱尺	204.28
180 × 乱尺	229.02
200 × 乱尺	282.74
210 × 乱尺	311.73
220 × 乱尺	342.12
230 × 乱尺	373.93
240 × 乱尺	407.15
250 × 乱尺	441.79
260 × 乱尺	477.84
280 × 乱尺	554.18
290 × 乱尺	594.47
300 × 乱尺	636.17
320 × 乱尺	723.82
350 × 乱尺	865.9

寸法 (mm)	本/kg
8 × 8 × 4000	2.30
10 × 10 × 4000	3.60
12 × 12 × 4000	5.18
15 × 15 × 4000	8.10
16 × 16 × 4000	9.22
18 × 18 × 4000	11.66
20 × 20 × 4000	14.40
25 × 25 × 4000	22.50
30 × 30 × 4000	32.40
35 × 35 × 4000	44.10
40 × 40 × 4000	57.60
45 × 45 × 4000	72.90
50 × 50 × 4000	90.00
55 × 55 × 4000	108.90
60 × 60 × 4000	129.60
70 × 70 × 4000	176.40
70 × 80 × 3500	176.40
100 × ### × 2000	180.00

銅帯

寸 法 (mm)	本/kg
2.0 × 10 × 5000	0.90
2.0 × 12 × 5000	1.08
2.0 × 15 × 5000	1.35
2.0 × 20 × 5000	1.80
2.0 × 25 × 5000	2.25
2.0 × 30 × 5000	2.70
3.0 × 10 × 5000	1.35
3.0 × 12 × 5000	1.62
3.0 × 14 × 5000	1.89
3.0 × 15 × 5000	2.03
3.0 × 16 × 5000	2.16
3.0 × 18 × 5000	2.43
3.0 × 20 × 5000	2.70
3.0 × 25 × 5000	3.38
3.0 × 30 × 5000	4.05
3.0 × 32 × 5000	4.32
3.0 × 35 × 5000	4.73
3.0 × 38 × 5000	5.13
3.0 × 40 × 5000	5.40
3.0 × 50 × 5000	6.75
3.0 × 75 × 5000	10.13
3.0 × 100 × 5000	13.50
4.0 × 10 × 5000	1.80
4.0 × 12 × 5000	2.16
4.0 × 15 × 5000	2.70
4.0 × 18 × 5000	3.24
4.0 × 20 × 5000	3.60
4.0 × 25 × 5000	4.50
4.0 × 30 × 5000	5.40
4.0 × 35 × 5000	6.30
4.0 × 40 × 5000	7.20
4.0 × 50 × 5000	9.00
4.0 × 60 × 5000	10.80
5.0 × 10 × 5000	2.25
5.0 × 12 × 5000	2.70
5.0 × 15 × 5000	3.38
5.0 × 16 × 5000	3.60
5.0 × 18 × 5000	4.05
5.0 × 20 × 5000	4.50

寸 法 (mm)	本/kg
5.0 × 22 × 5000	4.95
5.0 × 25 × 5000	5.63
5.0 × 30 × 5000	6.75
5.0 × 32 × 5000	7.20
5.0 × 35 × 5000	7.88
5.0 × 38 × 5000	8.55
5.0 × 40 × 5000	9.00
5.0 × 45 × 5000	10.13
5.0 × 50 × 5000	11.25
5.0 × 60 × 5000	13.50
5.0 × 75 × 5000	16.88
5.0 × 100 × 5000	22.50
5.0 × 125 × 5000	28.13
6.0 × 10 × 5000	2.70
6.0 × 12 × 5000	3.24
6.0 × 15 × 5000	4.05
6.0 × 18 × 5000	4.86
6.0 × 19 × 5000	5.13
6.0 × 20 × 5000	5.40
6.0 × 25 × 5000	6.75
6.0 × 30 × 5000	8.10
6.0 × 32 × 5000	8.64
6.0 × 35 × 5000	9.45
6.0 × 38 × 5000	10.26
6.0 × 40 × 5000	10.80
6.0 × 45 × 5000	12.15
6.0 × 50 × 5000	13.50
6.0 × 60 × 5000	16.20
6.0 × 65 × 5000	17.55
6.0 × 75 × 5000	20.25
6.0 × 80 × 5000	21.60
6.0 × 100 × 5000	27.00
6.0 × 125 × 5000	33.75
6.0 × 150 × 5000	40.50
6.0 × 200 × 5000	54.00
8.0 × 15 × 5000	5.40
8.0 × 20 × 5000	7.20
8.0 × 25 × 5000	9.00
8.0 × 28 × 5000	10.08

※単重は参考値です。

銅帯

寸 法 (mm)	本/kg
8.0 × 30 × 5000	10.80
8.0 × 35 × 5000	12.60
8.0 × 40 × 5000	14.40
8.0 × 45 × 5000	16.20
8.0 × 50 × 5000	18.00
8.0 × 60 × 5000	21.60
8.0 × 65 × 5000	23.40
8.0 × 70 × 5000	25.20
8.0 × 75 × 5000	27.00
8.0 × 80 × 5000	28.80
8.0 × 100 × 5000	36.00
8.0 × 125 × 5000	45.00
8.0 × 150 × 5000	54.00
8.0 × 200 × 5000	72.00
9.0 × 50 × 5000	20.25
10 × 15 × 5000	6.75
10 × 20 × 5000	9.00
10 × 25 × 5000	11.25
10 × 30 × 5000	13.50
10 × 35 × 5000	15.75
10 × 40 × 5000	18.00
10 × 50 × 5000	22.50
10 × 60 × 5000	27.00
10 × 65 × 5000	29.25
10 × 75 × 5000	33.75
10 × 80 × 5000	36.00
10 × 100 × 5000	45.00
10 × 125 × 5000	56.25
10 × 150 × 5000	67.50
10 × 200 × 5000	90.00
12 × 20 × 5000	10.80
12 × 25 × 5000	13.50
12 × 30 × 5000	16.20
12 × 40 × 5000	21.60
12 × 50 × 5000	27.00
12 × 60 × 5000	32.40
12 × 75 × 5000	40.50
12 × 100 × 5000	54.00
12 × 125 × 5000	67.50

寸 法 (mm)	本/kg
12 × 150 × 5000	81.00
12 × 200 × 5000	108.00
15 × 20 × 5000	13.50
15 × 25 × 5000	16.88
15 × 30 × 5000	20.25
15 × 40 × 5000	27.00
15 × 45 × 5000	30.38
15 × 50 × 5000	33.75
15 × 60 × 5000	40.50
15 × 75 × 5000	50.63
15 × 100 × 5000	67.50
15 × 125 × 5000	84.38
15 × 150 × 5000	101.25
20 × 25 × 5000	22.50
20 × 30 × 5000	27.00
20 × 38 × 5000	34.20
20 × 40 × 5000	36.00
20 × 50 × 5000	45.00
20 × 60 × 5000	54.00
20 × 75 × 5000	67.50
20 × 100 × 5000	90.00
20 × 125 × 5000	112.50
20 × 150 × 5000	135.00
20 × 200 × 5000	180.00
25 × 30 × 5000	33.75
25 × 40 × 5000	45.00
25 × 50 × 5000	56.25
25 × 75 × 5000	84.38
25 × 80 × 5000	90.00
25 × 100 × 5000	112.50
30 × 50 × 5000	67.50
30 × 100 × 5000	135.00

銅 丸 管

寸 法 (mm)				本/kg	寸 法 (mm)				本/kg	寸 法 (mm)				本/kg			
外径	肉厚	長さ			外径	肉厚	長さ			外径	肉厚	長さ					
1.6	×	0.3	×	2000	0.02	9.53	×	0.6	×	5000	0.76	15.0	×	1.0	×	5000	1.98
2.0	×	0.35	×	2000	0.03	9.53	×	0.8	×	5000	0.99	15.0	×	1.2	×	5000	2.34
2.5	×	0.4	×	2000	0.05	9.53	×	1.0	×	5000	1.21	15.0	×	1.5	×	5000	2.86
3.0	×	0.5	×	2500	0.09	9.53	×	1.2	×	5000	1.41	15.0	×	2.0	×	5000	3.68
3.0	×	0.8	×	5000	0.25	9.53	×	1.5	×	5000	1.70	15.0	×	3.0	×	5000	5.09
3.2	×	0.5	×	2500	0.10	9.53	×	2.0	×	5000	2.13	15.88	×	0.6	×	5000	1.30
3.5	×	0.5	×	2500	0.11	10.0	×	0.5	×	5000	0.67	15.88	×	0.7	×	5000	1.50
4.0	×	0.5	×	4000	0.20	10.0	×	0.8	×	5000	1.04	15.88	×	0.8	×	5000	1.71
4.0	×	0.8	×	5000	0.36	10.0	×	1.0	×	5000	1.27	15.88	×	1.0	×	5000	2.10
4.0	×	1.0	×	5000	0.42	10.0	×	1.2	×	5000	1.49	15.88	×	1.2	×	5000	2.49
4.5	×	0.5	×	5000	0.28	10.0	×	1.5	×	5000	1.80	15.88	×	1.5	×	5000	3.05
4.76	×	0.8	×	5000	0.45	10.0	×	1.6	×	5000	1.90	15.88	×	2.0	×	5000	3.92
5.0	×	0.5	×	5000	0.32	10.0	×	2.0	×	5000	2.26	15.88	×	3.0	×	5000	5.46
5.0	×	0.8	×	5000	0.48	11.0	×	1.0	×	5000	1.41	16.0	×	1.0	×	5000	2.12
5.0	×	1.0	×	5000	0.57	12.0	×	0.8	×	5000	1.27	16.0	×	1.2	×	5000	2.51
6.0	×	0.5	×	5000	0.39	12.0	×	1.0	×	5000	1.56	16.0	×	1.5	×	5000	3.07
6.0	×	0.8	×	5000	0.59	12.0	×	1.2	×	5000	1.83	16.0	×	2.0	×	5000	3.96
6.0	×	1.0	×	5000	0.71	12.0	×	1.5	×	5000	2.23	16.0	×	4.0	×	5000	6.79
6.0	×	1.2	×	5000	0.81	12.0	×	1.6	×	5000	2.35	17.0	×	2.0	×	5000	4.24
6.0	×	1.5	×	5000	0.95	12.0	×	2.0	×	5000	2.83	18.0	×	1.0	×	5000	2.40
6.0	×	2.0	×	5000	1.13	12.0	×	3.0	×	5000	3.82	18.0	×	1.2	×	5000	2.85
6.35	×	0.8	×	5000	0.63	12.7	×	0.6	×	5000	1.03	18.0	×	1.5	×	5000	3.50
6.35	×	1.0	×	5000	0.76	12.7	×	0.8	×	5000	1.35	18.0	×	2.0	×	5000	4.52
7.0	×	1.0	×	5000	0.85	12.7	×	1.0	×	5000	1.65	18.0	×	3.0	×	5000	6.36
7.0	×	1.5	×	5000	1.17	12.7	×	1.2	×	5000	1.95	19.0	×	1.5	×	5000	3.71
8.0	×	0.5	×	5000	0.53	12.7	×	1.5	×	5000	2.38	19.0	×	2.0	×	5000	4.81
8.0	×	0.8	×	5000	0.81	12.7	×	2.0	×	5000	3.03	19.0	×	3.0	×	5000	6.79
8.0	×	1.0	×	5000	0.99	12.7	×	3.0	×	5000	4.11	19.0	×	4.0	×	5000	8.48
8.0	×	1.2	×	5000	1.15	13.0	×	2.0	×	5000	3.11	19.0	×	5.0	×	5000	9.90
8.0	×	1.5	×	5000	1.38	14.0	×	1.0	×	5000	1.84	19.05	×	0.8	×	5000	2.06
8.0	×	2.0	×	5000	1.70	14.0	×	1.5	×	5000	2.65	19.05	×	1.0	×	5000	2.55
9.0	×	1.0	×	5000	1.13	14.0	×	2.0	×	5000	3.39	19.05	×	1.2	×	5000	3.03
9.0	×	1.5	×	5000	1.59	14.0	×	3.0	×	5000	4.67	20.0	×	1.0	×	5000	2.69

※単重は参考値です。

銅 丸 管

寸 法 (mm)				寸 法 (mm)				寸 法 (mm)			
外径	肉厚	長さ	本/kg	外径	肉厚	長さ	本/kg	外径	肉厚	長さ	本/kg
20.0	× 1.2	× 5000	3.19	28.0	× 2.0	× 5000	7.35	40.0	× 2.0	× 5000	10.74
20.0	× 1.5	× 5000	3.92	28.0	× 3.0	× 5000	10.60	40.0	× 3.0	× 5000	15.69
20.0	× 2.0	× 5000	5.09	28.58	× 1.0	× 5000	3.90	40.0	× 4.0	× 5000	20.36
20.0	× 2.5	× 5000	6.19	28.58	× 1.2	× 5000	4.64	40.0	× 5.0	× 5000	24.74
20.0	× 3.0	× 5000	7.21	28.58	× 1.5	× 5000	5.74	41.28	× 1.2	× 5000	6.80
20.0	× 4.0	× 5000	9.05	28.58	× 2.0	× 5000	7.52	41.28	× 1.5	× 5000	8.44
20.0	× 5.0	× 5000	10.60	28.58	× 3.0	× 5000	10.85	41.28	× 2.0	× 5000	11.11
22.0	× 1.0	× 5000	2.97	30.0	× 1.0	× 5000	4.10	44.5	× 1.5	× 5000	9.12
22.0	× 1.5	× 5000	4.35	30.0	× 1.5	× 5000	6.04	44.5	× 2.0	× 5000	12.02
22.0	× 2.0	× 5000	5.65	30.0	× 2.0	× 5000	7.92	45.0	× 5.0	× 5000	28.27
22.0	× 3.0	× 5000	8.06	30.0	× 3.0	× 5000	11.45	48.6	× 3.0	× 5000	19.34
22.0	× 4.0	× 5000	10.18	30.0	× 4.0	× 5000	14.70	50.0	× 1.5	× 5000	10.28
22.0	× 5.0	× 5000	12.02	30.0	× 5.0	× 5000	17.67	50.0	× 2.0	× 5000	13.57
22.22	× 0.8	× 5000	2.42	31.75	× 1.0	× 5000	4.35	50.0	× 3.0	× 5000	19.93
22.22	× 1.0	× 5000	3.00	31.75	× 1.2	× 5000	5.18	50.0	× 4.0	× 5000	26.01
22.22	× 1.2	× 5000	3.57	31.75	× 1.5	× 5000	6.41	50.0	× 5.0	× 5000	31.81
22.22	× 1.5	× 5000	4.39	31.75	× 2.0	× 5000	8.41	50.8	× 1.2	× 5000	8.41
24.0	× 2.0	× 5000	6.22	31.75	× 3.0	× 5000	12.19	50.8	× 1.5	× 5000	10.45
25.0	× 1.0	× 5000	3.39	31.75	× 5.0	× 5000	18.91	50.8	× 2.0	× 5000	13.80
25.0	× 1.2	× 5000	4.04	32.0	× 2.0	× 5000	8.48	50.8	× 5.0	× 5000	32.37
25.0	× 1.5	× 5000	4.98	34.0	× 2.0	× 5000	9.05	55.0	× 2.0	× 5000	14.99
25.0	× 2.0	× 5000	6.50	34.0	× 3.0	× 5000	13.15	55.0	× 3.0	× 5000	22.05
25.0	× 3.0	× 5000	9.33	35.0	× 1.5	× 5000	7.10	55.0	× 5.0	× 5000	35.34
25.0	× 4.0	× 5000	11.88	35.0	× 2.0	× 5000	9.33	57.1	× 3.0	× 5000	22.94
25.0	× 5.0	× 5000	14.14	35.0	× 3.0	× 5000	13.57	60.0	× 1.5	× 5000	12.41
25.4	× 1.0	× 5000	3.45	35.0	× 5.0	× 5000	21.21	60.0	× 2.0	× 5000	16.40
25.4	× 1.2	× 5000	4.11	38.0	× 1.5	× 5000	7.74	60.0	× 3.0	× 5000	24.17
25.4	× 1.5	× 5000	5.07	38.0	× 2.0	× 5000	10.18	60.0	× 5.0	× 5000	38.88
25.4	× 2.0	× 5000	6.62	38.0	× 3.0	× 5000	14.84	63.5	× 3.0	× 5000	25.66
25.4	× 3.0	× 5000	9.50	38.0	× 5.0	× 5000	23.33	70.0	× 2.0	× 5000	19.23
27.0	× 3.0	× 5000	10.18	38.1	× 1.0	× 5000	5.24	70.0	× 3.0	× 5000	28.42
28.0	× 1.0	× 5000	3.82	38.1	× 1.2	× 5000	6.26	70.0	× 5.0	× 5000	45.95
28.0	× 1.5	× 5000	5.62	40.0	× 1.5	× 5000	8.16	76.2	× 1.5	× 5000	15.84

※単重は参考値です。

銅丸管

寸法 (mm)			本/kg
外径	肉厚	長さ	
76.2	× 2.0	× 5000	20.98
76.2	× 3.0	× 5000	31.05
76.2	× 5.0	× 5000	50.33
80.0	× 3.0	× 5000	32.66
80.0	× 5.0	× 5000	53.01
82.5	× 5.0	× 5000	54.78
88.9	× 2.0	× 5000	24.57
88.9	× 3.0	× 5000	36.43
88.9	× 5.0	× 5000	59.31
100.0	× 5.0	× 5000	67.15
101.6	× 2.0	× 5000	28.16
101.6	× 3.0	× 5000	41.82
101.6	× 5.0	× 5000	68.28
110.0	× 3.0	× 5000	45.38
110.0	× 5.0	× 5000	74.22
114.3	× 3.0	× 5000	47.20
114.3	× 5.0	× 5000	77.26
120.0	× 3.0	× 5000	49.62
120.0	× 5.0	× 5000	81.29
130.0	× 5.0	× 5000	88.36
140.0	× 3.0	× 5000	58.10
140.0	× 5.0	× 5000	95.43
150.0	× 3.0	× 5000	62.35
150.0	× 5.0	× 5000	102.49

※単重は参考値です。

アニール銅管(なまし銅管)

寸法 (mm)				寸法 (mm)				寸法 (mm)			
外径	肉厚	長さ	巻/kg	外径	肉厚	長さ	巻/kg	外径	肉厚	長さ	巻/kg
3.0	× 0.5	× 10 m	0.35	8.0	× 0.8	× 10 m	1.63	12.0	× 1.2	× 10 m	3.66
3.0	× 0.5	× 20 m	0.71	8.0	× 0.8	× 20 m	3.26	12.0	× 1.2	× 20 m	7.33
3.0	× 0.5	× 40 m	1.41	8.0	× 1.0	× 10 m	1.98	12.0	× 1.5	× 10 m	4.45
3.0	× 0.5	× 100 m	3.53	8.0	× 1.0	× 20 m	3.96	12.0	× 1.5	× 20 m	8.91
3.2	× 0.5	× 10 m	0.38	8.0	× 1.0	× 50 m	9.90	12.7	× 0.8	× 10 m	2.69
3.2	× 0.5	× 20 m	0.76	8.0	× 1.0	× 100 m	19.79	12.7	× 0.8	× 20 m	5.38
3.2	× 0.5	× 40 m	1.53	8.0	× 1.2	× 10 m	2.31	12.7	× 1.0	× 10 m	3.31
4.0	× 0.5	× 10 m	0.49	8.0	× 1.2	× 20 m	4.61	12.7	× 1.0	× 20 m	6.62
4.0	× 0.5	× 20 m	0.99	8.0	× 1.5	× 10 m	2.76	12.7	× 1.0	× 50 m	16.54
4.0	× 0.8	× 10 m	0.72	8.0	× 1.5	× 20 m	5.51	12.7	× 1.5	× 10 m	4.75
4.0	× 0.8	× 20 m	1.45	8.0	× 2.0	× 10 m	3.39	12.7	× 1.5	× 20 m	9.50
4.0	× 1.0	× 10 m	0.85	8.0	× 2.0	× 20 m	6.79	14.0	× 1.0	× 10 m	3.68
4.0	× 1.0	× 20 m	1.70	9.53	× 0.8	× 10 m	1.97	14.0	× 1.0	× 20 m	7.35
4.76	× 0.8	× 10 m	0.90	9.53	× 0.8	× 20 m	3.95	15.0	× 1.0	× 10 m	3.96
4.76	× 0.8	× 20 m	1.79	9.53	× 0.8	× 50 m	9.87	15.0	× 1.0	× 20 m	7.92
5.0	× 0.8	× 10 m	0.95	9.53	× 1.0	× 10 m	2.41	15.0	× 1.5	× 10 m	5.73
5.0	× 0.8	× 20 m	1.90	9.53	× 1.0	× 20 m	4.82	15.0	× 1.5	× 20 m	11.45
5.0	× 1.0	× 10 m	1.13	9.53	× 1.0	× 50 m	12.06	15.88	× 0.8	× 10 m	3.41
5.0	× 1.0	× 20 m	2.26	9.53	× 1.2	× 10 m	2.83	15.88	× 0.8	× 20 m	6.82
6.0	× 0.6	× 10 m	0.92	9.53	× 1.2	× 20 m	5.65	15.88	× 1.0	× 10 m	4.21
6.0	× 0.8	× 10 m	1.18	10.0	× 0.8	× 10 m	2.08	15.88	× 1.0	× 20 m	8.41
6.0	× 0.8	× 20 m	2.35	10.0	× 0.8	× 20 m	4.16	15.88	× 1.0	× 50 m	21.04
6.0	× 1.0	× 10 m	1.41	10.0	× 1.0	× 10 m	2.54	15.88	× 1.5	× 10 m	6.10
6.0	× 1.0	× 20 m	2.83	10.0	× 1.0	× 20 m	5.09	15.88	× 1.5	× 20 m	12.20
6.0	× 1.0	× 50 m	7.07	10.0	× 1.0	× 50 m	12.72	16.0	× 2.0	× 10 m	7.92
6.0	× 1.0	× 100 m	14.14	10.0	× 1.2	× 10 m	2.99	16.0	× 2.0	× 20 m	15.83
6.0	× 1.2	× 10 m	1.63	10.0	× 1.2	× 20 m	5.97	19.05	× 0.8	× 10 m	4.13
6.0	× 1.2	× 20 m	3.26	10.0	× 1.5	× 10 m	3.60	19.05	× 0.8	× 20 m	8.26
6.0	× 1.5	× 10 m	1.91	10.0	× 1.5	× 20 m	7.21	19.05	× 1.0	× 10 m	5.10
6.0	× 1.5	× 20 m	3.82	10.0	× 2.0	× 10 m	4.52	19.05	× 1.0	× 20 m	10.21
6.35	× 0.8	× 10 m	1.26	10.0	× 2.0	× 20 m	9.05				
6.35	× 0.8	× 20 m	2.51	12.0	× 0.8	× 10 m	2.53				
6.35	× 1.0	× 10 m	1.51	12.0	× 0.8	× 20 m	5.07				
6.35	× 1.0	× 20 m	3.03	12.0	× 1.0	× 10 m	3.11				
6.35	× 1.0	× 50 m	7.56	12.0	× 1.0	× 20 m	6.22				

※単重は参考値です。

黄銅板 小板定尺
(365×1200 mm)

板厚(mm)	枚/kg
0.1	0.37
0.15	0.56
0.2	0.74
0.25	0.93
0.3	1.12
0.4	1.49
0.5	1.86
0.6	2.23
0.7	2.61
0.8	2.98
1.0	3.72
1.2	4.47
1.4	5.21
1.5	5.58
1.6	5.96
1.8	6.70
2.0	7.45
2.3	8.56
2.5	9.31
2.6	9.68
3.0	11.17
3.2	11.91
3.5	13.03

板厚(mm)	枚/kg
4.0	14.89
4.5	16.75
5.0	18.62
6.0	22.34
8.0	29.78
10.0	37.23
12.0	44.68
15.0	55.85
20.0	74.46
25.0	93.08
30.0	111.69
35.0	130.31
40.0	148.92
50.0	186.15

黄銅板 大板定尺
(1000×2000 mm)

板厚(mm)	枚/kg
0.5	8.50
0.6	10.20
0.8	13.60
1.0	17.00
1.2	20.40
1.5	25.50
1.6	27.20
2.0	34.00
2.5	42.50
3.0	51.00
3.2	54.40
4.0	68.00
5.0	85.00
6.0	102.00
8.0	136.00
10.0	170.00
12.0	204.00
15.0	255.00
20.0	340.00

※単重は参考値です。

黄銅丸棒

径(mm)	m/kg	2m	2.5m	4m	径(mm)	m/kg	4m	径(mm)	m/kg	2m	2.5m	3m	4m	径(mm)	m/kg	
2.0	0.03	○			31	6.42	○	70	32.71				○	100	66.76	乱尺
2.5	0.04	○			32	6.84	○	73	35.58				○	105	73.60	乱尺
3.0	0.06	○	○		33	7.27	○	75	37.55			○	○	110	80.78	乱尺
3.5	0.08	○	○		34	7.72	○	80	42.73		○		○	115	88.29	乱尺
4.0	0.11	○	○		35	8.18	○	82	44.89				○	120	96.13	乱尺
5.0	0.17	○	○		36	8.65	○	85	48.23		○		○	125	104.31	乱尺
6.0	0.24	○	○		37	9.14	○	90	54.07	○			○	130	112.82	乱尺
7.0	0.33		○		38	9.64	○	95	60.25	○			○	135	121.67	乱尺
8.0	0.43		○		40	10.68	○							140	130.85	乱尺
9.0	0.54		○		41	11.22	○							145	140.36	乱尺
10	0.67		○	○	42	11.78	○							150	150.21	乱尺
11	0.81		○	○	43	12.34	○							155	160.39	乱尺
12	0.96		○	○	44	12.92	○							160	170.90	乱尺
13	1.13		○	○	45	13.52	○							165	181.75	乱尺
14	1.31		○	○	46	14.13	○							170	192.93	乱尺
15	1.50		○	○	47	14.75	○							180	216.30	乱尺
16	1.71			○	48	15.38	○							190	241.00	乱尺
17	1.93			○	50	16.69	○							200	267.04	乱尺
18	2.16			○	51	17.36	○							210	294.41	乱尺
19	2.41			○	52	18.05	○							220	323.11	乱尺
20	2.67			○	53	18.75	○							230	353.16	乱尺
21	2.94			○	54	19.47	○							240	384.53	乱尺
22	3.23			○	55	20.19	○							250	417.24	乱尺
23	3.53			○	56	20.94	○							260	451.29	乱尺
24	3.85			○	58	22.46	○							270	486.67	乱尺
25	4.17			○	60	24.03	○							280	523.39	乱尺
26	4.51			○	62	25.66	○							290	561.44	乱尺
27	4.87			○	63	26.50	○							300	600.83	乱尺
28	5.23			○	65	28.21	○							320	683.61	乱尺
29	5.61			○	67	29.97	○							350	817.80	乱尺
30	6.01			○	68	30.87	○									

※単重は参考値です。

黄銅六角棒

対辺 (mm)	m/kg	2m	4m	対辺 (mm)	m/kg	4m
4.0	0.12	○		38	10.63	○
5.0	0.18	○		40	11.77	○
5.5	0.22	○		41	12.37	○
6.0	0.26	○		42	12.98	○
7.0	0.36	○		45	14.90	○
8.0	0.47	○		46	15.57	○
10	0.74	○	○	50	18.40	○
12	1.06		○	54	21.46	○
13	1.24		○	55	22.26	○
14	1.44		○	58	24.76	○
15	1.66		○	60	26.49	○
16	1.88		○	65	31.09	○
17	2.13		○	70	36.06	○
18	2.38		○			
19	2.66		○			
20	2.94		○			
21	3.25		○			
22	3.56		○			
23	3.89		○			
24	4.24		○			
25	4.60		○			
26	4.97		○			
27	5.36		○			
28	5.77		○			
29	6.19		○			
30	6.62		○			
32	7.54		○			
34	8.51		○			
35	9.01		○			
36	9.54		○			

黄銅四角棒

寸法(mm)	m/kg	2m	4m	寸法(mm)	m/kg	2m	4m
3 × 3	0.08	○		45 × 45	17.21		○
4 × 4	0.14	○		50 × 50	21.25		○
5 × 5	0.21	○	○	55 × 55	25.71		○
6 × 6	0.31	○	○	60 × 95	48.45		○
7 × 7	0.42	○	○	65 × 100	55.25		○
8 × 8	0.54		○	70 × 70	41.65		○
9 × 9	0.69		○	寸法(mm)	m/kg	3m	3.5m
10 × 10	0.85		○	75 × 75	47.81		○
12 × 12	1.22		○	80 × 80	54.40	○	
13 × 13	1.44		○	85 × 85	61.41	○	
14 × 14	1.67		○	95 × 95	76.71	○	
15 × 15	1.91		○	100 × 100	85.00	○	
16 × 16	2.18		○				
17 × 17	2.46		○				
18 × 18	2.75		○				
19 × 19	3.07		○				
20 × 20	3.40		○				
22 × 22	4.11		○				
23 × 23	4.50		○				
24 × 24	4.90		○				
25 × 25	5.31		○				
26 × 26	5.75		○				
28 × 28	6.66		○				
30 × 30	7.65		○				
32 × 32	8.70		○				
35 × 35	10.41		○				
36 × 36	11.02		○				
38 × 38	12.27		○				
40 × 40	13.60		○				
42 × 42	14.99		○				

※単重は参考値です。

黄銅平角棒

寸 法 (mm)	本/kg	寸 法 (mm)	本/kg	寸 法 (mm)	本/kg
3.0 × 6 × 4000	0.61	4.0 × 30 × 4000	4.08	6.0 × 9 × 4000	1.84
3.0 × 8 × 4000	0.82	4.0 × 32 × 4000	4.35	6.0 × 10 × 4000	2.04
3.0 × 9 × 4000	0.92	4.0 × 35 × 4000	4.76	6.0 × 12 × 4000	2.45
3.0 × 10 × 4000	1.02	4.0 × 40 × 4000	5.44	6.0 × 13 × 4000	2.65
3.0 × 12 × 4000	1.22	4.0 × 50 × 4000	6.80	6.0 × 15 × 4000	3.06
3.0 × 15 × 4000	1.53	4.5 × 9 × 4000	1.38	6.0 × 16 × 4000	3.26
3.0 × 16 × 4000	1.63	4.5 × 10 × 4000	1.53	6.0 × 18 × 4000	3.67
3.0 × 18 × 4000	1.84	4.5 × 12 × 4000	1.84	6.0 × 19 × 4000	3.88
3.0 × 19 × 4000	1.94	4.5 × 15 × 4000	2.30	6.0 × 20 × 4000	4.08
3.0 × 20 × 4000	2.04	4.5 × 18 × 4000	2.75	6.0 × 22 × 4000	4.49
3.0 × 22 × 4000	2.24	4.5 × 20 × 4000	3.06	6.0 × 25 × 4000	5.10
3.0 × 25 × 4000	2.55	4.5 × 25 × 4000	3.83	6.0 × 30 × 4000	6.12
3.0 × 30 × 4000	3.06	4.5 × 30 × 4000	4.59	6.0 × 32 × 4000	6.53
3.0 × 32 × 4000	3.26	5.0 × 8 × 4000	1.36	6.0 × 35 × 4000	7.14
3.0 × 35 × 4000	3.57	5.0 × 10 × 4000	1.70	6.0 × 38 × 4000	7.75
3.0 × 38 × 4000	3.88	5.0 × 12 × 4000	2.04	6.0 × 40 × 4000	8.16
3.0 × 40 × 4000	4.08	5.0 × 15 × 4000	2.55	6.0 × 45 × 4000	9.18
3.0 × 45 × 4000	4.59	5.0 × 16 × 4000	2.72	6.0 × 50 × 4000	10.20
3.0 × 50 × 4000	5.10	5.0 × 19 × 4000	3.23	6.0 × 60 × 4000	12.24
4.0 × 6 × 4000	0.82	5.0 × 20 × 4000	3.40	6.0 × 65 × 4000	13.26
4.0 × 7 × 4000	0.95	5.0 × 22 × 4000	3.74	6.0 × 75 × 4000	15.30
4.0 × 8 × 4000	1.09	5.0 × 25 × 4000	4.25	6.0 × 100 × 4000	20.40
4.0 × 9 × 4000	1.22	5.0 × 30 × 4000	5.10	7.0 × 12 × 4000	2.86
4.0 × 10 × 4000	1.36	5.0 × 32 × 4000	5.44	7.0 × 13 × 4000	3.09
4.0 × 12 × 4000	1.63	5.0 × 35 × 4000	5.95	7.0 × 20 × 4000	4.76
4.0 × 15 × 4000	2.04	5.0 × 40 × 4000	6.80	7.0 × 50 × 4000	11.90
4.0 × 16 × 4000	2.18	5.0 × 45 × 4000	7.65	8.0 × 10 × 4000	2.72
4.0 × 18 × 4000	2.45	5.0 × 50 × 4000	8.50	8.0 × 12 × 4000	3.26
4.0 × 20 × 4000	2.72	5.0 × 60 × 4000	10.20	8.0 × 15 × 4000	4.08
4.0 × 25 × 4000	3.40	6.0 × 8 × 4000	1.63	8.0 × 16 × 4000	4.35

※単重は参考値です。

黄銅平角棒

寸 法 (mm)	本/kg	寸 法 (mm)	本/kg	寸 法 (mm)	本/kg
8.0 × 18 × 4000	4.90	10 × 25 × 4000	8.50	12 × 80 × 4000	32.64
8.0 × 20 × 4000	5.44	10 × 30 × 4000	10.20	12 × 100 × 4000	40.80
8.0 × 22 × 4000	5.98	10 × 32 × 4000	10.88	14 × 20 × 4000	9.52
8.0 × 25 × 4000	6.80	10 × 35 × 4000	11.90	15 × 18 × 4000	9.18
8.0 × 30 × 4000	8.16	10 × 38 × 4000	12.92	15 × 20 × 4000	10.20
8.0 × 35 × 4000	9.52	10 × 40 × 4000	13.60	15 × 25 × 4000	12.75
8.0 × 38 × 4000	10.34	10 × 45 × 4000	15.30	15 × 30 × 4000	15.30
8.0 × 40 × 4000	10.88	10 × 50 × 4000	17.00	15 × 32 × 4000	16.32
8.0 × 50 × 4000	13.60	10 × 55 × 4000	18.70	15 × 35 × 4000	17.85
8.0 × 60 × 4000	16.32	10 × 60 × 4000	20.40	15 × 40 × 4000	20.40
8.0 × 65 × 4000	17.68	10 × 65 × 4000	22.10	15 × 45 × 4000	22.95
8.0 × 75 × 4000	20.40	10 × 75 × 4000	25.50	15 × 50 × 4000	25.50
8.0 × 100 × 4000	27.20	10 × 80 × 4000	27.20	16 × 18 × 4000	9.79
9.0 × 12 × 4000	3.67	10 × 100 × 4000	34.00	16 × 20 × 4000	10.88
9.0 × 15 × 4000	4.59	12 × 14 × 4000	5.71	16 × 25 × 4000	13.60
9.0 × 18 × 4000	5.51	12 × 15 × 4000	6.12	16 × 30 × 4000	16.32
9.0 × 20 × 4000	6.12	12 × 16 × 4000	6.53	16 × 40 × 4000	21.76
9.0 × 25 × 4000	7.65	12 × 18 × 4000	7.34	16 × 50 × 4000	27.20
9.0 × 30 × 4000	9.18	12 × 20 × 4000	8.16	17 × 25 × 4000	14.45
9.0 × 32 × 4000	9.79	12 × 22 × 4000	8.98	18 × 20 × 4000	12.24
9.0 × 35 × 4000	10.71	12 × 25 × 4000	10.20	20 × 25 × 4000	17.00
9.0 × 38 × 4000	11.63	12 × 30 × 4000	12.24	20 × 30 × 4000	20.40
9.0 × 40 × 4000	12.24	12 × 32 × 4000	13.06	20 × 35 × 4000	23.80
9.0 × 50 × 4000	15.30	12 × 35 × 4000	14.28	20 × 40 × 4000	27.20
10 × 12 × 4000	4.08	12 × 38 × 4000	15.50	20 × 45 × 4000	30.60
10 × 15 × 4000	5.10	12 × 40 × 4000	16.32	20 × 50 × 4000	34.00
10 × 16 × 4000	5.44	12 × 45 × 4000	18.36	20 × 55 × 4000	37.40
10 × 18 × 4000	6.12	12 × 50 × 4000	20.40	20 × 60 × 4000	40.80
10 × 20 × 4000	6.80	12 × 55 × 4000	22.44	20 × 65 × 4000	44.20
10 × 22 × 4000	7.48	12 × 60 × 4000	24.48	20 × 75 × 4000	51.00

※単重は参考値です。

黄銅平角棒

寸 法 (mm)	本/kg
20 × 80 × 4000	54.40
20 × 100 × 4000	68.00
22 × 40 × 4000	29.92
25 × 30 × 4000	25.50
25 × 35 × 4000	29.75
25 × 40 × 4000	34.00
25 × 45 × 4000	38.25
25 × 50 × 4000	42.50
25 × 55 × 4000	46.75
25 × 60 × 4000	51.00
25 × 75 × 4000	63.75
30 × 35 × 4000	35.70
30 × 40 × 4000	40.80
30 × 45 × 4000	45.90
30 × 50 × 4000	51.00
30 × 55 × 4000	56.10
30 × 60 × 4000	61.20
30 × 65 × 4000	66.30
30 × 75 × 4000	76.50
35 × 40 × 4000	47.60
35 × 50 × 4000	59.50
35 × 60 × 4000	71.40
40 × 80 × 2000	54.40
50 × 60 × 4000	102.00

※単重は参考値です。

黄銅丸管

寸 法 (mm)	本/kg	寸 法 (mm)	本/kg	寸 法 (mm)	本/kg
1.6 × 0.3 × 2000	0.02	9.0 × 0.5 × 5000	0.57	12.7 × 1.0 × 4000	1.26
2.0 × 0.35 × 2000	0.03	9.0 × 0.8 × 5000	0.89	12.7 × 1.0 × 5000	1.58
2.5 × 0.4 × 2000	0.04	9.0 × 1.0 × 5000	1.08	12.7 × 1.2 × 5000	1.86
3.0 × 0.45 × 2800	0.09	9.0 × 1.5 × 5000	1.52	12.7 × 1.5 × 5000	2.27
3.0 × 0.5 × 2500	0.08	9.53 × 0.5 × 5000	0.61	12.7 × 2.0 × 5000	2.89
3.2 × 0.5 × 2500	0.09	9.53 × 0.8 × 5000	0.94	13.0 × 1.0 × 5000	1.62
3.5 × 0.5 × 2500	0.10	9.53 × 1.0 × 5000	1.15	13.0 × 1.5 × 5000	2.33
4.0 × 0.5 × 2500	0.12	9.53 × 1.0 × 4000	0.92	13.0 × 2.0 × 5000	2.97
4.0 × 0.8 × 2500	0.17	9.53 × 1.2 × 5000	1.35	14.0 × 0.8 × 5000	1.42
4.0 × 1.0 × 2500	0.20	9.53 × 1.5 × 5000	1.63	14.0 × 1.0 × 5000	1.75
4.5 × 0.5 × 2500	0.13	9.53 × 2.0 × 5000	2.03	14.0 × 1.5 × 5000	2.53
5.0 × 0.5 × 2500	0.15	10.0 × 0.5 × 5000	0.64	14.0 × 2.0 × 5000	3.24
5.0 × 0.8 × 5000	0.45	10.0 × 0.8 × 5000	0.99	14.0 × 3.0 × 5000	4.45
5.0 × 1.0 × 5000	0.53	10.0 × 1.0 × 5000	1.21	15.0 × 1.0 × 5000	1.89
5.5 × 0.5 × 2500	0.17	10.0 × 1.2 × 5000	1.42	15.0 × 1.2 × 5000	2.23
6.0 × 0.5 × 5000	0.37	10.0 × 1.5 × 5000	1.72	15.0 × 1.5 × 5000	2.73
6.0 × 0.8 × 5000	0.56	10.0 × 2.0 × 5000	2.16	15.0 × 2.0 × 5000	3.51
6.0 × 1.0 × 5000	0.67	11.0 × 0.5 × 5000	0.71	15.0 × 3.0 × 5000	4.86
6.0 × 1.2 × 5000	0.77	11.0 × 0.8 × 5000	1.10	15.88 × 0.5 × 5000	1.04
6.0 × 1.5 × 5000	0.90	11.0 × 1.0 × 5000	1.35	15.88 × 0.8 × 5000	1.63
6.35 × 0.5 × 2500	0.20	11.0 × 1.5 × 5000	1.92	15.88 × 1.0 × 4000	1.61
6.35 × 0.8 × 5000	0.59	11.0 × 2.0 × 5000	2.43	15.88 × 1.0 × 5000	2.01
6.35 × 1.0 × 5000	0.71	12.0 × 0.5 × 5000	0.78	15.88 × 1.2 × 5000	2.38
7.0 × 0.5 × 5000	0.43	12.0 × 0.8 × 5000	1.21	15.88 × 1.5 × 5000	2.91
7.0 × 1.0 × 5000	0.80	12.0 × 1.0 × 5000	1.48	15.88 × 2.0 × 5000	3.75
8.0 × 0.5 × 5000	0.50	12.0 × 1.2 × 5000	1.75	15.88 × 3.0 × 5000	5.21
8.0 × 0.8 × 5000	0.77	12.0 × 1.5 × 5000	2.13	16.0 × 1.5 × 5000	2.93
8.0 × 1.0 × 5000	0.93	12.0 × 2.0 × 5000	2.70	16.0 × 2.0 × 5000	3.78
8.0 × 1.2 × 5000	1.09	12.7 × 0.5 × 5000	0.82	17.0 × 2.0 × 5000	4.05
8.0 × 1.5 × 5000	1.30	12.7 × 0.8 × 5000	1.28	18.0 × 1.0 × 5000	2.29
8.0 × 2.0 × 5000	1.60				

※単重は参考値です。

黃銅丸管

寸 法 (mm)	本/kg	寸 法 (mm)	本/kg	寸 法 (mm)	本/kg
18.0 × 1.5 × 5000	3.34	25.0 × 2.5 × 5000	7.59	30.0 × 3.0 × 5000	10.93
18.0 × 2.0 × 5000	4.32	25.0 × 3.0 × 5000	8.91	30.0 × 4.0 × 5000	14.03
18.0 × 3.0 × 5000	6.07	25.0 × 5.0 × 5000	13.49	30.0 × 5.0 × 5000	16.87
19.0 × 0.5 × 5000	1.25	25.4 × 0.5 × 5000	1.68	31.75 × 3.0 × 5000	11.64
19.0 × 0.8 × 5000	1.96	25.4 × 0.8 × 5000	2.66	31.8 × 0.8 × 5000	3.35
19.0 × 1.0 × 4000	1.94	25.4 × 1.0 × 4000	2.63	31.8 × 1.0 × 4000	3.32
19.0 × 1.0 × 5000	2.43	25.4 × 1.0 × 5000	3.29	31.8 × 1.0 × 5000	4.16
19.0 × 1.2 × 5000	2.88	25.4 × 1.2 × 4000	3.13	31.8 × 1.2 × 4000	3.96
19.0 × 1.5 × 5000	3.54	25.4 × 1.2 × 5000	3.92	31.8 × 1.2 × 5000	4.95
19.0 × 2.0 × 5000	4.59	25.4 × 1.5 × 5000	4.84	31.8 × 1.5 × 5000	6.13
19.0 × 3.0 × 5000	6.48	25.4 × 2.0 × 5000	6.31	31.8 × 2.0 × 5000	8.04
19.05 × 2.0 × 5000	4.60	25.4 × 3.0 × 5000	9.07	31.8 × 3.0 × 5000	11.66
20.0 × 1.0 × 5000	2.56	25.4 × 5.0 × 5000	13.76	31.8 × 5.0 × 5000	18.08
20.0 × 1.5 × 5000	3.74	27.0 × 1.0 × 5000	3.51	32.0 × 1.5 × 5000	6.17
20.0 × 2.0 × 5000	4.86	27.0 × 3.0 × 5000	9.72	32.0 × 2.0 × 5000	8.10
20.0 × 3.0 × 5000	6.88	27.0 × 3.5 × 5000	11.10	34.0 × 1.5 × 5000	6.58
21.7 × 2.5 × 5000	6.48	27.2 × 1.5 × 5000	5.20	34.0 × 2.0 × 5000	8.64
21.7 × 2.8 × 5000	7.14	27.2 × 2.8 × 5000	9.22	34.0 × 3.0 × 5000	12.55
22.0 × 0.5 × 5000	1.45	27.2 × 3.0 × 5000	9.80	34.0 × 3.2 × 5000	13.30
22.0 × 0.8 × 5000	2.29	28.0 × 0.8 × 5000	2.94	35.0 × 1.0 × 5000	4.59
22.0 × 1.0 × 5000	2.83	28.0 × 1.0 × 5000	3.64	35.0 × 1.2 × 5000	5.47
22.0 × 1.2 × 5000	3.37	28.0 × 1.5 × 5000	5.36	35.0 × 1.5 × 5000	6.78
22.0 × 1.5 × 5000	4.15	28.0 × 2.0 × 5000	7.02	35.0 × 2.0 × 5000	8.91
22.0 × 2.0 × 5000	5.40	28.0 × 3.0 × 5000	10.12	35.0 × 2.5 × 5000	10.96
22.0 × 3.0 × 5000	7.69	28.0 × 4.0 × 5000	12.95	35.0 × 3.0 × 5000	12.95
22.0 × 4.0 × 5000	9.72	28.6 × 1.0 × 4000	2.98	35.0 × 4.0 × 5000	16.73
22.22 × 1.0 × 5000	2.86	28.6 × 1.0 × 5000	3.72	35.0 × 5.0 × 5000	20.24
22.23 × 1.5 × 5000	4.20	28.6 × 1.5 × 5000	5.48	36.0 × 1.5 × 5000	6.98
22.23 × 2.0 × 5000	5.46	28.6 × 2.0 × 5000	7.18	36.0 × 3.0 × 5000	13.36
22.23 × 3.0 × 5000	7.78	28.6 × 3.0 × 5000	10.36	38.0 × 1.0 × 4000	3.99
24.0 × 2.0 × 5000	5.94	30.0 × 1.0 × 5000	3.91	38.0 × 1.0 × 5000	4.99
25.0 × 1.0 × 5000	3.24	30.0 × 1.2 × 5000	4.66	38.0 × 1.2 × 4000	4.77
25.0 × 1.2 × 5000	3.85	30.0 × 1.5 × 5000	5.77		
25.0 × 1.5 × 5000	4.76	30.0 × 2.0 × 5000	7.56		
25.0 × 2.0 × 5000	6.21	30.0 × 2.5 × 5000	9.28		

黄銅丸管

寸法 (mm)	本/kg	寸法 (mm)	本/kg	寸法 (mm)	本/kg
38.0 × 1.2 × 5000	5.96	48.6 × 3.0 × 5000	18.46	63.5 × 4.0 × 5000	32.11
38.0 × 1.5 × 5000	7.39	48.6 × 3.5 × 5000	21.30	63.5 × 5.0 × 5000	39.47
38.0 × 2.0 × 5000	9.72	50.0 × 1.5 × 5000	9.82	65.0 × 3.0 × 5000	25.10
38.0 × 3.0 × 5000	14.17	50.0 × 2.0 × 5000	12.95	65.0 × 5.0 × 5000	40.48
38.0 × 5.0 × 5000	22.26	50.0 × 3.0 × 5000	19.03	70.0 × 2.0 × 5000	18.35
38.12 × 1.2 × 5000	5.98	50.0 × 4.0 × 5000	24.83	70.0 × 3.0 × 5000	27.12
38.12 × 1.5 × 5000	7.41	50.0 × 5.0 × 5000	30.36	70.0 × 4.0 × 5000	35.62
38.12 × 2.0 × 5000	9.75	50.8 × 1.0 × 4000	5.38	70.0 × 5.0 × 5000	43.85
38.12 × 3.0 × 5000	14.22	50.8 × 1.0 × 5000	6.72	75.0 × 3.0 × 5000	29.15
40.0 × 1.0 × 5000	5.26	50.8 × 1.2 × 4000	6.42	75.0 × 5.0 × 5000	47.23
40.0 × 1.5 × 5000	7.79	50.8 × 1.2 × 5000	8.03	76.2 × 1.5 × 5000	15.12
40.0 × 2.0 × 5000	10.25	50.8 × 1.5 × 5000	9.98	76.2 × 2.0 × 5000	20.02
40.0 × 3.0 × 5000	14.98	50.8 × 2.0 × 5000	13.17	76.2 × 3.0 × 5000	29.63
40.0 × 4.0 × 5000	19.43	50.8 × 3.0 × 5000	19.35	76.2 × 5.0 × 5000	48.04
40.0 × 5.0 × 5000	23.61	50.8 × 5.0 × 5000	30.90	80.0 × 3.0 × 5000	31.17
41.3 × 1.5 × 5000	8.06	50.8 × 6.0 × 5000	36.27	80.0 × 5.0 × 5000	50.60
41.3 × 3.0 × 5000	15.50	55.0 × 1.5 × 5000	10.83	82.5 × 3.0 × 5000	32.18
42.0 × 1.0 × 5000	5.53	55.0 × 2.0 × 5000	14.30	85.0 × 3.0 × 5000	33.19
42.0 × 2.0 × 5000	10.79	55.0 × 3.0 × 5000	21.05	85.0 × 5.0 × 5000	53.97
42.7 × 1.5 × 5000	8.34	55.0 × 5.0 × 5000	33.73	88.9 × 1.5 × 5000	17.69
42.7 × 2.0 × 5000	10.98	57.0 × 3.0 × 5000	21.86	88.9 × 2.0 × 5000	23.45
42.7 × 3.0 × 5000	16.07	57.1 × 1.5 × 5000	11.25	88.9 × 3.0 × 5000	34.77
42.7 × 3.5 × 5000	18.51	60.0 × 1.0 × 5000	7.96	88.9 × 4.0 × 5000	45.82
44.5 × 1.0 × 5000	5.87	60.0 × 1.5 × 5000	11.84	88.9 × 5.0 × 5000	56.60
44.5 × 1.5 × 5000	8.70	60.0 × 2.0 × 5000	15.65	90.0 × 3.0 × 5000	35.22
44.5 × 2.0 × 5000	11.47	60.0 × 3.0 × 5000	23.07	90.0 × 5.0 × 5000	57.35
44.5 × 3.0 × 5000	16.80	60.0 × 4.0 × 5000	30.22	95.0 × 3.0 × 5000	37.24
44.5 × 5.0 × 5000	26.65	60.0 × 5.0 × 5000	37.11	95.0 × 5.0 × 5000	60.72
45.0 × 2.0 × 5000	11.60	60.3 × 5.0 × 5000	37.31	100.0 × 3.0 × 5000	39.27
45.0 × 5.0 × 5000	26.99	63.5 × 1.2 × 5000	10.09	100.0 × 5.0 × 5000	64.09
46.0 × 3.0 × 5000	17.41	63.5 × 1.5 × 5000	12.55		
48.0 × 1.5 × 5000	9.41	63.5 × 2.0 × 5000	16.60		
48.0 × 5.0 × 5000	29.01	63.5 × 3.0 × 5000	24.49		
48.6 × 1.5 × 5000	9.53				
48.6 × 2.0 × 5000	12.58				

※単重は参考値です。

黄銅丸管

寸 法 (mm)	本/kg
101.6 × 1.5 × 5000	20.26
101.6 × 2.0 × 5000	26.88
101.6 × 3.0 × 5000	39.91
101.6 × 4.0 × 5000	52.68
101.6 × 5.0 × 5000	65.17
101.6 × 6.0 × 5000	77.40
110.0 × 5.0 × 5000	70.84
114.3 × 5.0 × 5000	73.74
120.0 × 3.0 × 5000	47.36
120.0 × 5.0 × 5000	77.59
127.0 × 5.0 × 5000	82.31
130.0 × 5.0 × 5000	84.33
135.0 × 5.0 × 5000	87.71
140.0 × 5.0 × 5000	91.08
150.0 × 3.0 × 5000	59.50
150.0 × 5.0 × 5000	97.83
152.4 × 5.0 × 5000	99.44
160.0 × 5.0 × 5000	104.57
165.0 × 5.0 × 5000	107.95
180.0 × 5.0 × 5000	118.07
200.0 × 5.0 × 2500	65.78

※単重は参考値です。

黄銅四角管

寸法 (mm)				本/kg			
縦	横	厚み	長さ				
6.0	×	6.0	×	1.0	×	4000	0.76
8.0	×	8.0	×	1.0	×	4000	1.03
9.0	×	9.0	×	1.0	×	5000	1.46
9.0	×	9.0	×	1.2	×	5000	1.73
9.5	×	9.5	×	1.0	×	5000	1.55
9.5	×	9.5	×	1.2	×	5000	1.83
12.0	×	12.0	×	1.0	×	5000	1.98
12.0	×	12.0	×	1.5	×	5000	2.90
12.7	×	12.7	×	1.0	×	5000	2.10
12.7	×	12.7	×	1.2	×	5000	2.49
12.7	×	12.7	×	1.5	×	5000	3.08
15.0	×	15.0	×	1.5	×	5000	3.67
15.9	×	15.9	×	1.0	×	5000	2.65
15.9	×	15.9	×	1.2	×	5000	3.15
15.9	×	15.9	×	1.5	×	5000	3.90
19.0	×	19.0	×	1.0	×	5000	3.18
19.0	×	19.0	×	1.5	×	5000	4.70
20.0	×	20.0	×	1.5	×	5000	4.96
22.0	×	22.0	×	1.0	×	5000	3.69
22.0	×	22.0	×	1.2	×	5000	4.41
22.0	×	22.0	×	1.5	×	5000	5.48
25.0	×	25.0	×	1.5	×	5000	6.25
25.4	×	25.4	×	1.0	×	5000	4.28
25.4	×	25.4	×	1.2	×	5000	5.11
25.4	×	25.4	×	1.5	×	5000	6.35
28.0	×	28.0	×	1.2	×	5000	5.65
28.0	×	28.0	×	1.5	×	5000	7.02
30.0	×	30.0	×	1.2	×	5000	6.06
30.0	×	30.0	×	1.5	×	5000	7.54
32.0	×	32.0	×	1.2	×	5000	6.47
32.0	×	32.0	×	1.5	×	5000	8.05
35.0	×	35.0	×	1.5	×	5000	8.83
38.1	×	38.1	×	1.5	×	5000	9.63
40.0	×	40.0	×	1.5	×	5000	10.11
50.0	×	50.0	×	1.5	×	5000	12.69
60.0	×	60.0	×	1.5	×	5000	15.27
75.0	×	75.0	×	2.0	×	5000	25.43
100.0	×	100.0	×	3.0	×	5000	50.77

黄銅平角管

寸法 (mm)				本/kg			
縦	横	厚み	長さ				
10.0	×	15.0	×	1.0	×	5000	2.06
10.0	×	15.0	×	1.2	×	5000	2.45
10.0	×	20.0	×	1.2	×	5000	2.97
10.0	×	22.0	×	1.2	×	5000	3.17
10.0	×	30.0	×	1.2	×	5000	4.00
12.0	×	22.0	×	1.2	×	5000	3.38
12.0	×	25.0	×	1.2	×	5000	3.69
12.0	×	25.0	×	1.5	×	5000	4.57
15.0	×	24.0	×	1.2	×	5000	3.90
15.0	×	30.0	×	1.5	×	5000	5.60
16.0	×	40.0	×	1.0	×	5000	4.72
16.0	×	40.0	×	1.5	×	5000	7.02
20.0	×	30.0	×	1.2	×	5000	5.03
20.0	×	30.0	×	1.5	×	5000	6.25
20.0	×	40.0	×	1.5	×	5000	7.54
20.0	×	50.0	×	1.5	×	5000	8.83
25.0	×	40.0	×	1.5	×	5000	8.18
25.0	×	50.0	×	1.5	×	5000	9.47
30.0	×	50.0	×	1.5	×	5000	10.11
30.0	×	60.0	×	1.5	×	5000	11.40
40.0	×	80.0	×	2.0	×	5000	20.27
50.0	×	100.0	×	3.0	×	5000	37.88
12.0	×	20.0	×	0.7	×	4000	1.51
20.0	×	30.0	×	0.9	×	4000	3.04

※単重は参考値です。

黄銅等辺アングル

厚み	寸 法 (mm)			長さ	本/kg		
	縦	横					
1.2	×	9.5	×	9.5	×	4000	0.73
1.2	×	15	×	15	×	4000	1.18
1.2	×	19	×	19	×	4000	1.50
1.5	×	15	×	15	×	4000	1.45
2.0	×	15	×	15	×	4000	1.90
2.0	×	20	×	20	×	4000	2.58
2.0	×	25	×	25	×	4000	3.26
2.0	×	30	×	30	×	4000	3.94
3.0	×	9	×	9	×	4000	1.53
3.0	×	12	×	12	×	4000	2.14
3.0	×	15	×	15	×	4000	2.75
3.0	×	16	×	16	×	4000	2.96
3.0	×	20	×	20	×	4000	3.77
3.0	×	25	×	25	×	4000	4.79
3.0	×	30	×	30	×	4000	5.81
3.0	×	38	×	38	×	4000	7.45
3.0	×	40	×	40	×	4000	7.85
3.0	×	50	×	50	×	4000	9.89
4.0	×	30	×	30	×	4000	7.62
4.0	×	40	×	40	×	4000	10.34
4.0	×	50	×	50	×	4000	13.06
5.0	×	25	×	25	×	4000	7.65
5.0	×	30	×	30	×	4000	9.35
5.0	×	40	×	40	×	4000	12.75
5.0	×	50	×	50	×	4000	16.15
6.0	×	50	×	50	×	5000	23.97

※単重は参考値です。