

### ステンレス等辺アングル (SUS304)

サイズ	4,000mm			5,000mm			6,000mm			m/kg
	酸洗	HL	#400	酸洗	HL	#400	酸洗	HL	#400	
3 × 20 × 20	○	○	○							0.88
3 × 25 × 25	○	○	○							1.12
3 × 30 × 30	○	○	○		○		○	○	○	1.36
3 × 35 × 35							○			1.59
3 × 40 × 40	○	○	○		○		○	○	○	1.83
3 × 45 × 45							○			2.07
3 × 50 × 50	○				○		○	○	○	2.31
4 × 30 × 30							○			1.78
4 × 35 × 35							○			2.09
4 × 40 × 40	○	○	○		○		○	○	○	2.41
4 × 45 × 45							○			2.73
4 × 50 × 50	○	○	○	○	○		○	○	○	3.05
5 × 30 × 30							○			2.18
5 × 35 × 35							○			2.58
5 × 40 × 40	○	○	○	○	○		○	○	○	2.97
5 × 45 × 45							○			3.37
5 × 50 × 50	○	○	○	○	○		○	○	○	3.77
5 × 60 × 60							○			4.56
5 × 65 × 65							○			4.96
5 × 70 × 70							○			5.35
5 × 75 × 75							○			5.75
6 × 30 × 30							○			2.57
6 × 35 × 35							○			3.05
6 × 40 × 40							○	○		3.52
6 × 45 × 45							○			4.00
6 × 50 × 50	○	○	○		○		○	○	○	4.47
6 × 60 × 60							○	○		5.42
6 × 65 × 65	○	○	○		○		○	○	○	5.90
6 × 70 × 70							○			6.38
6 × 75 × 75	○	○	○		○		○	○	○	6.85
6 × 80 × 80							○			7.33
6 × 90 × 90							○			8.28
6 × 100 × 100							○	○		9.23
7 × 70 × 70							○			7.38

※単重は参考値です。

### ステンレス等辺アングル (SUS304)

サイズ	4,000mm			5,000mm			6,000mm			m/kg
	酸洗	HL	#400	酸洗	HL	#400	酸洗	HL	#400	
8 × 50 × 50							○			5.84
8 × 60 × 60							○			7.11
8 × 65 × 65							○			7.74
8 × 70 × 70							○			8.37
8 × 75 × 75							○			9.01
8 × 80 × 80							○	○		9.64
8 × 90 × 90							○			10.91
8 × 100 × 100							○	○		12.18
9 × 50 × 50							○			6.49
9 × 60 × 60							○			7.92
9 × 65 × 65							○			8.64
9 × 70 × 70							○			9.35
9 × 75 × 75	○	○			○		○	○	○	10.06
9 × 80 × 80							○			10.78
9 × 90 × 90							○	○		12.20
9 × 100 × 100							○			13.63
9 × 125 × 125							○			17.20
10 × 50 × 50							○			7.14
10 × 60 × 60							○			8.72
10 × 65 × 65							○			9.52
10 × 75 × 75							○			11.10
10 × 80 × 80							○			11.90
10 × 90 × 90							○			13.48
10 × 100 × 100	○	○	○				○	○	○	15.07
12 × 75 × 75							○			13.13
12 × 80 × 80							○			14.08
12 × 90 × 90							○			15.99
12 × 100 × 100							○			17.89
12 × 125 × 125							○			22.65
12 × 130 × 130							○			23.60
12 × 150 × 150							○			27.41
15 × 125 × 125							○			27.95
15 × 150 × 150							○			33.90

※単重は参考値です。

### ステンレス不等辺アングル (SUS304)

サイズ	4,000mm			5,000mm			6,000mm			m/kg
	酸洗	HL	#400	酸洗	HL	#400	酸洗	HL	#400	
4 × 30 × 45							○			2.25
6 × 30 × 50							○			3.52
6 × 50 × 65							○			5.19
6 × 50 × 75							○			5.66
6 × 65 × 75							○			6.38
6 × 75 × 100							○			8.04
6 × 75 × 125							○			9.23
7 × 50 × 75							○			6.55
7 × 75 × 100							○			9.33
9 × 50 × 75							○			8.28
9 × 75 × 90							○			11.13
9 × 75 × 100							○			11.85
9 × 75 × 125							○			13.63
9 × 90 × 150							○			16.49
10 × 90 × 150							○			18.24

片辺切断品

※単重は参考値です。

### ステンレス コールドアングル (SUS304 R無し)

サイズ	4,000mm	6,000mm	m/kg
3 × 20 × 20	○		0.88
3 × 25 × 25	○		1.12
3 × 30 × 30	○	○	1.36
3 × 40 × 40	○	○	1.83
3 × 50 × 50	○	○	2.31
4 × 40 × 40		○	2.41
4 × 50 × 50		○	3.05
5 × 30 × 30		○	2.18
5 × 40 × 40		○	2.97
5 × 50 × 50		○	3.77
6 × 30 × 30		○	2.57
6 × 40 × 40		○	3.52
6 × 50 × 50		○	4.47
6 × 60 × 60		○	5.42
6 × 65 × 65		○	5.90
6 × 75 × 75		○	6.85
9 × 50 × 50		○	6.49
9 × 75 × 75		○	10.06

### フォーミングアングル(SUS304)

サイズ	4,000mm			6,000mm			m/kg
	2B	CG	#400	2B	CG	#400	
2 × 20 × 20	○						0.60
2 × 25 × 25	○						0.76
2 × 30 × 30	○		○				0.92
2 × 40 × 40	○		○				1.24
3 × 15 × 15		○					0.64
3 × 20 × 20		○	○				0.88
3 × 25 × 25		○	○				1.12
3 × 30 × 30		○	○		○		1.36
3 × 40 × 40		○	○		○		1.83
3 × 50 × 50					○		2.31

### フォーミングアングル スモール(SUS304)

サイズ	4,000mm	m/kg
	外2面HL SPV付	
1 × 9 × 9	○	0.14
1 × 10 × 10	○	0.16
1 × 12 × 12	○	0.19
1 × 13 × 13	○	0.21
1 × 16 × 16	○	0.26
1 × 19 × 19	○	0.31
1.2 × 19 × 19	○	0.37
1 × 25 × 25	○	0.41
1.2 × 25 × 25	○	0.49
1.2 × 30 × 30	○	0.59
1.5 × 30 × 30	○	0.73
1.2 × 32 × 32	○	0.63
1.5 × 32 × 32	○	0.78

※単重は参考値です。