

アルミ丸管(生地)

寸法 (mm)		単重 本/kg	A1070	A5052	A6063	
			4m	4m	4m	4m
外径	肉厚		引抜品	引抜品	引抜品	押出品
5	× 1.0	0.14				
6	× 1.0	0.17	●		●	
7	× 1.0	0.21				
8	× 0.8	0.20	●			
8	× 1.0	0.24	●		●	
8	× 1.4	0.32		●		
9	× 1.0	0.28			●	
9.5	× 1.0	0.29				
10	× 1.0	0.31	●		●	●
10	× 1.4	0.42		●		
10	× 1.5	0.44	●			●
10	× 2.0	0.55				●
11	× 1.0	0.35				●
12	× 1.0	0.38	●	●	●	●
12	× 1.5	0.54				●
12	× 2.0	0.69	●	●		●
12.7	× 1.0	0.40	●			
13	× 1.0	0.41				●
13	× 1.5	0.60				●
14	× 1.0	0.45	●			●
14	× 1.5	0.65				●
14	× 2.0	0.83	●			●
15	× 1.0	0.48	●		●	●
15	× 1.4	0.66		●		
15	× 1.5	0.70				●
15	× 2.0	0.90				●
16	× 1.0	0.52	●		●	●
16	× 1.5	0.75	●		●	●
16	× 2.0	0.97	●	●		●
16	× 3.0	1.35		●		
17	× 1.0	0.55	●			
18	× 1.0	0.59	●		●	●
18	× 1.5	0.86	●		●	●
18	× 2.0	1.11				●
19	× 1.0	0.62	●	●	●	●
19	× 1.5	0.91	●		●	●
19	× 2.0	1.17	●	●	●	●
19	× 3.0	1.66	●			

※単重は参考値です。

アルミ丸管(生地)

寸法 (mm)		単重 本/kg	A1070	A5052	A6063	
			4m 引抜品	4m 引抜品	4m 引抜品	4m 押出品
20 × 1.0	0.66	●		●	●	
20 × 1.4	0.90		●			
20 × 1.5	0.96	●		●	●	
20 × 2.0	1.24	●	●	●	●	
20 × 2.5	1.51				●	
20 × 3.0	1.76		●		●	
22 × 1.0	0.73	●		●	●	
22 × 1.5	1.06	●		●	●	
22 × 2.0	1.38	●	●	●	●	
22 × 3.0	1.97		●	●	●	
25 × 1.0	0.83	●		●	●	
25 × 1.5	1.22	●		●	●	
25 × 1.6	1.29		●			
25 × 2.0	1.59	●	●	●	●	
25 × 2.5	1.94				●	
25 × 3.0	2.28	●	●	●	●	
28 × 1.0	0.93			●	●	
28 × 1.5	1.37			●	●	
28 × 1.6	1.46		●			
28 × 2.0	1.80	●	●	●	●	
28 × 3.0	2.59		●		●	
30 × 1.0	1.00	●		●	●	
30 × 1.4	1.38		●			
30 × 1.5	1.48			●	●	
30 × 2.0	1.94	●	●	●	●	
30 × 2.5	2.38				●	
30 × 3.0	2.80	●	●	●	●	
30 × 4.0	3.59				●	
32 × 1.0	1.07			●	●	
32 × 1.5	1.58			●	●	
32 × 2.0	2.07	●	●	●	●	
32 × 3.0	3.01	●	●	●	●	
35 × 1.0	1.17			●		
35 × 1.5	1.74			●	●	
35 × 2.0	2.28	●	●	●	●	
35 × 2.5	2.81				●	
35 × 3.0	3.32	●	●	●	●	
35 × 4.0	4.29				●	
38 × 1.5	1.89				●	

※単重は参考値です。

アルミ丸管(生地)

寸法 (mm)		単重 本/kg	A1070	A5052	A6063	
			4m	4m	4m	4m
外径	肉厚		引拔品	引拔品	引拔品	押出品
38	× 2.0	2.49	●	●	●	●
38	× 3.0	3.63	●	●	●	●
38	× 3.75	4.44		●		
38	× 4.0	4.70		●		
38	× 5.0	5.70		●		
40	× 1.0	1.35	●		●	
40	× 1.5	2.00			●	●
40	× 2.0	2.63	●	●	●	●
40	× 2.5	3.24				●
40	× 3.0	3.84	●	●	●	●
40	× 4.0	4.98	●	●		●
40	× 5.0	6.05		●		●
42	× 2.0	2.76	●			●
43	× 1.5	2.15	●			
45	× 1.0	1.52			●	
45	× 1.5	2.25				●
45	× 2.0	2.97	●	●	●	●
45	× 3.0	4.35	●	●	●	●
45	× 5.0	6.91	●	●		●
50	× 1.0	1.69			●	
50	× 1.5	2.51	●		●	●
50	× 2.0	3.32	●	●	●	●
50	× 2.5	4.10				●
50	× 3.0	4.87	●	●	●	●
50	× 4.0	6.36	●	●		●
50	× 5.0	7.78	●	●	●	●
55	× 2.0	3.66			●	●
55	× 3.0	5.39			●	●
55	× 5.0	8.64		●		
55	× 8.0	12.99		●		
60	× 2.0	4.01		●	●	●
60	× 3.0	5.91	●	●	●	●
60	× 4.0	7.74	●	●		●
60	× 5.0	9.50	●	●	●	●
65	× 2.0	4.35				●
65	× 3.0	6.43	●	●	●	●
65	× 5.0	10.37	●	●		

※単重は参考値です。

アルミ丸管(生地)

寸法(mm)		単重 本/kg	A1070	A5052	A6063	
外径	肉厚		4m 引拔品	4m 引拔品	4m 引拔品	4m 押出品
70	× 2.0	4.70				●
70	× 3.0	6.95	●	●	●	●
70	× 4.0	9.12				●
70	× 5.0	11.23	●	●	●	●
75	× 3.0	7.46	●	●	●	●
75	× 5.0	12.10	●	●		
80	× 3.0	7.98	●	●	●	●
80	× 4.0	10.51		●		●
80	× 5.0	12.96	●	●	●	●
85	× 3.0	8.50				
85	× 5.0	13.82	●			
90	× 3.0	9.02	●		●	●
90	× 4.0	11.89		●		
90	× 5.0	14.69	●	●	●	●
100	× 3.0	10.06	●	●	●	●
100	× 4.0	13.27	●			
100	× 5.0	16.41	●	●	●	●
110	× 3.0	11.09	●		●	●
110	× 5.0	18.14	●	●	●	●
120	× 3.0	12.13	●		●	●
120	× 4.0	16.03		●		
120	× 5.0	19.87	●	●	●	●
130	× 3.0	13.17	●	●	●	
130	× 5.0	21.60	●	●		●
140	× 5.0	23.33		●		●
150	× 3.0	15.24	●			●
150	× 5.0	25.05	●	●	●	●
160	× 5.0	26.78				●
165	× 5.0	27.65	●			
180	× 5.0	30.24				●
200	× 5.0	33.69				●

※単重は参考値です。

アルミ丸管 シルバーアルマイト付き
(A6063-T5 L=4000)

寸法 (mm)		単重
外径	肉厚	本/kg
6	× 1.0	0.17
9	× 1.0	0.28
10	× 1.0	0.31
12	× 1.0	0.38
13	× 1.0	0.41
15	× 1.0	0.48
16	× 1.0	0.52
18	× 1.0	0.59
19	× 1.0	0.62
20	× 2.0	1.24
25	× 1.0	0.83
25	× 2.0	1.59
30	× 2.0	1.94
32	× 1.5	1.58
32	× 2.0	2.07
38	× 1.5	1.89
50	× 2.0	3.32

※単重は、参考値です。