

ステンレス(SUS304)四角・平角棒

寸法 (mm)	Cold	HL	#400	Hot	本/kg
2 × 6 × 2000	○				0.19
2 × 8 × 2000	○				0.25
2 × 9 × 2000	○				0.29
2 × 10 × 3000	○				0.48
2 × 10 × 4000	○	○			0.63
2 × 12 × 4000	○				0.76
2 × 15 × 4000	○	○		○	0.95
2 × 20 × 4000	○	○		○	1.27
2 × 25 × 4000	○	○		○	1.59
2 × 30 × 4000	○	○		○	1.90
2 × 32 × 4000	○	○		○	2.03
2 × 38 × 4000	○			○	2.41
2 × 40 × 4000	○	○		○	2.54
2 × 50 × 4000	○	○		○	3.17
3 × 3 × 2000	○				0.14
3 × 5 × 2000	○				0.24
3 × 5 × 3000	○				0.36
3 × 5 × 4000	○				0.48
3 × 6 × 3000	○				0.43
3 × 6 × 4000	○				0.57
3 × 7 × 3000	○				0.50
3 × 7 × 4000	○				0.67
3 × 8 × 3000	○				0.57
3 × 8 × 4000	○				0.76
3 × 9 × 3000	○				0.64
3 × 9 × 4000	○				0.86
3 × 10 × 4000	○	○		○	0.95
3 × 12 × 4000	○	○		○	1.14
3 × 13 × 4000	○	○		○	1.24
3 × 15 × 4000	○	○	○	○	1.43
3 × 16 × 4000	○	○			1.52
3 × 19 × 4000	○	○		○	1.81
3 × 20 × 4000	○	○	○	○	1.90
3 × 22 × 4000	○	○		○	2.09
3 × 25 × 4000	○	○	○	○	2.38
3 × 30 × 4000	○	○	○	○	2.85
3 × 32 × 4000	○	○	○	○	3.05
3 × 35 × 4000	○	○		○	3.33
3 × 38 × 4000	○	○	○	○	3.62
3 × 40 × 4000	○	○	○	○	3.81

寸法 (mm)	Cold	HL	#400	Hot	本/kg
3 × 42 × 4000	○	○			4.00
3 × 45 × 4000	○	○		○	4.28
3 × 48 × 4000	○	○			4.57
3 × 50 × 4000	○	○	○	○	4.76
3 × 60 × 4000	○	○	○	○	5.71
3 × 65 × 4000	○	○		○	6.19
3 × 75 × 4000	○	○		○	7.14
3 × 100 × 4000	○	○	○	○	9.52
3 × 110 × 4000	○	○			10.47
3 × 120 × 4000	○	○			11.42
3 × 125 × 4000	○	○			11.90
3 × 130 × 4000	○	○			12.37
3 × 140 × 4000	○	○			13.32
3 × 150 × 4000	○	○			14.27
4 × 4 × 3000	○				0.38
4 × 4 × 4000	○				0.51
4 × 9 × 4000	○				1.14
4 × 10 × 4000	○	○			1.27
4 × 11 × 4000	○	○			1.40
4 × 13 × 4000	○	○			1.65
4 × 15 × 4000	○	○	○	○	1.90
4 × 16 × 4000	○	○			2.03
4 × 17 × 4000	○				2.16
4 × 19 × 4000	○	○		○	2.41
4 × 20 × 4000	○	○	○		2.54
4 × 22 × 4000	○	○		○	2.79
4 × 25 × 4000	○	○	○		3.17
4 × 30 × 4000	○	○	○		3.81
4 × 32 × 4000	○	○	○		4.06
4 × 35 × 4000	○	○			4.44
4 × 38 × 4000	○	○	○		4.82
4 × 40 × 4000	○	○	○	○	5.08
4 × 45 × 4000	○	○			5.71
4 × 50 × 4000	○	○	○		6.34
4 × 60 × 4000	○	○			7.61
4 × 65 × 4000	○	○	○		8.25
4 × 75 × 4000	○	○	○		9.52
4 × 90 × 4000	○	○			11.42
4 × 100 × 4000	○	○			12.69
5 × 5 × 4000	○	○			0.79

※単重は参考値です。

ステンレス(SUS304)四角・平角棒

寸法 (mm)	Cold	HL	#400	Hot	本/kg
5 × 8 × 4000	○				1.27
5 × 9 × 4000	○			○	1.43
5 × 10 × 4000	○	○			1.59
5 × 12 × 4000	○	○			1.90
5 × 13 × 4000	○	○			2.06
5 × 15 × 4000	○	○	○		2.38
5 × 16 × 4000	○	○			2.54
5 × 19 × 4000	○	○			3.01
5 × 20 × 4000	○	○	○		3.17
5 × 22 × 4000	○	○			3.49
5 × 25 × 4000	○	○	○		3.97
5 × 30 × 4000	○	○	○	○	4.76
5 × 32 × 4000	○	○	○	○	5.08
5 × 34 × 4000	○	○		○	5.39
5 × 35 × 4000	○	○		○	5.55
5 × 38 × 4000	○	○	○	○	6.03
5 × 40 × 4000	○	○	○	○	6.34
5 × 50 × 4000	○	○	○		7.93
5 × 60 × 4000	○	○			9.52
5 × 65 × 4000	○	○			10.31
5 × 75 × 4000	○	○			11.90
5 × 90 × 4000	○	○			14.27
5 × 100 × 4000	○	○			15.86
5 × 130 × 4000	○	○			20.62
5 × 150 × 4000	○	○			23.79
6 × 6 × 4000	○	○			1.14
6 × 9 × 4000	○				1.71
6 × 10 × 4000	○	○			1.90
6 × 12 × 4000	○	○			2.28
6 × 13 × 4000	○	○			2.47
6 × 15 × 4000	○	○	○		2.85
6 × 16 × 4000	○	○			3.05
6 × 18 × 4000	○	○			3.43
6 × 19 × 4000	○	○		○	3.62
6 × 20 × 4000	○	○	○	○	3.81
6 × 22 × 4000	○	○		○	4.19
6 × 25 × 4000	○	○	○	○	4.76
6 × 30 × 4000	○	○	○	○	5.71
6 × 32 × 4000	○	○	○	○	6.09
6 × 35 × 4000	○	○		○	6.66

寸法 (mm)	Cold	HL	#400	Hot	本/kg
6 × 38 × 4000	○	○	○	○	7.23
6 × 38 × 6000				○	10.85
6 × 40 × 4000	○	○	○	○	7.61
6 × 42 × 4000	○	○			7.99
6 × 45 × 4000	○	○	○	○	8.56
6 × 48 × 4000	○	○			9.14
6 × 50 × 4000	○	○	○	○	9.52
6 × 50 × 5000				○	11.90
6 × 50 × 6000	○	○		○	14.27
6 × 60 × 4000	○	○	○	○	11.42
6 × 65 × 4000	○	○	○	○	12.37
6 × 65 × 5000				○	15.46
6 × 65 × 6000		○		○	18.56
6 × 70 × 4000	○	○		○	13.32
6 × 75 × 4000	○	○	○	○	14.27
6 × 75 × 5000				○	17.84
6 × 75 × 6000		○		○	21.41
6 × 90 × 4000	○	○	○	○	17.13
6 × 100 × 4000	○	○	○	○	19.03
6 × 100 × 5000				○	23.79
6 × 100 × 6000		○		○	28.55
6 × 110 × 4000	○	○			20.94
6 × 120 × 4000	○	○			22.84
6 × 125 × 4000	○	○			23.79
6 × 130 × 4000	○	○			24.74
6 × 140 × 4000	○	○			26.64
6 × 150 × 4000	○	○			28.55
7 × 7 × 4000	○	○			1.55
8 × 8 × 4000	○	○	○		2.03
8 × 10 × 4000	○	○		○	2.54
8 × 16 × 4000	○	○		○	4.06
8 × 25 × 4000				○	6.34
8 × 30 × 4000				○	7.61
8 × 32 × 4000	○	○		○	8.12
8 × 35 × 4000				○	8.88
8 × 38 × 4000	○	○		○	9.64
8 × 40 × 4000				○	10.15
8 × 45 × 4000				○	11.42
8 × 50 × 4000	○	○		○	12.69
8 × 65 × 4000				○	16.49

※単重は参考値です。

ステンレス(SUS304)四角・平角棒

寸法 (mm)	Cold	HL	#400	Hot	本/kg
8 × 75 × 4000				○	19.03
8 × 100 × 4000				○	25.38
9 × 9 × 4000	○	○	○		2.57
9 × 13 × 4000	○	○		○	3.71
9 × 15 × 4000	○	○		○	4.28
9 × 16 × 4000	○	○		○	4.57
9 × 19 × 4000	○	○		○	5.42
9 × 20 × 4000	○	○	○	○	5.71
9 × 22 × 4000	○	○		○	6.28
9 × 25 × 4000	○	○	○	○	7.14
9 × 25 × 6000	○	○		○	10.71
9 × 30 × 4000	○	○	○	○	8.56
9 × 30 × 6000	○	○			12.85
9 × 32 × 4000	○	○	○	○	9.14
9 × 32 × 6000	○	○			13.70
9 × 35 × 6000				○	14.99
9 × 38 × 4000	○	○	○	○	10.85
9 × 38 × 5000				○	13.56
9 × 38 × 6000	○	○		○	16.27
9 × 40 × 4000	○	○	○	○	11.42
9 × 40 × 6000	○	○		○	17.13
9 × 45 × 6000				○	19.27
9 × 50 × 4000	○	○	○	○	14.27
9 × 50 × 5000				○	17.84
9 × 50 × 6000	○	○		○	21.41
9 × 55 × 4000				○	15.70
9 × 60 × 4000	○	○	○	○	17.13
9 × 65 × 4000	○	○	○	○	18.56
9 × 65 × 5000				○	23.20
9 × 65 × 6000	○	○		○	27.83
9 × 75 × 4000	○	○	○	○	21.41
9 × 75 × 5000				○	26.76
9 × 75 × 6000	○	○		○	32.12
9 × 90 × 4000	○	○		○	25.69
9 × 100 × 4000	○	○	○	○	28.55
9 × 100 × 5000				○	35.69
9 × 100 × 6000	○	○		○	42.82
9 × 125 × 4000	○	○		○	35.69
9 × 125 × 6000				○	53.53
9 × 150 × 4000	○	○		○	42.82

寸法 (mm)	Cold	HL	#400	Hot	本/kg
9 × 150 × 6000				○	64.23
9 × 200 × 4000	○	○		○	57.10
9 × 250 × 4000	○	○		○	71.37
9 × 300 × 4000	○			○	85.64
10 × 10 × 4000	○	○	○	○	3.17
10 × 15 × 4000	○	○		○	4.76
10 × 19 × 4000	○	○		○	6.03
10 × 20 × 4000	○	○	○	○	6.34
10 × 25 × 4000	○	○	○	○	7.93
10 × 30 × 4000	○	○	○	○	9.52
10 × 32 × 4000	○	○	○	○	10.15
10 × 35 × 4000				○	11.10
10 × 38 × 4000	○	○	○	○	12.05
10 × 40 × 4000	○	○	○	○	12.69
10 × 45 × 4000				○	14.27
10 × 50 × 4000	○	○	○	○	15.86
10 × 65 × 4000	○	○	○	○	20.62
10 × 75 × 4000	○	○		○	23.79
10 × 100 × 4000	○	○		○	31.72
10 × 125 × 4000	○	○		○	39.65
10 × 150 × 4000	○	○		○	47.58
10 × 200 × 4000	○	○		○	63.44
10 × 250 × 4000	○	○		○	79.30
10 × 300 × 4000	○			○	95.16
12 × 12 × 4000	○	○	○	○	4.57
12 × 14 × 4000	○			○	5.33
12 × 15 × 4000				○	5.71
12 × 16 × 4000	○	○			6.09
12 × 19 × 4000	○	○		○	7.23
12 × 20 × 4000	○	○	○	○	7.61
12 × 25 × 4000	○	○	○	○	9.52
12 × 28 × 4000				○	10.66
12 × 30 × 4000	○	○	○	○	11.42
12 × 32 × 4000	○	○	○	○	12.18
12 × 32 × 6000	○	○			18.27
12 × 35 × 4000	○	○		○	13.32
12 × 38 × 4000	○	○	○	○	14.46
12 × 38 × 6000	○	○		○	21.70
12 × 40 × 4000	○	○	○	○	15.23
12 × 40 × 6000	○	○		○	22.84

※単重は参考値です。

ステンレス(SUS304)四角・平角棒

寸法 (mm)	Cold	HL	#400	Hot	本/kg
12 × 50 × 4000	○	○	○	○	19.03
12 × 50 × 5000				○	23.79
12 × 50 × 6000	○	○		○	28.55
12 × 65 × 4000	○	○	○	○	24.74
12 × 65 × 5000				○	30.93
12 × 65 × 6000	○	○	○	○	37.11
12 × 70 × 6000				○	39.97
12 × 75 × 4000	○	○	○	○	28.55
12 × 75 × 5000				○	35.69
12 × 75 × 6000	○	○		○	42.82
12 × 90 × 4000	○	○	○	○	34.26
12 × 100 × 4000	○	○	○	○	38.06
12 × 100 × 5000				○	47.58
12 × 100 × 6000	○	○		○	57.10
12 × 125 × 4000	○	○		○	47.58
12 × 125 × 6000				○	71.37
12 × 150 × 4000	○	○		○	57.10
12 × 150 × 6000				○	85.64
12 × 200 × 4000	○	○		○	76.13
12 × 250 × 4000	○	○		○	95.16
12 × 300 × 4000	○			○	114.19
13 × 13 × 4000	○	○	○	○	5.36
14 × 14 × 4000	○	○	○	○	6.22
15 × 15 × 4000	○	○	○	○	7.14
16 × 16 × 4000	○	○	○	○	8.12
16 × 19 × 4000	○	○			9.64
16 × 20 × 4000	○	○	○	○	10.15
16 × 25 × 4000	○	○			12.69
16 × 25 × 4000	○	○	○	○	12.69
16 × 30 × 4000				○	15.23
16 × 32 × 4000	○	○	○	○	16.24
16 × 35 × 4000				○	17.76
16 × 38 × 4000	○	○	○	○	19.29
16 × 40 × 4000	○	○		○	20.30
16 × 50 × 4000	○	○	○	○	25.38
16 × 50 × 5000				○	31.72
16 × 50 × 6000				○	38.06
16 × 65 × 4000	○	○		○	32.99
16 × 65 × 5000				○	41.24
16 × 65 × 6000				○	49.48

寸法 (mm)	Cold	HL	#400	Hot	本/kg
16 × 75 × 4000	○	○		○	38.06
16 × 75 × 5000				○	47.58
16 × 90 × 4000				○	45.68
16 × 100 × 4000	○	○		○	50.75
16 × 100 × 6000				○	76.13
16 × 125 × 4000	○	○		○	63.44
16 × 125 × 6000				○	95.16
16 × 150 × 4000	○	○		○	76.13
16 × 150 × 6000				○	114.19
16 × 200 × 4000	○	○		○	101.50
16 × 250 × 4000	○	○		○	126.88
16 × 300 × 4000	○			○	152.26
18 × 18 × 4000				○	10.28
19 × 19 × 4000	○	○	○	○	11.45
19 × 25 × 4000	○	○	○	○	15.07
19 × 30 × 4000				○	18.08
19 × 32 × 4000	○	○	○	○	19.29
19 × 35 × 4000				○	21.09
19 × 38 × 4000	○	○	○	○	22.90
19 × 40 × 4000				○	24.11
19 × 50 × 4000	○	○	○	○	30.13
19 × 65 × 4000	○	○		○	39.17
19 × 75 × 4000	○	○		○	45.20
19 × 90 × 4000				○	54.24
19 × 100 × 4000	○	○		○	60.27
19 × 125 × 4000	○	○		○	75.34
19 × 150 × 4000	○	○		○	90.40
19 × 200 × 4000	○	○		○	120.54
19 × 250 × 4000	○			○	150.67
19 × 300 × 4000	○			○	180.80
20 × 20 × 4000	○	○	○	○	12.69
22 × 22 × 4000	○	○		○	15.35
22 × 25 × 4000				○	17.45
22 × 30 × 4000				○	20.94
22 × 32 × 4000	○			○	22.33
22 × 35 × 4000				○	24.42
22 × 38 × 4000	○			○	26.52
22 × 40 × 4000				○	27.91

※単重は参考値です。

ステンレス(SUS304)四角・平角棒

寸法 (mm)	Cold	HL	#400	Hot	本/kg
22 × 45 × 4000				○	31.40
22 × 50 × 4000	○			○	34.89
22 × 65 × 4000	○			○	45.36
22 × 75 × 4000	○			○	52.34
22 × 100 × 4000	○			○	69.78
22 × 125 × 4000				○	87.23
22 × 150 × 4000				○	104.68
22 × 200 × 4000				○	139.57
22 × 250 × 4000				○	174.46
22 × 300 × 4000				○	209.35
25 × 25 × 4000	○	○	○	○	19.83
25 × 32 × 4000	○			○	25.38
25 × 38 × 4000	○			○	30.13
25 × 40 × 4000				○	31.72
25 × 50 × 4000	○			○	39.65
25 × 60 × 4000				○	47.58
25 × 65 × 4000	○			○	51.55
25 × 75 × 4000	○			○	59.48
25 × 100 × 4000	○			○	79.30
25 × 125 × 4000	○			○	99.13
25 × 150 × 4000	○			○	118.95
25 × 200 × 4000	○			○	158.60
25 × 250 × 4000				○	198.25
25 × 300 × 4000				○	237.90
26 × 26 × 4000	○				21.44
28 × 28 × 4000	○	○		○	24.87
30 × 30 × 4000	○	○		○	28.55
30 × 50 × 4000	○			○	47.58
30 × 55 × 4000	○			○	52.34
30 × 60 × 4000				○	57.10
30 × 65 × 4000	○			○	61.85
30 × 75 × 4000	○			○	71.37
30 × 100 × 4000	○			○	95.16
30 × 125 × 4000				○	118.95
30 × 150 × 4000				○	142.74
30 × 200 × 4000				○	190.32
30 × 250 × 4000				○	237.90
30 × 300 × 4000				○	285.48
32 × 32 × 4000	○			○	32.48
35 × 50 × 4000	○			○	55.51
35 × 65 × 4000	○			○	72.16

寸法 (mm)	Cold	HL	#400	Hot	本/kg
35 × 75 × 4000	○			○	83.27
35 × 100 × 4000	○			○	111.02
35 × 125 × 4000				○	138.78
35 × 150 × 4000				○	166.53
36 × 36 × 4000	○			○	41.11
38 × 38 × 4000	○			○	45.80
40 × 40 × 4000	○			○	50.75
40 × 50 × 4000				○	63.44
40 × 65 × 4000				○	82.47
40 × 75 × 4000				○	95.16
40 × 100 × 4000				○	126.88
40 × 125 × 4000				○	158.60
40 × 150 × 4000				○	190.32
42 × 42 × 4000				○	55.95
45 × 45 × 4000	○			○	64.23
50 × 50 × 4000	○			○	79.30
50 × 65 × 4000				○	103.09
50 × 75 × 4000				○	118.95
50 × 100 × 4000				○	158.60
50 × 125 × 4000				○	198.25
50 × 150 × 4000				○	237.90
55 × 55 × 4000	○			○	95.95
60 × 60 × 4000	○			○	114.19
60 × 75 × 4000				○	142.74
60 × 100 × 4000				○	190.32
60 × 125 × 4000				○	237.90
60 × 150 × 4000				○	285.48
65 × 65 × 4000	○			○	134.02
70 × 70 × 4000				○	155.43
70 × 100 × 4000				○	222.04
70 × 125 × 4000				○	277.55
70 × 150 × 4000				○	333.06
75 × 75 × 4000				○	178.43
80 × 80 × 4000				○	203.01
80 × 100 × 4000				○	253.76
80 × 125 × 4000				○	317.20
80 × 150 × 4000				○	380.64
90 × 90 × 4000				○	256.93
90 × 100 × 4000				○	285.48
90 × 125 × 4000				○	356.85
90 × 150 × 4000				○	428.22
100 × 100 × 4000				○	317.20
100 × 125 × 4000				○	396.50
100 × 150 × 4000				○	475.80